



J-11011/66/2015-IA II (I)
Government of India
Ministry of Environment, Forest and Climate Change
(I.A. Division)

Indira Paryavaran Bhawan
Aliganj, Jorbagh Road,
New Delhi -110003

Telefax: 24695313
E-mail : ik.bokolia@nic.in
Dated: 20th October, 2016

To,
Shri K V Kamat
Executive Director
M/s HLL Life care Limited (Kanagala Plant)
Kanagala Village Ghukkeri Taluk
Bilgaum District Karnataka

Subject: Expansion of Bulk Drug manufacturing unit at Survey numbers 52, 53, 59/1, 59/2A, 59/2B, 74, 75/1, 75/2, 75/3, 76/1B, 76/3, 76/4, 76/7, 76/8 & 76/9, Kanagala village, Hukkeri Taluku, Belagavi district, Karnataka State by M/s HLL Life care Limited (Kanagala Plant)– Environmental Clearance reg.

Ref.: Your online proposal no. IA/KA/IND2/53152/2015 dated 25th April, 2016.

Sir,

This has reference to your online proposal no. IA/KA/IND2/53152/2015 dated 25th April, 2016 along with project documents including Form I, Terms of References, Pre-feasibility Report, EIA/EMP Report along with Public Hearing Report regarding above mentioned project.

2.0 The Ministry of Environment, Forests and Climate Change has examined the application. It is noted that proposal is for Expansion of Bulk Drug manufacturing unit at Survey numbers 52, 53, 59/1, 59/2A, 59/2B, 74, 75/1, 75/2, 75/3, 76/1B, 76/3, 76/4, 76/7, 76/8 & 76/9, Kanagala village, Hukkeri Taluku, Belagavi district, Karnataka State by M/s HLL Life care Limited (Kanagala Plant). It is reported that no wildlife sanctuary /national park/ Reserved/ Protected forest is located within 10 km distance. Total Cost of project is Rs.30 lacs. Total Plot area is 40.43 acres (1,63620 m²) of which 62, 000 m² area will be developed as green belt. Following products will be manufactured:

S. No.	Names of the Products	Production Capacity		
		Existing	Proposed	Total After Expansion
1	Centchroman	1 MT per annum	1 MT per annum	2 MT per annum
2	Condoms	270 Million pieces per annum	--	270 Million pieces per annum

3	Mala - D & Saheli oral contraceptive pills	1750 Lacs Cycles per annum	--	1750 Lacs Cycles per annum
4	Sanitary Napkins	300 million pieces per annum	--	300 million pieces per annum

3.0 The additional steam requirement after expansion shall be met from these existing boilers. Existing unit has D. G. Sets for emergency power supply i.e. 400 KVA (02 Nos.), 1000 KVA (01 No.) & 1010 KVA (01No.). Industry is not proposing any additional DG sets. Total fresh water requirement from KIADB water supply will be increased from 238 m³/day to 242.6 m³/day after expansion. Effluent generation will be increased from 151 m³/day to 153 m³/day after expansion. Effluent will be treated in the ETP and treated effluent will be recycled/reused within the plant premises. Spent activated carbon will be sent to TSDF. Spent Palladium Catalyst and E- waste will be sent to the authorized recyclers. Solvent Distillation bottom (Still) Residue will be sent to authorized incinerators. Spent Solvent will be sent to authorized recyclers. Cleaning in Process & mother liquor will be Incinerated at authorized incinerators. Detoxified Containers and Used Lead Acid Batteries will be sent back to suppliers / KSPCB authorized parties.

4.0 Public Hearing / Public Consultation meeting was exempted as per section 7 (i),(iii) Stage (3), Para (i)(b) of EIA Notification, 2006 due to project location in the industrial area establishes prior to 2006.

5.0 All Synthetic Organic Chemicals Industry (Bulk Drugs & Intermediates) located within the notified industrial area/estate are listed at S.N. 5(f) under category 'B' and appraised by State Expert Appraisal Committee (I). However, due to the unit location is within 5km radius of interstate boundary (Maharashtra), the project has been considered as category 'A'.

6.0 The proposal was considered by the Expert Appraisal Committee (Industry-2) in its meetings held during 27th-28th June, 2016. Project Proponent and the EIA Consultant namely M/s Rightsource Industrial Solutions Pvt. Ltd., have presented EIA / EMP report as per the TOR. EAC has found the EIA / EMP Report and additional information to be satisfactory and in full consonance with the presented TORs. The Committee recommended the proposal for environmental clearance.

7.0 Based on the information submitted by the project proponent, the Ministry of Environment and Forests hereby accords environmental clearance to above project under the provisions of EIA Notification dated 14th September 2006, subject to the compliance of the following Specific and General Conditions:

A. SPECIFIC CONDITIONS:

- i. As proposed, the additional steam requirement will be met from the existing boilers. No additional boiler shall be installed without permission.
- ii. Scrubber shall be provided to control process emissions viz. HCl. The scrubbing media shall be sent to effluent treatment plant (ETP) for treatment. Efficiency of scrubber shall be monitored regularly and maintained properly. At no time, the emission levels shall go beyond the prescribed standards.

213

- iii. Fugitive emissions in the work zone environment, product, raw materials storage area etc. shall be regularly monitored. The emissions shall conform to the limits imposed by SPCB. Odour management plan shall be implemented.
- iv. Total fresh water requirement from KIADB water supply shall not exceed 242.6 m³/day and prior permission shall be obtained from the CGWA/SGWA.
- v. Trade effluent shall be treated in ETP and then passed through RO system. Condensate and recover water will be recycled/reused within factory premises. 'Zero' effluent discharge shall be adopted and no effluent will be discharged outside the premises.
- vi. All the solvent storage tanks shall be connected with vent condensers with chilled brine circulation.
- vii. As proposed, process organic residue and spent carbon shall be sent to cement industries. ETP sludge, process inorganic & evaporation salt shall be disposed off to the TSDF. The ash from boiler shall be sold to brick manufacturers/cement industry.
- viii. Suggestion given in compliance report of Regional Office of MEF&CC should be fulfilled within 3 months from date of issue of ED and action taken report to be submitted to Regional Office and uploaded to company's web site.
- ix. The company shall obtain Authorization for collection, storage and disposal of hazardous waste under the Hazardous Waste (Management, Handling and Trans-Boundary Movement) Rules, 2008 and amended as on date for management of Hazardous wastes and prior permission from SPCB shall be obtained for disposal of solid / hazardous waste in the TSDF. Measures shall be taken for fire-fighting facilities in case of emergency.
- x. Fly ash shall be stored separately as per CPCB guidelines so that it shall not adversely affect the air quality, becoming air borne by wind or water regime during rainy season by flowing along with the storm water. Direct exposure of workers to fly ash & dust shall be avoided.
- xi. Solvent management shall be as follows :
 - Reactor shall be connected to chilled brine condenser system
 - Reactor and solvent handling pump shall have mechanical seals to prevent leakages.
 - The condensers shall be provided with sufficient HTA and residence time so as to achieve more than 95% recovery
 - Solvents shall be stored in a separate space specified with all safety measures.
 - Proper earthing shall be provided in all the electrical equipment wherever solvent handling is done.
 - Entire plant where solvents are used shall be flame proof. The solvent storage tanks shall be provided with breather valve to prevent losses.
- xii. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.

- xiii. The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per the norms.
- xiv. At least 5 % of the total cost of the project shall be earmarked towards the Enterprise Social Commitment (ESR) based on need of local people and item-wise details along with time bound action plan shall be prepared and submitted to the Ministry's Regional Office at Bangalore.
- xv. As proposed, green belt of 62, 000 m² shall be developed within plant premises with at least 10 meter wide green belt on all sides along the periphery of the project area, in downward direction, and along road sides etc. Selection of plant species shall be as per the CPCB guidelines in consultation with the DFO.

B. GENERAL CONDITIONS:

- i. The project authorities must strictly adhere to the stipulations made by the Karnataka State Pollution Control Board (KSPCB), State Government and any other statutory authority.
- ii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- iii. The locations of ambient air quality monitoring stations shall be decided in consultation with the KSPCB and it shall be ensured that at least one station is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.
- iv. The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).
- v. The Company shall harvest rainwater from the roof-tops of the buildings and storm water drains to recharge the ground water and use the same water for the process activities of the project to conserve fresh water.
- vi. During transfer of materials, spillages shall be avoided and garland drains be constructed to avoid mixing of accidental spillages with domestic wastewater and storm water drains.
- vii. Usage of Personnel Protection Equipments by all employees/ workers shall be ensured.
- viii. Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.


117

- ix. The company shall also comply with all the environmental protection measures and safeguards proposed in the project report submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, risk mitigation measures and public hearing relating to the project shall be implemented.
- x. The company shall undertake CSR activities and all relevant measures for improving the socio-economic conditions of the surrounding area.
- xi. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.
- xii. A separate Environmental Management Cell equipped with full fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.
- xiii. The company shall earmark sufficient funds for recurring cost per annum to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.
- xiv. A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, ZilaParasad/Municipal Corporation, Urban local Body and the local NGO, if any, from who suggestions/ representations, if any, were received while processing the proposal.
- xv. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the Karnataka State Pollution Control Board. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.
- xvi. The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the Karnataka State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the Bangalore Regional Offices of MoEF by e-mail.
- xvii. The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry at <http://envfor.nic.in>. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.
- xviii. The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.

8.0 The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.

9.0 The Ministry reserves the right to stipulate additional conditions, if found necessary. The company in a time bound manner will implement these conditions.

10. The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Water Pollution) Act, 1981, the Environment (Protection) Act, 1986 Hazardous Waste (Management, Handling and Trans-boundary Movement) Rules, 2008 and the Public Liability Insurance Act, 1991 along with their amendments and rules:


(Lalit Bokolia)
Additional Director

Copy to :-

1. The Secretary, Department of Environment & Ecology, Govt. of Karnataka, Room No. 708, Gate 2, Multi Storied Building, Dr. Ambedkar Veedhi, Bangalore - 560 001
2. The Chief Conservator of Forests, Regional Office (Southern Zone, Bangalore) Kendriya Sadan, 4th Floor, E&F Wing, II Block Koramangala, Bangalore-560034.
3. The Chairman, Central Pollution Control Board Parivesh Bhavan, CBD-cum-Office Complex, East Arjun Nagar, New Delhi - 110 032.
4. The Chairman, Karnataka State Pollution Control Board, #49, Parisara Bhavana, Church Street, Bangalore-01 (Karnataka).
5. Monitoring Cell, Ministry of Environment, Forests and Climate Change , Indira Paryavaran Bhavan, Jor Bagh, New Delhi.
6. Guard File/Monitoring File/Record File.

|
(Lalit Bokolia)
Additional Director

INTRODUCTION

HLL Lifecare Limited, a company aimed at realizing the government's family planning programme, HLL Lifecare Limited started as a manufacturer of natural rubber latex condoms. The foundation paved the way for a big dream that was in a nascent stage, aimed at changing the lives of a number of people. And as HLL metamorphosed into a nation's brand, the dream grew by leaps and bounds. The company spread its wings to diversify into a healthcare major, with great emphasis over healthcare services. As the company successfully completes 50 years of consistent quality performance, HLL is entrusted with greater responsibilities – the affordable pharmacy network across the nation, healthcare services outlets, vaccine security of the nation, the medical devices park and much more. It's no wonder that, at HLL, work is really about 'innovating for healthy generations', each day.

HLL has established one more unit at Kanagala in Belagavi Dist., Karnataka State. The plant commenced operations with the production of condoms in 1985 using Japanese technology. This unit underwent diversification in 1992 with the tableting facility for birth control pills - Mala-D/N and the formulation and tableting of Saheli (Centchroman) the indigenous, non-steroidal once-a-week pill. The tableting of Emergency Contraceptive pills started in 2003. Commercial manufacturing of women healthcare products commenced in 2006. HLL-Kanagala plant has also added a state-of-the-art formulation plant – UNIPILL Block in 2012. The Plant has gained Prequalification (PQ) status from the World Health Organisation (WHO) for the manufacturing of Levonorgestrel 1.5 mg 1.5mg, an oral contraceptive Pill.

To address the menstrual hygiene needs of women, a new Sanitary Napkin manufacturing facility with a capacity to produce 400 Mnpcs of Sanitary napkins per annum became operational in 2013. The manufacturing unit has GMP and quality management systems (QMS) like ISO 9001, ISO 14001, OHSAS 18001 and ISO 13485.





II. Compliance to the condition of ECC No: J-11011/66/2015-IA H (I) Date: 20th Oct, 2016.
Issued by ministry of forest and environment. New Delhi.

SPECIFIC CONDITION:

S. No	General Condition	Compliance
i	As proposed, the additional steam requirement will be met from the existing boilers. No additional boiler shall be installed without permission	Yes, the additional steam requirement will be met from the existing boilers
ii	Scrubber shall be provided to control process emissions viz. HCL. The scrubbing media shall be sent to effluent treatment plant (ETP) for treatment. Efficiency of scrubber shall be monitored regularly and maintained properly. At no time, the emission levels shall go beyond the prescribed standards.	Yes, the HCL emission control by scrubber.
iii	Fugitive emissions in the work zone environment, product, raw materials storage area etc., shall be regularly monitored. The emissions shall conform to the limits imposed by SPCB. Odor management plan shall be implemented.	Yes, monitoring regularly through KSPCB approved party and submitting reports to KSPCB Chikodi and Bengaluru.
iv	Total fresh water requirement from KIADB water supply shall not exceed 242.6 M3/day and prior permission shall be obtained from the CGWA/SGWA.	Yes, fresh water requirement is under limit, not exceeding the approved limit by KSPCB.
v	Trade effluent shall be treated in ETP and then passed through RO system. Condensate and recover water will be recycled/reused within factory premises. 'Zero' effluent discharge shall be adopted and no effluent will be discharged outside the premises.	Trade effluent is treating in Multiple Effect Evaporator and condensed water is using for gardening with in the factory premises.
vi	All the solvent storage tanks shall be connected with vent condensers with chilled brine circulation.	Solvents are stored in Barrels in a dedicated area.
vii	As proposed, process organic residue and spent carbon shall be sent to cement industries. ETP sludge, process inorganic & evaporation salt shall be disposed-off to the TSDF. The ash from boiler shall be sold to brick manufacturers/cement industry.	Efforts are made always to see that the organic sludge disposed off within 90 days, to KSPCB authorizer for disposal





viii	Suggestion given in compliance report of Regional Office of MEE & CC should be fulfilled within 3 months' form date of issue of ED and action taken report to be submitted to Regional Office and uploaded to company's web site	We are operating Multi Effect Evaporator intermittently and trying for alternative treatment method for daily generating effluent in BDU plant. After successful trial we will implement the new treatment process.
ix	The company shall obtain Authorization for collection, storage and disposal of hazardous waste under the Hazardous Waste (Management, Handling and Trans-Boundary Movement) Rules, 2008 and amended as on date for management of Hazardous wastes and prior permission. From SPCB shall be obtained for disposal of solid / hazardous waste in the TSDF. Measures shall be taken for fire - fighting facilities in case of emergency	HWM-306224 Valid Upto 30.06.2021
x	Fly ash shall be stored separately as per CPCB guidelines so that it shall not adversely affect the air quality, becoming air borne by wind or water regime during rainy season by flowing along with the storm water. Direct exposure of workers to fly ash & dust shall be avoided.	Presently our Boilers with Furnace oil as fuel. Hence the generation of fly ash is less, however the collection at the bottom of chimney which is disposal as land fill..
xi	Solvent management shall be as follows.	
a	Reactor shall be connected to chilled brine condenser system.	Yes, connected to chilled brine condenser system.
b	Reactor and solvent handling pump shall have mechanical seals to prevent leakages.	Instead of handling we are using vacuum for transferring the solvents and product mass..
c	The condensers shall be provided with sufficient HTA and residence time so as to archive more than 95% recovery.	Yes, provided sufficient heat transfer area and residence time.
d	Solvents shall be stored in a separate space specified with all safety measures.	Yes, stored separately with all safety measures. regularly monitored & recorded, also inspected by Regional Officer.
e	Proper earthing shall be provided in all the electrical equipment wherever solvent handling is done.	Yes, provided We are certified ISO 14001-2015 and OSHAS 18001:2007, company. Hence regular audits are carried out in this regard.
f	Entire plant where solvents are used shall be flame proof. The solvent storage tanks shall be provided with breathing valve to prevent losses.	Yes, provided with flame proof facility during initial only.



xii	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	<p>Yes, Occupational health surveillance done on a regular basis and records maintained.</p> <p>a) complied General medical checkup done during Sep 2019 for 352 employees, (surveillance checkup) and due date is Aug /Sep- 2020.</p> <p>b) Special Medical checkup done for BDU, Primary Condom and OCP employees during Nov - 2019 for 296 employees. Next due date is May - 2020</p> <p>c) Special Medical checkup done for Unipill and OCP women employees during Oct - 2019 for 73 employees. Next due date is Oct-2020.</p> <p>d) Audiometric test for employees of Boilers & SNP done once in a year.</p>
xiii	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Firefighting system shall be as per the norms.	<p>Our HLL Company is certified ISO 14001:2015 and OSHAS 18001:2007. All the aspects of observations are compiled as part of standard requirements.</p> <p>a) 290Nos of Fire Extinguishers of various type provided as per requirement in different location of factory.</p> <p>b) Fire hydrant system provided surrounding the company.</p> <p>c) Smoke detectors with alarm systems are provided highly fire risky area.</p>
xiv	At least 5% of the total cost of the project shall be earmarked towards the Enterprise Social Commitment (ESR) based on need of local people and item-wise details along with time bound action plan shall be prepared and submitted to the Ministry's Regional Office at Bangalore	<p>Yes, complied.</p> <p>Last year company has spent Rs 4.5Lakhs. As a combined expenditure on CSR & ESR</p>



B. GENERAL CONDITIONS:

Sl. No	General Conditions	Compliance
i	The project authorities must strictly adhere to the stipulations made by the Karnataka State Pollution Control Board (KSPCB), State Government and any other statutory authority.	Noted and accepted
ii	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	Will be followed
iii	The locations of ambient air quality monitoring stations shall be decided in consultation with the KSPCB and it shall be ensured that at least one station is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.	Yes, ambient air quality stations are maintained as per the wind direction.
iv	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	Yes, maintained. Suitable PPE's are provided to use at noise work place.
v	The Company shall harvest rainwater from the roof-tops of the buildings and storm water drains to recharge the ground water and use the same water for the process activities of the project to conserve fresh water.	The company is already harvesting rain water and we have a catchment well of 150KL capacity. Till today we have harvested 5000 KL of rain water.
vi	During transfer of materials, spillages shall be avoided and garland drains be constructed to avoid mixing of accidental spillages with domestic waste water and storm water drains.	All the gutters are separately maintained.
vii	Usage of Personnel Protection Equipment's by all employees / workers shall be ensured.	Ensured that all employees are regularly using PPE's at work place.



viii	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.	Regular basis training is implemented in-house and out source. Last Year we have covered 116 Nos of employees in safety and health aspects.
ix	The company shall also comply with all the environmental protection measures and safeguards proposed in the project report submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, risk mitigation measures and public hearing relating to the project shall be implemented.	Yes, we complied. However for this there is no public hearing conducted.
x	The company shall undertake CSR activities and all relevant measures for improving the socio-economic conditions of the surrounding area.	Already complied in xiv of Specific Conditions of this approval.
xi	The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.	Yes, the facility is already existing and we are in process of expansion from 1 to 2 tones/A, without hampering any Environmental - Community parameters.
xii	A separate Environmental Management Cell equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.	Yes, Environmental Management Cell formed
xiii	The company shall earmark sufficient funds for recurring cost per annum to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.	Yes, complied
xiv	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zila Parisad/Municipal Corporation, Urban local Body and the local NGO, if any, from who suggestions/ representations, if any, were received while processing the proposal.	Yes, we have intimated regarding project approval to Gram Panchayat, Kanagala and District Collector office, Belagavi.



xv	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the Karnataka State Pollution Control Board. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.	Yes, it is regularly submitting to CPCB and KSPCB. Initiated action to post the report on the comp-any website.
xvi	The environmental statement for each financial year ending 31 st March in Form-V as is mandated shall be submitted to the Karnataka State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the Bangalore Regional Offices of MoEF by e-mail.	Yes, complied. Last Environment statement dtd. 12.09.2019 and due date is 30.09.2020
xvii	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry at http://envfor.nic.in . This shall be advertised within seven days -from the date of issue of the clearance fetter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	Yes, we have published the MoEF Approval to public wide local newspaper in Tarun Bharat and National newspaper in Deccan Herald on dtd. 29.10.2017.
xviii	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	Noted and accepted




V.G. RAJPUT
JGM (Engg)