

Corrigendum No: 1 Issued on dated 01/02/2014

Ref: Tender Enquiry No: HLL/PCD/IMPCL-03/13-14 dtd. 04/01/2014 and Pre-Bid meeting held on 16/01/2014 at HLL Lifecare Ltd., B-14A, Sector-62, Noida - 201 307.

The following amendments are issued with respect to the above tender Enquiry Document.

**1. For:
SECTION-VII
TECHNICAL SPECIFICATIONS
TABLET SECTION
ITEM SL No.3
AIR CURTAIN 3 feet**

AIR CURTAIN 3 feet-Air curtain made of ss 304 with SS body, duly polished complete with heavy duty motor & blower fitted with of double shaft of steel EN 8 with two impeller 1440 rpm, single phase, assembly necessary electrical accessories, motor 1/3 HP (.33), 1440 RPM, double shaft, Blower: 8"x8" – 15mm bore, blower fan, body 20SWG, 304

Quality.size: 3' feet - Single motor double Blower. make motor crompton/Equivalent ,vendor to specify mps and with mechanical accessories.

**Read As:
AIR CURTAIN 3 feet**

AIR CURTAIN 3 feet-Air curtain made of ss 304 with SS body, duly polished complete with heavy duty motor & blower fitted with of double shaft of steel EN 8 with two impeller 1440 rpm, single phase, assembly necessary electrical accessories and sensor /proximity switches control, motor 1/3 HP (.33), 1440 RPM, Blower: 8"x8" – 15mm bore approx., blower fan, body 20SWG, SS304

Quality.size: 3' feet - Single motor double Blower. make motor crompton/Equivalent ,vendor to specify mps and with mechanical accessories.

Qty 3- AIR CURTAIN 3 feet with sensor/Proximity Switches control

**2. For:
SECTION-VII
TECHNICAL SPECIFICATIONS
ITEM SL No. 4
AIR CURTAIN 4 feet**

HLL Lifecare Ltd.

AIR CURTAIN 4 feet-Air curtain made of ss 304 with SS body, duly polished complete with heavy duty motor & blower fitted with of double shaft of steel EN 8 with two impeller 1440 rpm, single phase, assembly necessary electrical accessories, motor 1/3 HP (.33), 1440 RPM, double shaft, Blower: 8"x8" – 15mm bore , blower fan, body 20SWG, 304

Quality.size: 4' feet - Single motor double Blower. make motor crompton/Equivalent ,vendor to specify mps and with mechanical accessories

Read As:

AIR CURTAIN 4 feet

AIR CURTAIN 4 feet-Air curtain made of ss 304 with SS body, duly polished complete with heavy duty motor & blower fitted with of double shaft of steel EN 8 with two impeller 1440 rpm, single phase, assembly necessary electrical accessories, motor 1/3 HP (.33), 1440 RPM, Blower: 8"x8" – 15mm bore approx., blower fan, body 20SWG, SS304

Quality.size: 4' feet - Single motor double Blower. make motor crompton/Equivalent ,vendor to specify mps and with mechanical accessories.

Qty 1- AIR CURTAIN 4 feet with sensor/Proximity Switches control.

Qty 3- AIR CURTAIN 4 feet with limit switches.

3. For:

SECTION-VII

TECHNICAL SPECIFICATIONS

ITEM SL No. 5

AIR CURTAIN 6 feet

AIR CURTAIN 6 feet-Air curtain made of ss 304 with SS body, duly polished complete with heavy duty motor & blower fitted with of double shaft of steel EN 8 with two impeller 1440 rpm, single phase, assembly necessary electrical and accessories, motor 1/3 HP (.33), 1440 RPM, double shaft, Blower: 8"x8" – 15mm bore, blower fan, body 20SWG, 304

Quality.size:6' feet -Double motor four Blower. make motor crompton/Equivalent,vendor to specify mps and with mechanical accessories.

Read As:

AIR CURTAIN 6 feet

AIR CURTAIN 6 feet-Air curtain made of ss 304 with SS body, duly polished complete with heavy duty motor & blower fitted with of double shaft of steel EN 8 with two impeller 1440 rpm, single phase, assembly necessary electrical and accessories, motor 1/3 HP (.33), 1440 RPM, Blower: 8"x8" – 15mm bore approx., blower fan, body 20SWG,SS 304

Quality.size:6' feet -Double motor four Blower. make motor crompton/Equivalent,vendor to specify mps and with mechanical accessories.

Qty 6- AIR CURTAIN 6 feet with limit switches.

4. For:

SECTION-VII

TECHNICAL SPECIFICATIONS

ITEM SL No. 9

WEIGHING BALANCE -5KG

Weighing balance -5kg-Balance capacity 5kg, Table top model large display, Auto calibration facility, Inbuilt battery backup,Readability:0.01 kg approx, Linearity : ± 0.02 kg approx, Pan size: vendor to specify, Weighing units :kg, Power :230 VAC adapter. with electrical and mechanical accessories.

Calibration : Internal, Dimensions : vendor to specify.

Read As:

WEIGHING BALANCE -5KG

Weighing balance -5kg-Balance capacity 5kg, Table top model large display, Inbuilt battery backup,Readability:0.01 kg approx, Linearity : ± 0.02 kg approx, Pan size: vendor to specify, Weighing units :kg, Power :230 VAC adapter. with electrical and mechanical accessories.

Calibration : External, Dimensions : vendor to specify.

5. For:

SECTION-VII

TECHNICAL SPECIFICATIONS

ITEM SL No. 10

WEIGHING BALANCE -200KG

Weighing balance -200kg-200 kg capacity, Table top model large display, Auto calibration facility, Inbuilt battery backup,Readability:0.02 kg approx, Linearity : ± 0.0 kg approx, base size: vendor to specify, Weighing units :kg, Power :230 VAC adapter, with electrical and mechanical accessories.

Calibration :Internal , Dimensions : vendor to specify.

Read As:

WEIGHING BALANCE -200KG

Weighing balance -200kg-200 kg capacity, Platform Type model large display, Inbuilt battery backup, Readability: 0.02 kg approx, base size: 600x600mm approx, Weighing units :kg, Power :230 VAC adapter, with electrical and mechanical accessories.

Calibration : External , Dimensions : vendor to specify.

6. For:

SECTION-VII

TECHNICAL SPECIFICATIONS

ITEM SL No. 18

DISPENSING BOOTH size: 4'x3'

Sampling Booth designed to provide Class 100 working environment at rest with built in scavenging system to ensure **Product, operator as well as surrounding environment Protection. Construction SS 304.** Imported Minipleat /equivalent HEPA Filter , **which conforms to EU 13 Grade, with an efficiency rating better than 99.99% for 0.3 μ at supply position.**

Read As:

DISPENSING BOOTH size: 4'x3'

Dispensing Booth designed to provide Class 100 working environment at rest with built in scavenging system to ensure **Product, operator as well as surrounding environment Protection. Construction SS 304.** Imported Minipleat /equivalent HEPA Filter , **which conforms to EU 13 Grade, with an efficiency rating better than 99.99% for 0.3 μ at supply position.**

7. For:

SECTION-VII

TECHNICAL SPECIFICATIONS

ITEM SL No. 16

RAW MATERIAL STORAGE RACKS

	Type SB/EB
Frame Size (H x D)	5505 x 1000 mm
Bay Width (Clear)	2700 mm
No. of Leaves per Bay	Ground + 4

HLL Lifecare Ltd.

Pallet Size (H xD)	1200 x 1200 mm
Pallet Type & Weight	3 Runner Plastic Pallet / 1000 Kg.
Load Per Level (UDL)	2000 Kg. UDL
Bay Load	8000 Kg. UDL
No. of Pallets per Bay	10 nos.
No. of Bays per Module	6 nos (1 Starter Bay + 5 Extention Bays)
Finish/Colour	Upright: Powder Coated Blue/vendor to specify. Beams: Powder Coated Orange/vendor to specify.

Read As:

RAW MATERIAL STORAGE RACKS

	Type SB/EB
Frame Size (H x D)	5500 x 1000 mm
Bay Width (Clear)	2700 mm
No. of Leaves per Bay	Ground + 4
Pallet Size (H xD)	1200 x 1200 mm
Pallet Type & Weight	3 Runner Plastic Pallet / 750 Kg.
Load Per Level (UDL)	1500 Kg. UDL
Bay Load	6000 Kg. UDL
No. of Pallets per Bay	10 nos.
No. of Bays per Module	6 nos (1 Starter Bay + 5 Extention Bays), 18m approx Total -14NOS (260 m approx.)

HLL Lifecare Ltd.

Finish/Colour	Upright: Powder Coated Blue/vendor to specify. Beams: Powder Coated Orange/vendor to specify.
Extra Accessories	Row connector ,row guard where ever required

**8. For:
SECTION-IX
QUALIFICATION CRITERIA**

The Tenderer must have executed (supplied and commissioned), under their company /firm's own name at least 3 (three) order for similar items to institutions, worth Rs 5lakhs each during last 3 year prior to date of tender opening. Documentary evidence(duly signed and stamped) must be enclosed.

Read As:

The Tenderer must have successfully executed (supplied and commissioned), under their company /firm's own name at least 1 (one) order for same or similar items for equivalent quantities as tendered during last 3 year prior to date of tenders opening. Documentary evidence (duly signed and stamped) must be enclosed.

**9. For:
SECTION – 1
NIT**

Tender Enquiry No.: HLL/PCD/IMPCL-3/13-14

Dated 04.01.2014

(2) **Tender No.:** HLL/PCD/IMPCL-3/13-14

Sl. No.	Description	Schedule
vi.	Closing date & time for receipt of Tender	11.02.2014 at 2pm (IST)
vii.	Time and date of opening of Techno – Commercial tenders	11.02.2014 at 2.30 pm (IST)

Read As:

Tender Enquiry No.: HLL/PCD/IMPCL-3/13-14

Dated 04.01.2014

(2) **Tender No.:** HLL/PCD/IMPCL-3/13-14

HLL Lifecare Ltd.

Sl. No.	Description	Schedule
vi.	Closing date & time for receipt of Tender	18.02.2014 at 2pm (IST)
vii.	Time and date of opening of Techno – Commercial tenders	18.02.2014 at 2.30 pm (IST)

.....END.....