

**Indian Pharmacopoeia Commission,  
GHAZIABAD, U.P.  
(An Autonomous Institution of Ministry of Health & Family Welfare)**

**Corrigendum-02**

**Name of the work: Construction of State of the Art Laboratory Building for IPC at Raj Nagar, Ghaziabad (U.P.)**

**Tender No. IPC/GZB/HLL/ID/2015**

**The amendments to following four Items of work as below in the BOQ are given in this Corrigendum-02**

S. No.	Item Ref: DSR Code 2014	Description	Boq Qty	Unit	Rate in Figures	Rate in Words	Amount in Figures	Amount in Words
		<b>BOQ CIVIL WORKS</b>						
7.24	Modified 9.136	Providing and fixing fire resistant door frame of section 143 x 57 mm having built in rebate made out of 16 SWG G.I. sheet (zinc coating not less than 120 gm/sqm) duly filled with vermiculite based concrete mix, suitable for mounting 120 minutes fire rated door shutters. The frame is fitted with intumescent fire seal strip of size 10x4 mm (minimum) around the frame and fixing with dash fastener of approved size and make, including applying a coat of approved brand fire resistant primer etc. complete as per direction of Engineer-in-charge (Dash / expandable fastener to be paid for separately).	50	metres				
7.26	9.138 modified	Providing and fixing glazing in fire resistant door shutters, fixed panels, ventilators and partitions etc, with G.I. beading of appropriate size, made out of 20 SWG G.I.sheet (zinc coating not less than 120 gm/m <sup>2</sup> ), fire resistant sealant, including applying a coat of approved fire resistant primer on G.I. beading etc, complete all as per direction of Engineer-in-charge.						
	9.138.1 Modified	With clear fire resistant glass panes minimum 11mm thick interlayered E120, EW120, EI 15 minutes toughened of approved brand, having minimum 120 minutes fire resistance	3	sqm				

7.27	9.139 modified	Providing and fixing panic bar / latch (Single leaf/ double leaf) fitted with a single body, Trim Latch & Lock on back side of the Panic Latch of reputed brand and manufacture to be approved by the Engineer- in-charge, all complete.	4	each				
		<b>SUB HEAD FIRE FIGHTING SYSTEM</b>						
2.2	<b>NDSR Modified</b>	Supply, fixing, testing and commissioning of following valves:- Ball valve with stainless steel ball spindle & PN 16 Pressure rating as specified						
2.2.1	<b>NDSR</b>	25 mm dia.	6	Nos.				
2.6	<b>16.11 Modified</b>	Supply, fixing, testing and commissioning of following valves:						
	<b>16.11.1</b>	Butterfly valve (manual) with C.I body SS disc nitrile sheet & O ring & PN 16 Pressure rating as specified :						
2.6.1	16.11.1.4	100 mm dia	4	Nos.				
2.6.2	16.11.1.2	150 mm dia	9	Nos.				
2.6.3	16.11.1.5	80 mm dia	3	Nos.				
2.6.4	16.11.1.1	200 mm dia	2	Nos.				
2.6.5	16.11.1.6	65 mm dia	3	Nos.				
2.6.6	16.11.1.7	50 mm dia	3	Nos.				

**Additional Approved Makes for FIRE FIGHTING Works**

For Fire Aid / Fire Hose Reels, GM short branch pipe, 2/3/4 FB inlet/draw off connection/Hose pipe , Fire Man's Axe, Gunmetal Branch Pipe, Hose Reel Drum: **Exflame/ Omex / Ceasefire** makes in addition to makes as given in tender.

The amendment in this Corrigendum-02 made supersede the relevant items in the BOQ (Vol-IV) issued alongwith tender documents. The Bidders should take these amendments into considerations while submitting the Financial Bids. The copy of this corrigendum-02 should be signed and submitted as part of Financial Bid & shall form part of Vol-IV (BOQ). The bidder may quote the rate and amount for these items in this amendment and carryover to the total for the respective sub heads. In case the bidder quotes for these items in the main BOQ, it shall be construed that the bidder has read this amendment and the rates are considering the nomenclature of the items described above.

All other condition of tender document remains unchanged.

**For and on behalf of  
Indian Pharmacopoeia Commission**

**Principal Chief Engineer (ID-N),  
HLL Lifecare Limited  
Infrastructure Development Division  
B-14-A, Sector -62, NOIDA-201307 (UP).**