

SCHEDULE OF QUANTITIES
AMRIT PHARMACY GMCH, SECTOR 32, CHANDIGARH

Sl.N O.	ITEM	UNIT	QTY	RATE	AMOUNT
1	Removing old front partition and refixing door shutter at store room for main entry.	Nos	1		
	SUB-HEAD - I : INTERNAL WIRING				
2	Providing and fixing with 1.5sqmm and 2.5sqmm FRLS Copper wire,20/25mmPVC conduit,Concealed M.S.Switch box,ModularPlates,Switches,fanRegulator,Socket s,Switches,For Lightpoints,fan.AC,fridge,Camera Power,Computer Power,Sign board,with material and Labour.	Point	25		
3	Lan/ Networking wiring only with data socket, plate, box, labour all complete as per drawing.	Each	15		
4	Providing and fixing pre wired led light fittings 600mm X 600mm as per detail with labour testing and commissing etc as required.	Each	5		
5	providing and fixing ceiling fan 1200mm white in colour with clamp, labour all complete.	Each	3		
	SUBHEAD- III: M.V. PANELS/ DISTRIBUTION BOARD				
	Supplying & fixing 5 amps to 32 amps rating 240/415 volts C curve Miniature Circuit Breaker suitable for inductive loads of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required.				
6	Single Pole	Each	6		
7	ELCB 32amps	Each	1		
8	Powder coated Metel Distribution Box 6way	Each	1		
	SUB-HEAD -IV : EARTHING				
9	supplying, laying testing commissioning of 1x4 sq.mm. CU flexible cable for earthing on surface or in recess in existing conduit complete as required.	Mtr	15		
	SUB-HEAD - V : L.T. CABLES				

	Supply, laying and testing of under noted sizes of Aluminium conductor XLPE insulated PVC sheathed & sleeved armoured and overall PVC sleeved 1.1 KV grade power distribution cables conforming to relevant IS code and as per specification in ground (in existing trenches) through pipe or on wall / racks cable trays including dressing and clamping the cable with MS zinc passivated clamps etc. as required.				
10	4 x 16 sq.mm	Mtr	10		
11	Supplying & making of end terminations with brass compression gland and Al. lugs for following sizes of PVC insulated and PVC sheathed/ XLPE Al. conductor cable of 1.1 KV grade as required.				
12	4 x 16 sq.mm	Set	2		
	SUB-HEAD -VII : CCTV SYSTEM				
13	Supply,installation,testing and commissioning of Digital camera, 0.5 lux with 3/ 4 mm fixed lens with IR Leds for Day and night vision or equivalent complete as required in mini dome shape fixed type, including all wiring from the control module in existing PVC conduits complete as required. Make: honeywell, bosch, Hikvision, samsung	Set	6		
14	Supply,installation,testing and commissioning of 16 – channel colour HD Video Mgmt system with 16 cameras inputs Built in multiplexer, Digital Video recorder, Video motion Detection system, aalong with 15" monitor 2nos., TCPIP network feature for remote monitoring & 500GB HDD Make: honeywell, bosch, Hikvision, samsung or equilant.	Each	1		
15	Supply,installation,testing and commissioning of power supply unit with SMF batteries complete as required. (One no. for set of 5 cameras).	Each	1		

	SUB-HEAD -VIII : UPS SYSTEM				
	SUB-HEAD -IX : AC UNITS				
16	Supply, installation , testing & commissioning 2trn split aircondition , including indoor and outdoor units , copper piping, drain piping, insulation, control and power cables between outdoor and indoor units, complete as required by Engineer-in Charge. Make: Voltas, Bluestar, Daikin	Set	2		
	SUB HEAD - X INTERIOR WORKS				
17	GRID CEILING :P/F Gypsum tile 600mm x 600mm 10mm thick. The tile shall be laid on 15mm tegular profile grid system as/manufactures standards. INSTALLATION: To comprise main runner spaced at 1200mm centres securely fixed to the structural soffit using same make suspension system at 1200mm maximum centre & not more than 150mm from spliced joints. The First/Last suspension system at the end of each main runner should not be greater than 600mm from the adjacent wall. 1200mm long cross tees to be interlocked between main runners at 600mm centre to form 1200 x 600 mm module. All Perimeter trim to be of wall angles, secured to walls at 450 mm maximum centres.	Sft	450		

18	<p>MEDIUM SIZE MEDICAL STORAGE RACKS TYPE A: Open Wooden display laminated cabinets in plywood at the free floor area with proper provision of racks and shelves. Maximum height of the cabinet is depending upon the available height at the location. 525mm deep prelaminated storage unit with 18mm commercial ply shelves laminated bothside with front edge polish/painted and shutters fixed with hinges to be provided.The height of 525mm deep storage shall be 750mm from the ground. Rest of the height - 525mm wide 10mm thk clear float glass shelves to be fixed between laminated vertical 30mm ply without back. shelves to be fix with proper bracket holders. size 10'.6" x 10'.0"ht.</p> <p>Note: Storage unite to include: Shutters of 18mm thick prelamine,18mm thick, back ply, hinges, individual locks, 150mm lonk 10mm dia 'H" handle, edge polish/painted match with outer laminate colour. Make laminate :Greenlam - 283 Sky blue / Merino / Century.</p>	Sq. ft	105.00		
----	---	--------	--------	--	--

19	<p>MEDIUM SIZE MEDICAL STORAGE RACKS TYPE B:</p> <p>Open Wooden display laminated cabinets in plywood at the free floor area with proper provision of racks and shelves.</p> <p>Maximum height of the cabinet is depending upon the available height at the location. 300mm deep prelaminated storage unit with 18mm commercial ply shelves laminated bothside with front edge polish/painted and shutters fixed with hinges to be provided. The height of 300mm deep storage shall be 750mm from the ground . Rest of the height - 300mm wide 10mm thk clear float glass shelves to be fixed between laminated vertical 30mm ply without back. shelves to be fix with proper bracket holders. size 21'.0" x 10'.0"ht.</p> <p>Note: Storage unite to include: Shutters of 18mm thick prelamine, 18mm thick, back ply, hinges, individual locks, 150mm lonk 10mm dia 'H" handle, edge polish/painted match with outer laminate colour.</p> <p>Make laminate :Greenlam - 283 Sky blue / Merino / Century.</p>	sft	210		
----	--	-----	-----	--	--

20	<p>COUNTER FOR MEDICAL: Double level Counter of 1 ft. depth, first step at 900 mm from ground and Counter top at 1050 mm level. 12mm thk acrylic sheet (pure white in color) to be used for counter top on 25mm thick waterproof ply. Under counter storage unit (below 900 mm) to be fixed with individual locks and handles as per app. 600mm wide laminated door and openable counter top to be part of the counter as per design. The counter ends at both sides shall be in such a way that, it effectively separates the customers from the storage area. Cash drawer of suitable design is to be installed. size 10'.6" x 3'.6"ht.</p> <p>Make PLYWOOD: GREENLAM, MARINO OR EQALIAN</p>	Sq. ft	39		
21	Aluminium Partition colour powder coated with 8mm toughened glass on over front counter for separate public area with spacing and cutting in glass for deliver and receive medicine and cash. Size 10'.6" x 7'.6"	sft	79		
22	providing and fixing 30mm commercial flushdoor with bothside colour laminate , hinges, handle, door closer. Door for entering from store room to pharmacy. Size 7'.0" x 3'.0"	sft	21		
23	PLY PANNELING: Commercial ply panneling on existing aluminium partition from inside of pharmacy with both side laminate pressing. From inner side of pharmacy colour laminate and white from outer side.	sft.	150		
23	Executive chair with arm rest	nos.	4		
24	Working table readymade in store room for seating of two person. Size 3'.0" x 2'.0"	nos.	1		
25	SLOTTED ANGLE RACK:- Fabricating, supplying and placing slotted angle rack of size 900wx2400hx300mmdeep made as per manufacturers specification.	sft	150		
	TOTAL AMOUNT FOR WORKS				
	Taxes & Other Statutory payments(Pl. Specify)				
	GRAND TOTAL (Final Bid Amount)				