

Techno Commercial Responsiveness & Non Responsives of Projects Concluded in the Month of March 2013

Tender Ref No	Item No	Item Description	Name of Bidder	Commercial Responsiveness	Reason for Commercial Non Responsiveness	Technical Responsiveness	Resason For Technical Non Responsiveness	Overall Responsiveness
HLL/PCD/NIB-11/12-13	1	Wooden Bed	Sehgal Furnitures	Resonsive		Responsive		Responsive
			Shri.Kanak Bihari Furniture Sansthan.	Non-Responsive	Did not Satisfy Qualification Criteria	Responsive		Non Responsive
			Sharma Kalypso Pvt.Ltd	Responsive		Responsive		Responsive
			A-One Trading Corporation	Responsive		Responsive		Responsive
	2	Bed Side Table	Sehgal Furnitures	Resonsive		Responsive		Responsive
			Shri.Kanak Bihari Furniture Sansthan.	Non-Responsive	Did not Satisfy Qualification Criteria	Responsive		Non Responsive
			Sharma Kalypso Pvt.Ltd	Responsive		Responsive		Responsive
			A-One Trading Corporation	Responsive		Responsive		Responsive
	3	Round Table	Sehgal Furnitures	Resonsive		Responsive		Responsive
			Shri.Kanak Bihari Furniture Sansthan.	Non-Responsive	Did not Satisfy Qualification Criteria	Responsive		Non Responsive
			Sharma Kalypso Pvt.Ltd	Responsive		Responsive		Responsive
			A-One Trading Corporation	Responsive		Responsive		Responsive
	4	Low height wooden chairs	Sehgal Furnitures	Resonsive		Responsive		Responsive
			Shri.Kanak Bihari Furniture Sansthan.	Non-Responsive	Did not Satisfy Qualification Criteria	Responsive		Non Responsive
			Sharma Kalypso Pvt.Ltd	Responsive		Responsive		Responsive
			A-One Trading Corporation	Responsive		Responsive		Responsive
	5	Sofa two seater	Sehgal Furnitures	Resonsive		Responsive		Responsive
			Shri.Kanak Bihari Furniture Sansthan.	Non-Responsive	Did not Satisfy Qualification Criteria	Responsive		Non Responsive
			Sharma Kalypso Pvt.Ltd	Responsive		Responsive		Responsive
			A-One Trading Corporation	Responsive		Responsive		Responsive
6(a)	Three seater sofa type(i)	Sehgal Furnitures	Resonsive		Responsive		Responsive	
		Shri.Kanak Bihari Furniture Sansthan.	Non-Responsive	Did not Satisfy Qualification Criteria	Responsive		Non Responsive	
		Sharma Kalypso Pvt.Ltd	Responsive		Responsive		Responsive	
		A-One Trading Corporation	Responsive		Responsive		Responsive	
6(b)	Three seater sofa type(ii)	Sehgal Furnitures	Resonsive		Responsive		Responsive	

Tender Ref No	Item No	Item Description	Name of Bidder	Commercial Responsiveness	Reason for Commercial Non Responsiveness	Technical Responsiveness	Reason For Technical Non Responsiveness	Overall Responsiveness
			Shri.Kanak Bihari Furniture Sansthan.	Non-Responsive	Did not Satisfy Qualification Criteria	Responsive		Non Responsive
			Sharma Kalypso Pvt.Ltd	Responsive		Responsive		Responsive
			A-One Trading Corporation	Responsive		Responsive		Responsive
	6(c)	Single seater sofa type(ii)	Sehgal Furnitures	Resonsive		Responsive		Responsive
			Shri.Kanak Bihari Furniture Sansthan.	Non-Responsive	Did not Satisfy Qualification Criteria	Responsive		Non Responsive
			Sharma Kalypso Pvt.Ltd	Responsive		Responsive		Responsive
			A-One Trading Corporation	Responsive		Responsive		Responsive
	6(d)	Single seater sofa type(i)	Sehgal Furnitures	Resonsive		Responsive		Responsive
			Shri.Kanak Bihari Furniture Sansthan.	Non-Responsive	Did not Satisfy Qualification Criteria	Responsive		Non Responsive
			Sharma Kalypso Pvt.Ltd	Responsive		Responsive		Responsive
			A-One Trading Corporation	Responsive		Responsive		Responsive
	7	Center table living room	Sehgal Furnitures	Resonsive		Responsive		Responsive
			Shri.Kanak Bihari Furniture Sansthan.	Non-Responsive	Did not Satisfy Qualification Criteria	Responsive		Non Responsive
			Sharma Kalypso Pvt.Ltd	Responsive		Responsive		Responsive
			A-One Trading Corporation	Responsive		Responsive		Responsive
	8	Center table Bed room	Sehgal Furnitures	Resonsive		Responsive		Responsive
			Shri.Kanak Bihari Furniture Sansthan.	Non-Responsive	Did not Satisfy Qualification Criteria	Responsive		Non Responsive
			Sharma Kalypso Pvt.Ltd	Responsive		Responsive		Responsive
			A-One Trading Corporation	Responsive		Responsive		Responsive
	9	TV Cabinet	Sehgal Furnitures	Resonsive		Responsive		Responsive
			Shri.Kanak Bihari Furniture Sansthan.	Non-Responsive	Did not Satisfy Qualification Criteria	Responsive		Non Responsive
			Sharma Kalypso Pvt.Ltd	Responsive		Responsive		Responsive
			A-One Trading Corporation	Responsive		Responsive		Responsive
	10	Dining Table	Sehgal Furnitures	Resonsive		Responsive		Responsive
			Shri.Kanak Bihari Furniture Sansthan.	Non-Responsive	Did not Satisfy Qualification Criteria	Responsive		Non Responsive
			Sharma Kalypso Pvt.Ltd	Responsive		Responsive		Responsive
			A-One Trading Corporation	Responsive		Responsive		Responsive
	11	Dining chairs	Sehgal Furnitures	Resonsive		Responsive		Responsive
			Shri.Kanak Bihari Furniture Sansthan.	Non-Responsive	Did not Satisfy Qualification Criteria	Responsive		Non Responsive

Tender Ref No	Item No	Item Description	Name of Bidder	Commercial Responsiveness	Reason for Commercial Non Responsiveness	Technical Responsiveness	Reason For Technical Non Responsiveness	Overall Responsiveness
			Sharma Kalypso Pvt.Ltd	Responsive		Responsive		Responsive
			A-One Trading Corporation	Responsive		Responsive		Responsive
	12	Study Table	Sehgal Furnitures	Resonsive		Responsive		Responsive
			Shri.Kanak Bihari Furniture Sansthan.	Non-Responsive	Did not Satisfy Qualification Criteria	Responsive		Non Responsive
			Sharma Kalypso Pvt.Ltd	Responsive		Responsive		Responsive
			A-One Trading Corporation	Responsive		Responsive		Responsive
	13	Steel Almirah	Sehgal Furnitures	Resonsive		Responsive		Responsive
			Shri.Kanak Bihari Furniture Sansthan.	Non-Responsive	Did not Satisfy Qualification Criteria	Responsive		Non Responsive
			Sharma Kalypso Pvt.Ltd	Responsive		Responsive		Responsive
			A-One Trading Corporation	Responsive		Responsive		Responsive
	14	Study Chair without Arms	Sehgal Furnitures	Resonsive		Responsive		Responsive
			Shri.Kanak Bihari Furniture Sansthan.	Non-Responsive	Did not Satisfy Qualification Criteria	Responsive		Non Responsive
			Sharma Kalypso Pvt.Ltd	Responsive		Responsive		Responsive
			A-One Trading Corporation	Responsive		Responsive		Responsive
Tender Ref No	Item No	Item Description	Name of Bidder	Commercial Responsiveness	Reason for Commercial Non Responsiveness	Technical Responsiveness	Reason For Technical Non Responsiveness	Overall Responsiveness
HLL/PCD/PM SSY-23/11-12	32	OT Table - Hydraulic/ C- Arm compatible	M/s. Deepak Enterprises	Non Responsive	Not meeting performance critiera	Non Responsive	Manual Override facility is not available.	Non Responsive
			M/s Magnatek Enterprises	Responsive		Non Responsive	Manual Override facility is not available.	Non Responsive
			M/s Janak Enterprises	Non Responsive	Not meeting performance critiera	Non responsive	Manual Override facility is not available.	Non Responsive
			M/s Berchtold GmbH & CO. KG	Responsive		Responsive		Responsive
			Indian Surgical Equipment Co. Pvt. Ltd	Responsive		Responsive		Responsive
			Bet Medical Pvt. Ltd.	Responsive		Responsive		Responsive

Tender Ref No	Item No	Item Description	Name of Bidder	Commercial Responsiveness	Reason for Commercial Non Responsiveness	Technical Responsiveness	Reason For Technical Non Responsiveness	Overall Responsiveness
	35	OT Light	M/s Rohanika Electronics & Medical Systems	Non Responsive	Not meeting warranty critiera	Non Responsive	CE Certificate not submitted, IEC 60601, UL Standard not submitted, color temperature can not vary – offered single color temperature only	Non Responsive
			M/s St. Francis Medical Equipment Co., Ltd.	Non Responsive	Not meeting performance critiera	Non Responsive	Color temperature not varaible, changes in operating pattern is not available, US-FDA or CE certificate not submitted.	Non Responsive
			M/s Magnatek Enterprises	Responsive		Non Responsive	Control for change of color temperature is not available, light intensity adjustment is not available, changes in operating pattern are not available.	Non Responsive
			M/s Medi Works	Responsive		Non Responsive	Light head diameter is not 70 cm or less as per the tendered specification, color temperature can not vary – offered single color temperature only, quick change is operating fields focus and pattern not possible, , rotation point of the support arm to include adjustable brakes to prevent drift not available, US-FDA or CE certificate not submitted.	Non Responsive
			M/s Vishal Surgicals Qipment Co.	Responsive		Responsive		Responsive
			M/s Berchtold GmbH & CO. KG	Responsive		Responsive		Responsive
Tender Ref No	Item No	Name of Equipment	Name of Bidder	Commercial Responsiveness	Reason for Commercial Non Responsiveness	Technical Responsiveness	Reason For Technical Non Responsiveness	Overall Responsiveness
HLL/PCD/IP C-05/12-13	1	FTIR	Perkin Elmer India Pvt.Ltd.	Responsive		Responsive		Responsive
			Agilent Technologies	Responsive		Responsive		Responsive
	2	HPLC with UV-Vis Detector	Dionex(India)Pvt.Ltd.	Responsive		Responsive		Responsive
			Perkin Elmer India Pvt.Ltd.	Responsive		Non Responsive	Bidder not meeting flow rate precision and injection volume range specifications	Non Responsive
			Agilent Technologies	Responsive		Responsive		Responsive

Tender Ref No	Item No	Item Description	Name of Bidder	Commercial Responsiveness	Reason for Commercial Non Responsiveness	Technical Responsiveness	Reason For Technical Non Responsiveness	Overall Responsiveness	
	3	U.V.Spectrophotometer	Metrohm India Ltd.	Non Responsive	Clarifications sought but not received on due date	Non Responsive	Bidder not meeting stray radiation/Light and Photometric Reproducibility(at 1A) specification	Non Responsive	
			Perkin Elmer India Pvt.Ltd.	Responsive		Responsive		Responsive	
			Agilent Technologies	Responsive		Responsive		Responsive	
Tender Ref No	Item No	Name of Equipment	Name of Bidder	Commercial Responsiveness	Reason for Non Commercial Responsiveness	Technical Responsiveness	Reason For Technical Non Responsiveness	Overall Responsiveness	
HLL/PCD/IP C-06/12-13	1	HPTLC	Anchome enterprise(I)Pvt.Ltd.	Responsive		Responsive		Responsive	
	2	Auto Titrator	Vitan Medical Systems Pvt. Ltd.	Responsive		Responsive		Responsive	
			Metrohm India Ltd.	Non Responsive	Clarifications sought but not received on due date	Non Responsive	Clarifications not received till due date	Non Responsive	
	3	Vertical Gel Electrophoresis	No Bid Received						
	4	Western Blot Apparatus	No Bid Received						
	5	Gel Rocker	No Bid Received						
	6	ELISA Reader	Bioscreen Instruments Pvt.Ltd.	On hold in lieu of demonstration		On hold in lieu of demonstration		On hold in lieu of demonstration	
			Rohit Surgical Pvt.Ltd.	On hold in lieu of demonstration		On hold in lieu of demonstration		On hold in lieu of demonstration	
	7	Capillary Iso Electric Focussing	No Bid Received						
	8	LCMS(Toff)Peptide Mapping	Waters(India)Pvt.Ltd.	Responsive		Non Responsive	Bidder not meeting Front-End collision-Induced Dissociation Specification	Non Responsive	
Perkin Elmer India Pvt.Ltd.			Responsive		Responsive		Responsive		
Agilent Technologies(India)Pvt.Ltd.			Responsive		Non Responsive	Bidder not meeting Front-End collision-Induced Dissociation Specification	Non Responsive		
9	Inverted Microscope with Photo doc	No Bid Received							
10	Antibiotic Zone Reader(Digital)	No Bid Received							

Tender Ref No	Item No	Item Description	Name of Bidder	Commercial Responsiveness	Reason for Commercial Non Responsiveness	Technical Responsiveness	Reason For Technical Non Responsiveness	Overall Responsiveness	
	11	Dissolution Apparatus	No Bid Received						
	12	Regrigerated Centrifuge	Rohit Surgical Pvt.Ltd.	Responsive		Responsive		Responsive	
	13	Tissue Homogeniser	No Bid Received						