

BRANDED / EXPORT - WALLET & CARTON

BRANDED / DOMESTIC SCHEMES	Wallet	Carton	Box
MUT 2's (catch cover type)	<ul style="list-style-type: none"> DIMENSION (ID) : 68X68X10mm (LXBXH) open size 128x176mm Four colour printing 250 G.S.M. Superchromo board with white back and gloss UV Varnish. Die punching and pasting, Batch stamping area should be free from varnish. 	NA	Made out of 5 ply (narrow flute) each ply of 150 gsm imported virgin kraft paper in the minimum burst factor of the 5 layers are 40,24,40,24,40 internally stapled Bursting Strength should not be less than 19 kg/sq cm Total GSM 850 min single colour printing black. Dimensions (ID) (mm): 740 x 355 x 455
MOODS Domestic Picture pack 3's – Rose 3's/MSD3's/MAN3's/Ribbed 3's/Chocolate 3's/MUT3+1/ Similar schemes/Regular	<ul style="list-style-type: none"> Dimensions (ID) : 65 X 65 X 15mm (LXBXH). Four colour Printing. 250 G.S.M. Superchromo board with white back and gloss UV Varnish. Die punching and pasting Batch stamping area should be free from varnish. 	Dimensions (ID) (mm): 160 X 137 X 135 (LxBxH). Four colour printing. 3Ply Micro Flute, 250 G.S.M Duplex Board with grey back, as the top layer and other inside layers are virgin craft of G.S.M 100 each and with IR varnish. Die punching and pasting.	Made out of 5 ply (narrow flute), each ply 150 GSM imported virgin Kraft paper. The minimum burst factor of the 5 layers are 40,24,40,24,40. Internally stapled. Bursting Strength should not be less than 19 Kg/sq. cm. Total GSM – 850 min. Single colour printing (Black) Dimensions (ID) (mm): 705 X 420 X 340
MOODS Domestic picture pack10's - Ultrathin 10's/ Dotted 10's/ All night 10's/ Similar schemes	<ul style="list-style-type: none"> Dimensions (ID) :115x 58 X 25 (LXBXH) Four colour Printing. 250 G.S.M. Superchromo board with white back and gloss UV Varnish Die punching and pasting. Batch stamping area should be free from varnish. 	COMMON TRAY <ul style="list-style-type: none"> Dimensions (ID) (mm) : 265 X 180 X30 (LXBXH). Four colour Printing. 3 Ply Microflute, 260 G.S.M Duplex Board with grey back as the top layer and the other inside layers are virgin craft of G.S.M 100 each and with IR varnish. The colour of the paper on the inside of the Tray is white. 	Made out of 5 ply (narrow flute), each ply 150 GSM imported virgin Kraft paper. The minimum burst factor of the 5 layers are 40,24,40,24,40. Internally stapled. Bursting Strength should not be less than 19 Kg/sq. cm. Total GSM – 850 min. Single color printing (Black) Dimensions (ID) (mm): 555 X 480 X 275
Moods Premium Domestic Pack 20's(With out tray) - Ultrathin 20's/ AllNight 20's/ Dotted Seagreen 20's/ Similar schemes	<ul style="list-style-type: none"> Dimensions (ID) : 125 X 110 X 40 mm (LXBXH). Four colour Printing. 250 G.S.M. Superchromo board with white back and Gloss UV Varnish. Batch stamping area should be free from varnish. Die punching and pasting. Dotted 20's - Embossing on dots 	NA	Made out of 5 ply (narrow flute), each ply 150 GSM imported virgin Kraft paper. The minimum burst factor of the 5 layers are 40,24,40,24,40. Internally stapled. Bursting Strength should not be less than 19 Kg/sq. cm. Total GSM – 850 min. Single color printing (Black) Dimensions (ID) (mm): 575 X 520 X 385
Moods Premium Pack 12's - Ultrathin 12's/ All Night 12's/ Chocolate 12's/ DottedSeagreen 12's/ Ribbed 12's/ Aloe Vera 12's/ Similar schemes	<ul style="list-style-type: none"> Dimensions (ID): 124 X 63 X 32mm (LXBXH). 350 G.S.M Superchromo board with white back and UV Varnish. Four colour printing. Die punching and pasting. Joint should not be on the front panel. Batch stamping area should be free from varnish Dotted 12's – Embossing on dots Ribbed 12's – Silver colouring on ribs 	"• Dimensions (ID) (mm) : 330X 135 X 130 (LXBXH). • 4 Colour Printing. • 3 Ply MicroFlute, 250 G.S.M Duplex Board with grey back, as the top layer and other inside layers are virgin craft of G.S.M 100 each and with IR varnish. • Total GSM 450 • Die punching and pasting."	
Moods Premium Pack 12's - Melange 12's/ Xtasy12's/ Strawberry12's/ Similar schemes	<ul style="list-style-type: none"> Dimensions (ID) : 124 X 63 X 32mm(LXBXH). 350 G.S.M Superchromo board with white back and UV Varnish Four colour printing. Die punching and pasting. Joint should not be on the front panel. Batch stamping area should be free from varnish. 		
COOL 12's/ Blaze 12's	Dimensions (ID) : 124 X 63 X 32mm (LXBXH). Four colour printing. 350 G.S.M Superchromo board with white back and UV Varnish), with embossing on design. Finish : textured UV across the pack, Die punching and pasting. Joint should not be on the front panel. Batch stamping area should be free from varnish.		

1500 dots 12's	<ul style="list-style-type: none"> Dimensions (ID) : 124 X 63 X 32 mm(L X B X H). 350 G.S.M Superchromo board with white back and UV Varnish Six Colour Printing. U.V Texture, Spot & Emboss - Additional Silver Color & Vibrant Green. Embossing is not required on 'Moods logo and 1500 dots' on side panels or anywhere on the pack. Batch stamping area should be free from varnish. Die punching and pasting. 		<p>Made out of 5 ply (narrow flute), each ply 150 GSM imported virgin Kraft paper. The minimum burst factor of the 5 layers are 40,24,40,24,40. Internally stapled. Bursting Strength should not be less than 19 Kg/sq. cm. Total GSM - 850 min. Single color printing (Black)</p> <p>Dimensions (ID) (mm): 705 X 420 X 340</p>
MOODS Premium Pack 3's - MUT 3's / MAN 3's / Chocolate 3's / Bubble Gum 3's / Coffee 3's / Aloe Vera 3's / Dotted 3's / Ribbed 3's / Similar	<ul style="list-style-type: none"> Dimensions (ID) : 65 X 65 X 15 mm(LXBXH). 300 G.S.M Superchromo board with white back and gloss UV Varnish Four colour printing. Die punching and pasting. Joint should not be on the front panel. Batch stamping area should be free from varnish. Dotted 3's - Embossing on dots Ribbed 3's - Silver colour on ribs 		
MOODS Premium Pack 3's (Melange / Strawberry) -	<ul style="list-style-type: none"> Dimensions (ID) : 65 X 65 X 15 mm(LXBXH). 300 G.S.M Superchromo board with white back and UV Varnish. Four colour printing. Die punching and pasting. Joint should not be on the front panel. Batch stamping area should be free from varnish. 	<ul style="list-style-type: none"> Dimensions (ID) (mm) : 160X 137 X 135(LXBXH). 4 Colour Printing. 3 Ply MicroFlute, 250 G.S.M Duplex Board with grey back, as the top layer and other inside layers are virgin craft of G.S.M 100 each. IR varnish. Die punching and pasting." 	
MOODS Cool 3's / Blaze 3's	<ul style="list-style-type: none"> Dimensions (ID) : 65 X 65 X 15 mm (LXBXH). Four colour printing. 300 G.S.M Superchromo board with white back and gloss UV Varnish.,with embossing and finish : textured UV across the pack, Die punching and pasting. Joint should not be on the front panel 		
MOODS 1500 dots 3's	<ul style="list-style-type: none"> Dimensions (ID) : 65 X 65 X 15 mm (LXBXH). 300 G.S.M Superchromo board with white back and UV Varnish Six Colour Printing. Green color - U.V Texture, Spot & Emboss - Additional Silver Color & Vibrant Green. Embossing is not required on 'Moods logo and 1500 dots' on side panels or anywhere on the pack. Batch stamping area should be free from varnish. Die punching and pasting. 		

Moods Variety Pack	CARTON SLIDING TRAY FOR VARIETY PACK	<ul style="list-style-type: none"> Dimension (ID):152 X 152 X 35mm (LX B X H). Open size : 320 X 320 mm(LXB) Four Colour Printing. 400 G. S.M. Pearl Grafix (ITC) / Cyber XL (ITC)with gloss lamination Die punching. 	Narrow flute MASTER CARTON of 5 ply each ply of 150 GSM Virgin Kraft paper .in the minimum burst factor of the five layers are 40 ,24,40,24,40. internally stappled. Single colour printing- Black. Bursting Strength not less than 19 kg/sq.cm. Total GSM 850 min Dimensions (ID) (mm): 800 X 325 X 360
	CARTON TOP SLEEVE FOR VARIETY PACK	<ul style="list-style-type: none"> Dimension (ID) : 152X 150.5 X 34 mm (LXBXH) Four Colour Printing. Open size 305X305mm 400 G.S.M Pearl Grafix (ITC) / Cyber XL (ITC) with gloss lamination Die punching. 	
	DIVIDER (PRINT)	<ul style="list-style-type: none"> Dimension (ID) : 146 X 25 X 10mm(LX B X H). Open size: 146 X 60mm (LX B). 270 G.S.M. Pearl Grafix (ITC)/ Cyber XL(ITC). 	
	DIVIDER (PLAIN)	<ul style="list-style-type: none"> Dimension (ID) : 146 X 25 X 10mm(LX B X H). Open size: 146 X 60mm (LX B). 270 G.S.M. Pearl Grafix (ITC)/Cyber XL(ITC). 	
Export scheme			
IPPF – English /Spanish / similar schemes	NA	<ul style="list-style-type: none"> Dimensions (ID): 234 x 170 x 59 mm(LX B X H). 400 GSM. Pearl Grafix / Cyber XL (ITC). 2 color printingReflex blue & Pantone PMS 2756. Top open. Matt Lamination. Die Punching & Pasting. 	Made out of 5 ply (narrow flute), each ply 150 GSM imported virgin Kraft paper. In the minimum burst factor of the 5 layers are 40,24,40,24,40. Internally stapled. Bursting Strength should not be less than 19 Kg/sq. cm. Total GSM - 850. Single colour printing - Black. Inner Dimensions: 480 (L) X 310 (B) X 350 (H) (mm).
TANGO SIRE / similar schemes	NA	<ul style="list-style-type: none"> Dimension (ID): 175 x 165 x 72 mm (LX B X H). Four colour printing. 2593C,241C & Black 350GSM ITC Bhadrachalam board with White back. After print & IR varnish and inside lamination. Die punching and pasting. 	Made Out of 5 Ply (narrow flute) , each ply 150 GSM virgin kraft paper in the minimum burst factor of the 5 layers are 40,24,40,24,40. Internally stapled. Bursting Strength should not be less than 19 Kg/sq.cm. Total GSM -850. Single Colour Printing. Black Dimensions (ID) (mm): 385 X 365 X 345 (LXBXH)
UNFPA / BRAZIL / Similar Schemes	NA	<ul style="list-style-type: none"> Dimensions(ID) : 175 X 165 X 67 mm(LX B X H) Side open type with varnish Total GSM - 350 ITC Duplex board. Single colour colour printing. (Blue for UNFPA) / Black(BRAZIL)) Batch stamping area should be free from varnish. 	5 Ply narrow flute corrugated card board box of each ply of 150 GSM Imported Virgin Kraft Paper . Bursting strength 19 Kg /cm2 (min). The minimum burst factor of the five layers are 40,24,40,24,40. Internally stapled 850 GSM min. Single colour printing.(BRAZIL (Black) / Blue(UNFPA) Dimensions (ID) (mm): 845 X 360 X 360
Protec Bulk / Similar Schemes	NA	<ul style="list-style-type: none"> Dimensions (ID) : 185 X 170 X 70 mm (LXBXH). 400 GSM Cyber XL (ITC) / Pearl graphix (ITC). Four colour printing. IR varnish. Stamping area should be free from Varnish. 	Made out of 5 ply (narrow flute), each ply 150 GSM imported virgin Kraft paper in the minimum burst factor of the 5 layers are 40,24,40,24,40. Internally stapled. Bursting Strength should not be less than 19kg/sq.cm. Total GSM - 850 min. Single colour printing - Blue. Dimensions (ID) (mm): 870 X 380 X 365
Nepal	NA	<ul style="list-style-type: none"> Material : ITC Bhadrachalam Duplex board. No.of Colours : Two (Blue & Black). GSM : 350. Dimensions(ID): 230X115X60 (LxBXH) (mm) Others : side open type with Varnish on the outside and lamination on the inner side .." 	5 Ply narrow flute corrugated card board box of each ply of 150 GSM Imported Virgin Kraft Paper .Single colour printing (Black). Bursting strength 19 Kg /cm2 (min). The minimum burst factor of the five layers are 40,24,40,24,40. Internally stapled 850 GSM. Internal dimensions : 635 X 475 X 250 mm.

IDA / Similar Schemes	NA	<ul style="list-style-type: none"> • ITC Bhadrachalam Duplex board with top open type with varnish on the outside • (ID) Dimensions 175X165X67 mm . • Colours : (Blue PMS280 C). & Black • 350 G.S.M 	Material : 5 ply Narrow flute corrugated card board box of each ply of 150 GSM Imported Virgin Kraft Paper. No.of Colours : One. (BLUE) GSM : 850. Dimensions(ID) : 845 X 360 X 360 mm. Bursting Strength : 19 Kg/ cm2 (min). Others : The minimum burst factor of the 5 layers are 40,24,40,24,40. Internally stapled.
Export Scheme			
GCC MOODS DUBAI 3'S - COFFEE 3'S / BANANA 3'S / CHOCOLATE 3'S / ALLNIGHT 3'S / SCENTED 3'S / COLOURED 3'S / BUBBLEGUM 3'S / STRAWBERRY 3'S / XTASY 3'S / ULTRATHIN 3'S / EXTRALONG 3'S / REGULAR 3'S / DOTTED 3'S / RIBBED 3'S / 1500 DOTS 3'S / SIMILAR SCHEMES	<ul style="list-style-type: none"> • Dimensions (ID) : 65 X 65 X 21 mm (L X B XH). • 4 Colour printing. • 300 G.S.M Cyber XL (ITC) with full UV Varnish on Metpet board. • Die punching & pasting. Batch stamping area should be 20X15(mm) (LXBXH) • Joint should not be there on the front panel. • Batch stamping area should be free from lamination / varnish. • XTASY 3'S / ULTRATHIN 3'S - 5 Colour Printing • EXTRALONG 3'S / REGULAR 3'S - Embossing on design • DOTTED 3'S – Embossing on dots • RIBBED 3'S – Emboss & Silver colouring on ribs • 1500 DOTS 3's - Embossing on design. Finish- Green color- U.V Texture, Spot & Emboss- Vibrant Green. • BANANA & STRAWBERRY - Embossing on design 	<ul style="list-style-type: none"> • Dimensions (ID): 220 X137 X 135 mm (LXBXH). • 4 Colour Printing. • 350 G.S.M Cyber XL (ITC) with IR varnish. • Die punching & pasting 	Made out of 5 ply (narrow flute) ,each ply 150 GSM imported virgin Kraft paper in the minimum burst factor of the 5 layers are 40,24,40,24,40. Bursting Strength should not be less than 19 Kg/sq. cm. Total GSM - 850 min. Single Colour Printing -Black . Internally stapled. Dimensions (ID) (mm): 710 X 420 X 455
GCC MOODS DUBAI 12'S -COFFEE 12'S / BANANA 12'S / CHOCOLATE 12'S / ALLNIGHT 12'S / BUBBLEGUM 12'S / SCENTED 12'S / COLOURED 12'S / STRAWBERRY 12'S / XTASY 12'S / ULTRATHIN 12'S / EXTRALONG 12'S / REGULAR 12'S / DOTTED 12'S / RIBBED 12'S / 1500 DOTS 12'S / SIMILAR SCHEMES	<ul style="list-style-type: none"> • Dimensions (ID) : 124 x 63 x 32 mm (LXBXH). • 4 Colour printing. 300 G.S.M Cyber XL (ITC) with full UV Varnish on Metpet board . • Die punching & pasting. Batch stamping area should be 20X15(mm) (LXBXH) • Batch stamping area should be free from varnish. • Joint should not be there on the front panel. • XTASY 12'S / ULTRATHIN 12'S - 5 Colour Printing • EXTRALONG 12'S / REGULAR 12'S - Embossing on design • DOTTED 12'S – Embossing on dots • RIBBED 12'S – emboss & Silver colouring on ribs • 1500 DOTS 12'S - Embossing on design. Finish- Green color- U.V Texture, Spot & Emboss- Vibrant Green. • BANANA & STRAWBERRY - Embossing on design. 	<ul style="list-style-type: none"> • Dimensions ID (mm): 175 x 132 x 135(LXBXH). • 4 Colour Printing. • 350 G.S.M Cyber XL (ITC) with IR varnish. • Die punching & pasting. 	Made out of 5 ply (narrow flute) ,each ply 150 GSM imported virgin Kraft paper in the minimum burst factor of the 5 layers are 40,24,40,24,40. Bursting Strength should not be less than 19 Kg/sq. cm. Total GSM - 850 min. Single Colour Printing -Black . Internally stapled. Dimensions (ID) (mm): 710 X 425 X 375
SHARE 3 'S	<ul style="list-style-type: none"> • Dimensions (ID) : 65 X 65 X 21 mm. (LXBXH). • Four colour printing. • 300 GSM, Cyber XL (ITC) with full UV varnish • Die punching and pasting. Batch stamping area should be 20X15(mm) (LXBXH) • Batch stamping area should be free from varnish. • Joint should not be there on the front panel. 	<ul style="list-style-type: none"> • Dimensions (ID): 220 X137 X 135 mm (LXBXH). • 4 Colour Printing. • 3 Ply Micro Flute, 250 GSM Duplex Board with grey back, as the top layer and other inside layers are virgin craft of G.S.M 100 each and with IR varnish • Die punching & pasting 	Made out of 5 ply (narrow flute) ,each ply 150 GSM imported virgin Kraft paper in the minimum burst factor of the 5 layers are 40,24,40,24,40. Bursting Strength should not be less than 19 Kg/sq. cm. Total GSM - 850 min. Single Colour Printing -Black . Internally stapled. Dimensions (ID) (mm): 710 X 420 X 455
SHARE 12 'S	<ul style="list-style-type: none"> • Dimensions (ID) : 124 x 63 x 32 mm(LXBXH). . • Four colour printing. • 320 GSM, Cyber XL (ITC) with full UV varnish • Die punching and pasting. Batch stamping area should be 20X15(mm) (LXBXH) • Batch stamping area should be free from varnish. • Joint should not be there on the front panel. 	<ul style="list-style-type: none"> • Dimensions ID (mm): 175 x 132 x 135 (LXBXH). • 4 Colour Printing. • 3 Ply Micro Flute, 250 GSM Duplex Board with grey back, as the top layer and other inside layers are virgin craft of G.S.M 100 each and with IR varnish • Die punching & pasting. 	Made out of 5 ply (narrow flute) ,each ply 150 GSM imported virgin Kraft paper in the minimum burst factor of the 5 layers are 40,24,40,24,40. Bursting Strength should not be less than 19 Kg/sq. cm. Total GSM - 850 min. Single Colour Printing -Black . Internally stapled. Dimensions (ID) (mm): 710 X 425 X 375

GOLD 1500 dots 3 'S	<ul style="list-style-type: none"> •(ID) Dimensions: 65 X65X21 (LXBXH) (mm). • 4 Colour Printing. •300 G.S.M Cyber XL (ITC) with Full UV Varnish on Metpet board with Spot UV on the blurb, •Embossing on the dots, •Textured UV across the pack. •Joint should not be in front panel . •Batch stamping area should be 20X15(mm) (LXB)and free from varnish . •Die punching & pasting 	(ID) Dimensions: 220 X 137 X 135 (LXBXH) (mm). 4 Colour Printing. 350 G.S.M Cyber XL (ITC) with IR VARNISH. Die punching & pasting	Made out of 5 ply (narrow flute), each ply 150 GSM imported virgin Kraft paper in the minimum burst factor of the 5 layers are 40,24 /40,24,40 internally stapled. Bursting strength should not be less than 19 kg/sq.cm. Total GSM-850. Inner dimension (mm) 710X420X455 (mm)(LXBXH) single colour printing black.
GOLD joyride 3 'S	<ul style="list-style-type: none"> • (ID) Dimensions: 65X65X 21 (LXBXH) (mm). • 5 Colour Printing. • 300 G.S.M Cyber XL (ITC) with Full UV Varnish on Metpet board with Spot UV on the blurb and dots, • Textured UV across the pack. • Joint should not be in front panel . • Batch stamping area should be free from varnish. • Die punching & pasting. 		
GOLD Electify 3 'S	<ul style="list-style-type: none"> • (ID) Dimensions: 65X65X 21 (LXBXH) (mm). •4 Colour Printing. •300 G.S.M Cyber XL (ITC) with Full UV Varnish on Metpet board with Spot UV on the blurb. •Textured UV across the pack.. •Joint should not be in front panel . •Batch stamping area should be 20X15(mm) (LXB)and free from varnish •Die punching & pasting. 		
GOLD Cool 3 'S	<ul style="list-style-type: none"> •(ID) Dimensions: 65 X 65 X 21 (LXBXH) (mm). •4 Colour Printing. •300 G.S.M Cyber XL (ITC) with Full UV Varnish on Metpet board with Spot UV on the blurb & bubbles. •Embossing on bubbles, •Textured UV across the pack. •Joint should not be in front panel . •Batch stamping area should be20X15(mm) (LXB)and free from varnish. •Die punching & pasting. 		
GOLD Blaze 3 'S	<ul style="list-style-type: none"> •(ID) Dimensions: 65X65X21 (LXBXH) (mm). •4 Colour Printing. •300 G.S.M Cyber XL (ITC) with Full UV Varnish on Metpet board Spot UV on the blurb & Flame. •Embossing on the flame. •Textured UV across the pack.. •Joint should not be in front panel . •Batch stamping area should be20X15(mm) (LXB)and free from varnish •Die punching & pasting. 		
GOLD 1500 dots 12 'S	<ul style="list-style-type: none"> •(ID) Dimensions: 124X63x32 (LXBXH) (mm) •4 Colour Printing. •300 G.S.M Cyber XL (ITC) with Full UV Varnish on Metpet board with Spot UV on the blurb, •Embossing on the dots, •Textured UV across the pack. •Joint should not be in front panel . •Batch stamping area should be20X15(mm) (LXB)and free from varnish. •Die punching & pasting. 		
GOLD joyride 12 'S	<ul style="list-style-type: none"> •(ID) Dimensions: 124x63x32 (LXBXH) (mm) •4 Colour Printing. •300 G.S.M Cyber XL (ITC) with Full UV Varnish on Metpet board with Spot UV on the blurb & dots, •Textured UV across the pack. •Joint should not be in front panel . •Batch stamping area should be 20X15(mm) (LXB)and free from varnish •Die punching & pasting. 		

GOLD Electify 12'S	<ul style="list-style-type: none"> •(ID) Dimensions: 124x63x32 (LXBXH) (mm) •4 Colour Printing. •300 G.S.M Cyber XL (ITC) with Full UV Varnish on Metpet board with Spot UV on the blurb. •Textured UV across the pack. •Joint should not be in front panel . •Batch stamping area should be 20X15(mm) (LXB)and free from varnish. •Die punching & pasting. 	<ul style="list-style-type: none"> •(ID) Dimensions: 175 x 132 x 135 (LXBXH) (mm). •4 Colour Printing. 350 G.S.M Cyber XL (ITC) with IR VARNISH. •Die punching & pasting 	<p>Made out of 5 ply (narrow flute), each ply 150 GSM imported virgin Kraft paper in the minimum burst factor of the 5 layers are 40,24</p> <p>,40,24,40 internally stapled. Bursting strength should not be less than 19 kg/ sq.cm.</p> <p>Total GSM-850, ,Inner dimension (mm) 710X425X375 (mm)(LXBXH) single colour printing black</p>
GOLD Cool 12'S	<ul style="list-style-type: none"> •(ID) Dimensions: 124x63x32 (LXBXH) (mm) •4 Colour Printing. •300 G.S.M Cyber XL (ITC) with Full UV Varnish on Metpet board with Spot UV on the blurb & bubbles. • Embossing on bubbles, Textured UV across the pack. •Joint should not be in front panel . •Batch stamping area should be 20X15(mm) (LXB)and free from varnish •Die punching & pasting. 		
GOLD Blaze 12'S	<ul style="list-style-type: none"> •(ID) Dimensions: 124x63x32 (LXBXH) (mm) •4 Colour Printing. •300 G.S.M Cyber XL (ITC) with Full UV Varnish on Metpet board with Spot UV on the blurb & Flame. •Embossing on the flame. •Textured UV across the pack. •Joint should not be in front panel. •Batch stamping area should be 20X15(mm) (LXB)and free from varnish . •Die punching & pasting. 		