

TENDER ENQUIRY DOCUMENT

FOR PURCHASE OF STORES

FOR AND ON BEHALF OF
INDIAN MEDICINES PHARMACEUTICAL
CORPORATION LIMITED
(A GOVT. OF INDIA ENTERPRISE)

HLL/PCD/IMPCL-01/13-14



BY

HLL LIFECARE LIMITED

(A GOVT. OF INDIA ENTERPRISE & Formerly HINDUSTAN LATEX LTD.)

Procurement & Consultancy Services Division

B-14A, Sector-62,

Noida-201 307

PHONE: 0120-4071500

FAX: 0120-4071513

URL: www.lifecarehll.com

Email: pcd@lifecarehll.com

INDEX

Section	Topic	Page No.
Section I	– Notice inviting Tender (NIT) -----	03
Section II	– General Instructions to Tenderers (GIT) -----	06
Section III	– Special Instructions to Tenderers (SIT) -----	23
Section IV	– General Conditions of Contract (GCC) -----	24
Section V	– Special Conditions of Contract (SCC) -----	36
Section VI	– List of Requirements -----	37
Section VII	– Technical Specifications -----	39
Section VIII	– Quality Control Requirements -----	58
Section IX	– Qualification Criteria -----	59
Section X	– Tender Form -----	61
Section XI	– Price Schedules -----	62
Section XII	– Questionnaire -----	63
Section XIII	– Bank Guarantee Form for EMD -----	64
Section XIV	– Deleted-----	65
Section XV	– Bank Guarantee Form for Performance Security -----	66
Section XVI	– Contract Form -----	67
Section XVII	– Proforma of Consignee Receipt Certificate -----	69
Section XVIII	– Proforma of Final Acceptance Certificate by the Consignee -----	70
Section XIX	– Deleted	
Section XX	– Check List for the Tenderers -----	72

SECTION I
NOTICE INVITING TENDERS (NIT)

Tender Enquiry No.: HLL/PCD/IMPCL-01/13-14

Dated: 05.10.2013

1. Procurement & Consultancy Services Division of HLL Lifecare Limited, for and on behalf of The Managing Director of Indian Medicines Pharmaceutical Corporation Ltd. (IMPCL), invites sealed tenders, from eligible and qualified manufactures for supply/ work under this tender covers design, fabrication, manufacture, assembly, testing, erection/ commissioning ,with all documentation with respect to GMP compliance of following pharmaceutical equipment & machineries :

Sl. No.	Short Description of Item	Qty	EMD (Rs.)
A	TABLET SECTION		
1	RAPID MIXER GRANULATOR – 600 Ltrs.	1	46000
2	OSCILLATING GRANULATOR – 100KG/HR: GMP MODEL	1	7000
3	PASTE KETTLE - 100 LTS. : GMP MODEL	1	6600
4	FBD And EXTRA FBD DUCTING	1	72600
5	VISUAL INSPECTION BELT/ TABLE	2	4000
6	COATING SPRAYING SYSTEM	1	7000
7	COLLIDAL MILL : GMP MODEL	1	6000
8	PACKING CONVEYOR: 10 FEET	4	6400
B	CAPSULE CHURAN POWDER SECTION		
9	OCTAGONAL BLENDER – 600 LTRS.: GMP MODEL	1	8000
10	POWDER FILLING MACHINE AUGER TYPE COMPLETE LINE BOTTLE SEALING LABELING MACHINE	1	100000
11	CAPSULE POLISHING WITH AIR DISPLACEMENT UNIT	1	7800

2. Tender No.: HLL/PCD/IMPCL-01/13-14

SI No.	Description	Schedule
i.	Dates of sale of tender enquiry documents	07.10.2013 to 07.11.2013, during 1000 Hrs. to 1600 Hrs. (IST)
ii.	Place of sale of Tender Enquiry Documents	HLL Lifecare Limited Procurement & Consultancy Services Divn. B-14A, Sector-62, Noida -201 307
iii.	Cost of the Tender Enquiry Document	Rs. 2000.00
iv.	Pre Bid Meeting Date & Time	17.10.2013, 1100 Hrs. (IST)
v.	Pre Bid Meeting Venue	Same as given in 2 (ii)
vi.	Closing date & time for receipt of Tender	08.11.2013, 1400 Hrs. (IST)
vii.	Time and date of opening of Techno-Commercial tenders	08.11.2013, 1430 Hrs. (IST)
viii.	Venue of Opening of Techno Commercial Tender	Same as given in 2 (ii)

3. Interested tenderers may obtain further information about this tender from the office of Head (P&CD), HLL Lifecare Ltd., Noida. Tender Enquiry Documents may be purchased on payment of non-refundable tender fee of Rs. 2,000.00 per set in the form of account payee Demand Draft/Pay Order/Cashier's Cheque/Banker's Cheque, drawn on a scheduled bank in India, in favour of "**HLL Lifecare Limited**" payable at New Delhi.
4. If requested, the Tender Enquiry Documents will be mailed by Registered Post/ Speed Post to the tenderers, for which extra expenditure per set will be Rs 100.00 for post. The tenderer is to add the applicable postage cost in the non-refundable fee mentioned in Para 3 above. However, HLL Lifecare Ltd. shall not be responsible for any postal loss or delay.
5. Tenderer may also download the tender enquiry documents from the web site www.impclmohan.nic.in, www.lifecarehll.com & www.eprocure.gov.in and submit its tender by utilizing the downloaded document, along with the required non-refundable fee as mentioned in Para 3 above. Tender without tender fee shall not be considered valid.
6. All prospective tenderers may attend the Pre Bid meeting. The venue, date and time indicated in the Para 2 above
7. Tenderers shall ensure that their tenders, complete in all respects, are dropped in the Tender Box located at **HLL Lifecare Limited , Procurement and Consultancy Division, B-14A, Sector -62, Noida -201307, Uttar Pradesh** on or before the closing date and time indicated in the Para 2 above,

failing which the tenders will be treated as late tender and rejected. The tenders sent by post/ courier must reach the above said address on or before the closing date & time indicated in Para 2 above, failing which the tenders will be treated as late tender and rejected.

8. In the event of any of the above mentioned dates being declared as a holiday /closed day for the purchase organisation, the tenders will be sold/received/opened on the next working day at the appointed time.
9. The Tender Enquiry Documents are not transferable.
10. All Tenders must be accompanied by EMD as mentioned against each item. Tenders without EMD shall be rejected.

For and on behalf of Indian Medicines Pharmaceutical Corporation Ltd (IMPCL)
Head (P & CD)
HLL Lifecare Limited,
Procurement & Consultancy Services Division
B-14A, Sector-62, Noida-201307,
Uttar Pradesh
Phone: 0120-4071500

SECTION - II**GENERAL INSTRUCTIONS TO TENDERERS (GIT)****CONTENTS**

Sl. No.	Topic	Page No.
A	PREAMBLE	
1	Definitions and Abbreviations	8
2	Introduction	9
3	Deleted	--
4	Language of Tender	9
5	Eligible Tenderers	10
6	Eligible Goods and Services	10
7	Tendering Expense	10
B	TENDER ENQUIRY DOCUMENTS	
8	Contents of Tender Enquiry Documents	10
9	Amendments to Tender Enquiry Documents	11
10	Clarification of Tender Enquiry Documents	11
C	PREPARATION OF TENDERS	
11	Documents Comprising the Tender	11
12	Tender Currencies	12
13	Tender Prices	12
14	Deleted	--
15	Firm Price/ Variable Price	14
16	Alternative Tenders	14
17	Documents Establishing Tenderer's Eligibility and Qualifications	14
18	Documents Establishing Good's Conformity to Tender Enquiry Document	14
19	Earnest Money Deposit (EMD)	15
20	Tender Validity	15
21	Signing and Sealing of Tender	16
D	SUBMISSION OF TENDERS	
22	Submission of Tenders	16
23	Late Tender	17
24	Alteration and Withdrawal of Tender	17
E	TENDER OPENING	

25	Opening of Tenders	17
F	SCRUTINY AND EVALUATION OF TENDERS	
26	Basic Principle	18
27	Preliminary Scrutiny of Tenders	18
28	Minor Infirmary/Irregularity/Non-Conformity	18
29	Discrepancy in Prices	19
30	Discrepancy between original and copies of Tender	19
31	Qualification Criteria	19
32	Deleted	--
33	Item wise evaluation	19
34	Comparison of Tenders	19
35	Additional Factors and Parameters for Evaluation and Ranking of Responsive Tenders	19
36	Tenderer's capability to perform the contract	20
37	Contacting the Purchaser	20
G	AWARD OF CONTRACT	
38	Purchaser's Right to Accept any Tender and to Reject any or All Tenders	20
39	Award Criteria	20
40	Variation of Quantities at the Time of Award	20
41	Notification of Award	20
42	Issue of Contract	21
43	Non-receipt of Performance Security and Contract by the Purchaser/Consignee	21
44	Return of EMD	21
45	Publication of Tender Result	21
46	Corrupt or Fraudulent Practices	21

A. PREAMBLE

1. Definitions and Abbreviations

1.1 The following definitions and abbreviations, which have been used in these documents shall have the meanings as indicated below:

1.2. Definitions:

- (i) "Purchaser" means the organization purchasing goods and services as incorporated in the Tender Enquiry document.
- (ii) "Tender" means Bids / Quotation / Tender received from a Firm / Tenderer / Bidder.
- (iii) "Tenderer" means Bidder/ the Individual or Firm submitting Bids / Quotation / Tender
- (iii) "Supplier" means the individual or the firm supplying the goods and services as incorporated in the contract.
- (iv) "Goods" means the articles, material, commodities, livestock, furniture, fixtures, raw material, spares, instruments, machinery, equipment, medical equipment, industrial plant etc. which the supplier is required to supply to the purchaser under the contract.
- (v) "Services" means services allied and incidental to the supply of goods, such as transportation, installation, commissioning, provision of technical assistance, training, after sales service, maintenance service and other such obligations of the supplier covered under the contract.
- (vi) "Earnest Money Deposit" (EMD) means Bid Security/ monetary or financial guarantee to be furnished by a tenderer along with its tender.
- (vii) "Contract" means the written agreement entered into between the purchaser and/or consignee and the supplier, together with all the documents mentioned therein and including all attachments, annexure etc. therein.
- (viii) "Performance Security" means monetary or financial guarantee to be furnished by the successful tenderer for due performance of the contract placed on it. Performance Security is also known as Security Deposit.
- (ix) "Consignee" means the Company/ person to whom the goods are required to be delivered as specified in the Contract. If the goods are required to be delivered to a person as an interim consignee for the purpose of despatch to another person as provided in the Contract then that "another" person is the consignee, also known as ultimate consignee.
- (x) "Specification" means the document/standard that prescribes the requirement with which goods or service has to conform.
- (xi) "Inspection" means activities such as measuring, examining, testing, gauging one or more characteristics of the product or service and comparing the same with the specified requirement to determine conformity.
- (xii) "Day" means calendar day.

1.3 Abbreviations:

- (i) "T E Document" means Tender Enquiry Document
- (ii) "NIT" means Notice Inviting Tenders.
- (iii) "GIT" means General Instructions to Tenderers
- (iv) "SIT" means Special Instructions to Tenderers
- (v) "GCC" means General Conditions of Contract
- (vi) "SCC" means Special Conditions of Contract
- (vii) "DGS&D" means Directorate General of Supplies and Disposals

- (viii) "NSIC" means National Small Industries Corporation
- (ix) "PSU" means Public Sector Undertaking
- (x) "CPSU" means Central Public Sector Undertaking
- (xi) "LSI" means Large Scale Industry
- (xii) "SSI" means Small Scale Industry
- (xiii) "LC" means Letter of Credit
- (xiv) "DP" means Delivery Period
- (xv) "BG" means Bank Guarantee
- (xvi) "ED" means Excise Duty
- (xvii) "CD" means Custom Duty
- (xviii) "VAT" means Value Added Tax
- (xix) "CENVAT" means Central Value Added Tax
- (xx) "CST" means Central Sales Tax
- (xxi) "RR" means Railway Receipt
- (xxii) "BL" means Bill of Lading
- (xxiii) "FOB" means Free on Board
- (xxiv) "FCA" means Free Carrier
- (xxv) "FOR" means Free On Rail
- (xxvi) "CIF" means Cost, Insurance and Freight
- (xxvii) "CIP (Destinations)" means Carriage and Insurance Paid up to named port of destination. Additionally the Insurance (local transportation and storage) would be extended and borne by the Supplier from warehouse to the consignee site for a period including 3 months beyond date of delivery.
- (xxviii) "DDP" means Delivery Duty Paid named place of destination (consignee site)
- (xxix) "INCOTERMS" means International Commercial Terms as on the date of Tender Opening
- (xxx) "IMPCL" means Indian Medicines Pharmaceutical Corporation Ltd.
- (xxxi) "MD" means The Managing Director of IMPCL
- (xxxii) "AMC" means Annual Maintenance Contract (labour and preventive maintenance)
- (xxxiii) "CMC" means Comprehensive Maintenance Contract

2. Introduction

- 2.1 The Purchaser has issued these TE documents for purchase of goods and related services as mentioned in Section – VI – "List of Requirements", which also indicates, *interalia*, the required quantity, delivery schedule, terms and place of delivery.
- 2.2 This section (Section II - "General Instructions to Tenderers") provides the relevant information as well as instructions to assist the prospective tenderers in preparation and submission of tenders. It also includes the mode and procedure to be adopted by the purchaser for receipt and opening as well as scrutiny and evaluation of tenders and subsequent placement of contract.
- 2.3 The tenderers shall also read the Special Instructions to Tenderers (SIT) related to this purchase, as contained in Section III of these documents and follow the same accordingly. Whenever there is a conflict between the GIT and the SIT, the provisions contained in the SIT shall prevail over those in the GIT.
- 2.4 Before formulating the tender and submitting the same to the purchaser, the tenderer should read and examine all the terms, conditions, instructions, checklist etc. contained in the TE documents. Failure to provide and/or comply with the required information, instructions etc. incorporated in these TE documents may result in rejection of its tender.

3. Deleted

4. Language of Tender

- 4.1 The tender submitted by the tenderer and all subsequent correspondence and documents relating to the tender exchanged between the tenderer and the purchaser, shall be written in the English language, unless otherwise specified in the Tender Enquiry. However, the language of any printed literature furnished by the tenderer in connection with its tender may be written in any other language provided the same is accompanied by a notarised English translation and, for purposes of interpretation of the tender, the English translation shall prevail.
- 4.2 The tender submitted by the tenderer and all subsequent correspondence and documents relating to the tender exchanged between the tenderer and the purchaser, may also be written in the Hindi language, provided that the same are accompanied by notarised English translation, in which case, for purpose of interpretation of the tender etc, the English translations shall prevail.

5. Eligible Tenderers

This invitation for tenders is open to all suppliers who fulfil the eligibility criteria specified in these documents.

6. Eligible Goods and Services

All goods and related services to be supplied under the contract shall have their origin in India or any other country with which India has not banned trade relations. The term “origin” used in this clause means the place where the goods are mined, grown, produced, or manufactured or from where the related services are arranged and supplied.

7. Tendering Expense

The tenderer shall bear all costs and expenditure incurred and/or to be incurred by it in connection with its tender including preparation, mailing and submission of its tender and for subsequent processing the same. The purchaser will, in no case be responsible or liable for any such cost, expenditure etc regardless of the conduct or outcome of the tendering process.

B. TENDER ENQUIRY DOCUMENTS

8. Content of Tender Enquiry Documents

- 8.1 In addition to Section I – “Notice inviting Tender” (NIT), the TE documents include:

Section II	– General Instructions to Tenderers (GIT)
Section III	– Special Instructions to Tenderers (SIT)
Section IV	– General Conditions of Contract (GCC)
Section V	– Special Conditions of Contract (SCC)
Section VI	– List of Requirements
Section VII	– Technical Specifications
Section VIII	– Quality Control Requirements
Section IX	– Qualification Criteria
Section X	– Tender Form
Section XI	– Price Schedules
Section XII	– Questionnaire
Section XIII	– Bank Guarantee Form for EMD
Section XIV	– Deleted
Section XV	– Bank Guarantee Form for Performance Security
Section XVI	– Contract Form
Section XVII	– Proforma of Consignee Receipt Certificate
Section XVIII	– Proforma of Final Acceptance Certificate by the consignee
Section XIX	– Deleted
Section XX	– Check List for the Tenderers

8.2 The relevant details of the required goods and services, the terms, conditions and procedure for tendering, tender evaluation, placement of contract, the applicable contract terms and, also, the standard formats to be used for this purpose are incorporated in the above-mentioned documents. The interested tenderers are expected to examine all such details before submission of the tender.

9. Amendments to TE documents

9.1 At any time prior to the deadline for submission of tenders, the purchaser may, for any reason deemed fit by it, modify the TE documents by issuing suitable amendment(s) to it. **The same shall be published in the websites** as mentioned in para 5 of NIT.

9.2 Such an amendment will be notified in writing by registered/speed post or by fax/email, followed by copy of the same by registered post/speed pos to all prospective tenderers, who have received the TE documents and will be binding on them.

9.3 In order to provide reasonable time to the prospective tenderers to take necessary action in preparing their tenders as per the amendment, the purchaser may, at its discretion extend the deadline for the submission of tenders and other allied time frames, which are linked with that deadline.

10. Clarification of TE documents

A tenderer requiring any clarification or elucidation on any issue of the TE documents may take up the same with the purchaser in writing. The purchaser will respond to such request during the pre-bid meeting and/or subsequently publish the desired clarification in the websites as mentioned in para 5 of NIT, provided the purchaser receives the same on or before the scheduled date of pre-Tender meeting.

C. PREPARATION OF TENDERS

11. Documents Comprising the Tender

11.1 The **Two Tender System**, i.e. “Techno – Commercial Tender” and “Price Tender” prepared by the tenderer shall comprise the following:

A) Techno – Commercial Tender (Un priced Tender)

- i) Earnest money furnished in accordance with GIT clause 19.1 alternatively, documentary evidence as per GIT clause 19.2 for claiming exemption from payment of earnest money.
- ii) Tender Form as per Section X (Un priced).
- iii) Documentary evidence, as necessary in terms of clauses 5 and 17 establishing that the tenderer is eligible to submit the tender and, also, qualified to perform the contract if its tender is accepted.
- iv) Deleted.
- v) Power of Attorney/Authorisation in favour of signatory of TE documents
- vi) Documents and relevant details to establish in accordance with GIT clause 18 that the goods and the allied services to be supplied by the tenderer conform to the requirement of the TE documents.
- vii) Performance Statement as per section IX along with relevant copies of purchase orders and end users’ satisfaction certificate.
- viii) Price Schedule(s) as per Section XI filled up with all the details including Make, Model, etc. of the goods offered with prices blank (without indicating any prices).
- ix) Certificate of Incorporation of the bidder.
- x) Checklist as per Section XX.
- xi) Statement of deviations parameter wise from tendered technical specifications, if any.
- xii) Statement of no deviations, confirmation in regard to commercial terms & conditions.

B) Price Tender:

The information given at clause no. 11.1 A) ii) & viii) above should be reproduced with the prices indicated.

N.B.

1. All pages of the Tender should be page numbered and indexed.
 2. It is the responsibility of tenderer to go through the TE document to ensure furnishing all required documents in addition to above, if any.
- 11.2 The authorized signatory of the tenderer must sign the tender duly stamped at appropriate places and initial all the remaining pages of the tender.
Individuals signing the tender or other documents connected with a contract must specify whether he signs as:
- (i) A 'Sole Proprietor' of the firm or constituted attorney of such Sole Proprietor.
 - (ii) A partner of the firm, if it be a partnership, in which case he must have authority to quote & to refer to arbitration dispute concerning the business of the partnership either by virtue of the partnership agreement or a power of attorney;
 - (iii) Constituted attorney of the firm if it is a company.

N.B. (1) In case of (ii) above, a copy of the partnership agreement or general power of attorney, in either, case, attested by a Notary Public should be furnished, or affidavit on stamped paper of all the partners admitting execution of the partnership agreement or the general power of attorney should be furnished.

(2) In case of the partnership firms, where no authority to refer disputes concerning the business of the partnership has been conferred on any partner, the tender and all other related documents must be signed by every partner of the firm.

(3) A person signing the tender form or any documents forming part of the contract on behalf of another shall be deemed to warrantee that he has authority to bind such other persons and if, on enquiry, it appears that the persons so signing had no authority to do so, the purchaser may, without prejudice to other civil and criminal remedies, cancel the contract and hold the signatory liable for all cost and damages;

- 11.3 A tender, which does not fulfil any of the above requirements and/or gives evasive information/reply against any such requirement, shall be liable to be ignored and rejected.
- 11.4 Tender sent by fax/telex/cable/electronically shall be ignored.

12. Tender currencies

The tenderer shall quote only in Indian Rupees.

13. Tender Prices

- 13.1 The Tenderer shall indicate on the Price Schedule provided under Section XI all the specified components of prices shown therein including the unit prices and total tender prices of the goods and services it proposes to supply against the requirement. All the columns shown in the price schedule should be filled up as required. If any column does not apply to a tenderer, it should be clarified as "NA" by the tenderer.
- 13.2 If there is more than one schedule in the List of Requirements, the tenderer has the option to submit its quotation for any one or more schedule. However, separate sealed cover to be used for each schedule for price bid.
- 13.3 The price quoted by the tenderer shall not be higher than the lowest price charged for the goods of the same nature, class or description to an individual/ firm/ organisation or department of Govt. of India.

If it is found at any stage that the goods as stated have been supplied at a lower price, then that price, with due allowance for elapsed time will be applicable to the present case and the difference

in cost would be refunded by the supplier to the purchaser, if the contract has already been concluded.

- 13.4 While filling up the columns of the Price Schedule, the following aspects should be noted for compliance:

The prices in the price schedule shall be entered in the following manner:

- a) the price of the goods, quoted ex-factory/ ex-showroom/ ex-warehouse/ off-the-shelf, as applicable, including all taxes and duties like sales tax, CST VAT, CENVAT, Custom Duty, Excise Duty etc. already paid or payable on the components and raw material used in the manufacture or assembly of the goods quoted ex-factory etc. or on the previously imported goods of foreign origin quoted ex-showroom etc;
- b) any sales or other taxes and any duties including excise duty, which will be payable on the finished goods if the contract is awarded;
- c) charges towards Transportation, Insurance, Loading/ Unloading and other local costs incidental to delivery of the goods to their final destination as specified in the List of Requirements and Price Schedule;
- d) the price of Incidental Services, as mentioned in List of Requirements and Price Schedule; if break up is not available it should be mentioned as 'included'.

- 13.5 Additional information and instruction on Duties and Taxes:

13.5.1 If the Tenderer desires to ask for excise duty, sales tax/ VAT, Service Tax, Works Contract Tax etc. to be paid extra, the same must be specifically stated. In the absence of any such stipulation the price will be taken inclusive of such duties and taxes and no claim for the same will be entertained later.

- 13.5.2 Excise Duty:

- a) If reimbursement of excise duty is intended as extra over the quoted prices, the supplier must specifically say so also indicating the rate, quantum and nature of the duty applicable. In the absence of any such stipulation it will be presumed that the prices quoted are firm and final and no claim on account of excise duty will be entertained after the opening of tenders.
- b) If a Tenderer chooses to quote a price inclusive of excise duty and also desires to be reimbursed for variation, if any, in the excise duty during the time of supply, the tenderer must clearly mention the same and also indicate the rate and quantum of excise duty included in its price. Failure to indicate all such details in clear terms may result in rejection of that tender.
- c) Subject to sub clauses 13.5.2 (a) & (b) above, any change in excise duty upward/downward as a result of any statutory variation in excise duty taking place during the currency of the contract terms shall be allowed to the extent of actual quantum of excise duty paid by the supplier. In case of downward revision in excise duty, the actual quantum of reduction of excise duty shall be reimbursed to the purchaser by the supplier. All such adjustments shall include all reliefs, exemptions, rebates, concession etc. if any obtained by the supplier.

- 13.5.3 Sales Tax:

If a tenderer asks for sales tax/ VAT, Service Tax and Works Contract Tax to be paid extra, the rate and nature of sales tax applicable should be shown separately, Form C shall be made available by the consignee for availing concessional VAT/Trade Tax. The sales tax / VAT, Service Tax and Works Contract Tax will be paid as per the rate at which it is liable to be assessed or has actually been assessed provided the transaction of sale is legally liable to sales tax / VAT, Service Tax and Works Contract Tax and is payable as per the terms of the contract. If any refund of Tax is received at a later date, the Supplier must return the amount forth-with to the purchaser.

13.5.4 Octroi Duty and Local Duties & Taxes:

Octroi duty, terminal tax and other levies of local bodies (like town body, municipal body etc.) if not exempted even on production of consignee's certificate, shall be reimbursed to the supplier on production of such proof of payment along with the final bill.

13.6 Deleted

13.7 For insurance of goods to be supplied, relevant instructions as provided under GCC Clause 11 shall be followed.

13.8 Deleted

13.9 The need for indication of all such price components by the tenderers, as required in this clause (viz., GIT clause 13) is for the purpose of comparison of the tenders by the purchaser and will no way restrict the purchaser's right to award the contract on the selected tenderer on any of the terms offered.

14. Deleted

15. Firm Price

15.1 Unless otherwise specified in the SIT, prices quoted by the tenderer shall remain firm and fixed during the currency of the contract. Offer with price variation clause will be rejected.

15.2 However, as regards taxes and duties, if any, chargeable on the goods and payable, the conditions stipulated in GIT clause 13 will apply.

16. Alternative Tenders

16.1 Alternative Tenders are not permitted.

16.2 However, the Tenderers can quote alternate models meeting the tender specifications of same manufacturer with single EMD.

16.3 Deleted

17 Documents Establishing Tenderer's Eligibility and Qualifications

17.1 Pursuant to GIT clause 11, the tenderer shall furnish, as part of its tender, relevant details and documents establishing its eligibility to quote and its qualifications to perform the contract if its tender is accepted.

17.2 The documentary evidence needs to establish the tenderer's qualifications shall fulfil the following requirements:

- a) in case the tenderer offers to supply goods, which are manufactured by some other firm, the tenderer has been duly authorised by the goods manufacturer to quote for and supply the goods to the purchaser. The tenderer shall submit the manufacturer's authorization letter to this effect as per the standard form provided under Section XIV in this document.
- b) the tenderer has the required financial, technical and production capability necessary to perform the contract and, further, it meets the qualification criteria incorporated in the Section IX in these documents.

18. Documents establishing Good's Conformity to TE document.

18.1 The tenderer shall provide in its tender the required as well as the relevant documents like technical data, literature, drawings etc. to establish that the goods and services offered in the tender fully conform to the goods and services specified by the purchaser in the TE documents. For this purpose the tenderer shall also provide a clause-by-clause commentary on the technical specifications and other technical details incorporated by the purchaser in the TE documents to establish technical responsiveness of the goods and services offered in its tender.

- 18.2 In case there is any variation and/or deviation between the goods & services prescribed by the purchaser and that offered by the tenderer, the tenderer shall list out the same in a chart form without ambiguity and provide the same along with its tender.
- 18.3 If a tenderer furnishes wrong and/or misleading data, statement(s) etc. about technical acceptability of the goods and services offered by it, its tender will be liable to be ignored and rejected in addition to other remedies available to the purchaser in this regard.

19. Earnest Money Deposit (EMD)

- 19.1 Pursuant to GIT clauses 8.1 and 11.1(B) the tenderer shall furnish along with its tender, earnest money for amount as shown in the List of Requirements. The earnest money is required to protect the purchaser against the risk of the tenderer's unwarranted conduct as amplified under sub-clause 19.7 below.
- 19.2 The tenderers who are currently registered and, also, will continue to remain registered during the tender validity period with Directorate General of Supplies & Disposals or with National Small Industries Corporation for the specific goods as per tender enquiry specification under single point registration scheme shall be eligible for exemption from EMD. Vague stipulations in the Registration Certificate such as "to customers' specification" etc. will not be acceptable for exemption from furnishing of earnest money. In case the tenderer falls in these categories, it should furnish copy of its valid registration details (with DGS&D or NSIC, as the case may be).
- 19.3 The earnest money shall be as per GIT clause 12.2. The earnest money shall be furnished in one of the following forms:
- i. Account Payee Demand Draft
 - ii. Banker's cheque and
 - iii. Bank Guarantee from any of the Commercial Banks
- 19.4 The demand draft or banker's cheque shall be drawn on any commercial bank in India, in favour of the "HLL Lifecare Limited" payable at New Delhi. In case of bank guarantee, the same is to be provided from any commercial bank in India as per the format specified under Section XIII in these documents.
- 19.5 The earnest money shall be valid for a period of forty-five (45) days beyond the validity period of the tender. As validity period of Tender as per Clause 20 of GIT is 120 days, the EMD shall be valid for 165 days from Techno – Commercial Tender opening date.
- 19.6 Unsuccessful tenderers' earnest money will be returned to them without any interest, after expiry of the tender validity period, but not later than thirty days after conclusion of the resultant contract. Successful tenderer's earnest money will be returned without any interest, after receipt of performance security from that tenderer.
- 19.7 Earnest Money is required to protect the purchaser against the risk of the Tenderer's conduct, which would warrant the forfeiture of the EMD. Earnest money of a tenderer will be forfeited, if the tenderer withdraws or amends its tender or impairs or derogates from the tender in any respect within the period of validity of its tender or if it comes to notice that the information/documents furnished in its tender is incorrect, false, misleading or forged without prejudice to other rights of the purchaser. The successful tenderer's earnest money will be forfeited without prejudice to other rights of Purchaser if it fails to furnish the required performance security within the specified period.

20. Tender Validity

- 20.1 If not mentioned otherwise in the SIT, the tenders shall remain valid for acceptance for a period of 120 days (One hundred and twenty days) after the date of opening of techno-commercial tenders

prescribed in the TE document. **Any tender valid for a shorter period shall be treated as unresponsive and rejected.**

- 20.2 In exceptional cases, the tenderers may be requested by the purchaser to extend the validity of their tenders up to a specified period. Such request(s) and responses thereto shall be conveyed by surface mail or by fax/ email followed by surface mail. The tenderers, who agree to extend the tender validity, are to extend the same without any change or modification of their original tender and they are also to extend the validity period of the EMD accordingly. A tenderer, however, may not agree to extend its tender validity without forfeiting its EMD.
- 20.3 In case the day up to which the tenders are to remain valid falls on/ subsequently declared a holiday or closed day for the purchaser, the tender validity shall automatically be extended up to the next working day.
- 21. Signing and Sealing of Tender**
- 21.1 The tenderers shall submit their tenders as per the instructions contained in GIT Clause 11.
- 21.2 Unless otherwise mentioned in the SIT, a tenderer shall submit two copies of its tender marking them as “Original” and “Duplicate”. Duplicate tenders may contain all pages including Technical Literature/Catalogues as in Original tenders.
- 21.3 The original and duplicate copies of the tender shall either be typed or written in indelible ink and the same shall be signed by the tenderer or by a person(s) who has been duly authorized to bind the tenderer to the contract. The letter of authorization shall be by a written power of attorney, which shall also be furnished along with the tender.
- 21.4 All the copies of the tender shall be duly signed at the appropriate places as indicated in the TE documents and all other pages of the tender including printed literature, if any shall be initialled by the same person(s) signing the tender. The tender shall not contain any erasure or overwriting, except as necessary to correct any error made by the tenderer and, if there is any such correction; the same shall be initialled by the person(s) signing the tender.
- 21.5 The tenderer is to seal the original and copy of the tender in separate envelopes, duly marking the same as “Original”, “Duplicate” and so on and writing the address of the purchaser and the tender reference number on the envelopes. The sentence “NOT TO BE OPENED” before _____ (The tenderer is to put the date & time of tender opening) are to be written on these envelopes. The inner envelopes are then to be put in a bigger outer envelope along with envelope containing EMD, which will also be duly sealed, marked etc. as above. If the outer envelope is not sealed and marked properly as above, the purchaser will not assume any responsibility for its misplacement, premature opening, late opening etc.
- 21.6 TE document seeks quotation following **two Tender System**, in two parts. First part will be known as **‘Techno - Commercial Tender’**, and the second part **‘Price Tender’** as specified in clause 11 of GIT. Tenderer shall seal **‘Techno - Commercial Tender (along with envelope containing EMD)’** and **‘Price Tender’** for each item separately and covers will be suitably super scribed. Both these sealed covers shall be put in a bigger cover and sealed and procedure prescribed in Paras 21.1 to 21.5 followed.

D. SUBMISSION OF TENDERS

22. Submission of Tenders

- 22.1 Unless otherwise specified, the tenderers are to deposit the tenders in the tender box kept for this purpose at **HLL Lifecare Limited, Procurement and Consultancy Division, B-14A, Sector -62, Noida -201307, Uttar Pradesh**. In case of bulky tender, which can not be put into tender box, the same shall be submitted by the tenderer by hand to **Head (P&CD)** or his nominee, **HLL Lifecare Limited, Procurement and Consultancy Division, B-14A, Sector -62, Noida -201307, Uttar Pradesh**. The officer receiving the tender will give the tenderer an official receipt duly signed with date and time.

22.2 The tenderers must ensure that they deposit their tenders not later than the closing time and date specified for submission of tenders. It is the responsibility of the tenderer to ensure that their Tenders whether sent by post or by courier or by person, are dropped in the Tender Box by the specified clearing date and time. In the event of the specified date for submission of tender falls on / is subsequently declared a holiday or closed day for the purchaser, the tenders will be received up to the appointed time on the next working day.

23. Late Tender

A tender, which is received after the specified date and time for receipt of tenders will be treated as “late” tender and will be ignored.

24. Alteration and Withdrawal of Tender

24.1 The tenderer, after submitting its tender, is permitted to alter / modify its tender so long as such alterations / modifications are received duly signed, sealed and marked like the original tender, within the deadline for submission of tenders. Alterations / modifications to tenders received after the prescribed deadline will not be considered.

24.2 No tender should be withdrawn after the deadline for submission of tender and before expiry of the tender validity period. If a tenderer withdraws the tender during this period, it will result in forfeiture of the earnest money furnished by the tenderer in its tender.

E. TENDER OPENING

25. Opening of Tenders

25.1 The purchaser will open the tenders at the specified date and time and at the specified place as indicated in the NIT.

In case the specified date of tender opening falls on / is subsequently declared a holiday or closed day for the purchaser, the tenders will be opened at the appointed time and place on the next working day.

25.2 Authorized representatives of the tenderers, who have submitted tenders on time may attend the tender opening provided they bring with them letters of authority from the corresponding tenderers.

The tender opening official(s) will prepare a list of the representatives attending the tender opening. The list will contain the representatives’ names & signatures and corresponding tenderers’ names and addresses.

25.3 **Two-Tender system as mentioned in para 21.6 above will be as follows.** The **Techno-Commercial Tenders** are to be opened in the first instance, at the prescribed time and date as indicated in NIT. These Tenders shall be scrutinized and evaluated by the competent committee/ authority with reference to parameters prescribed in the TE document. During the Techno - Commercial Tender opening, the tender opening official(s) will read the salient features of the tenders like brief description of the goods offered, delivery period, Earnest Money Deposit and any other special features of the tenders, as deemed fit by the tender opening official(s). Thereafter, in the second stage, the Price Tenders of only the Techno-Commercially acceptable offers shall be opened at a latter date, which will be notified to such tenderers. The prices, special discount if any of the goods offered etc., as deemed fit by tender opening official(s) will be read out.

F. SCRUTINY AND EVALUATION OF TENDERS

26. Basic Principle

Tenders will be evaluated on the basis of the terms & conditions already incorporated in the TE document, based on which tenders have been received and the terms, conditions etc. mentioned by the tenderers in their tenders. No new condition will be brought in while scrutinizing and evaluating the tenders.

27. Preliminary Scrutiny of Tenders

- 27.1 The Purchaser will examine the Tenders to determine whether they are complete, whether any computational errors have been made, whether required sureties have been furnished, whether the documents have been properly signed stamped and whether the Tenders are generally in order.
- 27.2 Prior to the detailed evaluation of Price Tenders, pursuant to GIT Clause 34, the Purchaser will determine the substantial responsiveness of each Tender to the TE Document. For purposes of these clauses, a substantially responsive Tender is one, which conforms to all the terms and conditions of the TE Documents without material deviations. Deviations from, or objections or reservations to critical provisions such as those concerning **Performance Security (GCC Clause 5), Warranty (GCC Clause 15), EMD (GIT Clause 19), Taxes & Duties (GCC Clause 20), Force Majeure (GCC Clause 26) and Applicable law (GCC Clause 31) will be deemed to be a material deviation.** The Purchaser's determination of a Tender's responsiveness is to be based on the contents of the tender itself without recourse to extrinsic evidence.
- 27.3 If a Tender is not substantially responsive, it will be rejected by the Purchaser and cannot subsequently be made responsive by the Tenderer by correction of the nonconformity.
- 27.4 The tenders will be scrutinized to determine whether they are complete and meet the essential and important requirements, conditions etc. as prescribed in the TE document. The tenders, which do not meet the basic requirements, are liable to be treated as non-responsive and will be summarily ignored.
- 27.5 The following are some of the important aspects, for which a tender shall be declared non-responsive and will be summarily ignored;
- (i) Deleted
 - (ii) Tender is unsigned.
 - (iii) Tender validity is shorter than the required period.
 - (iv) Required EMD (Amount, validity etc.)/ exemption documents have not been provided.
 - (v) Deleted.
 - (vi) Tenderer has not agreed to give the required performance security.
 - (vii) Goods offered are not meeting the tender enquiry specification.
 - (viii) Tenderer has not agreed to other essential condition(s) specially incorporated in the tender enquiry like terms of payment, liquidated damages clause, warranty clause, dispute resolution mechanism applicable law.
 - (ix) Poor/ unsatisfactory past performance.
 - (x) Tenderers who stand deregistered/banned/blacklisted by any Govt. Authorities.
 - (xi) Tenderer is not eligible as per GIT Clauses 5.1 & 17.1.
 - (xii) Tenderer has not quoted for the entire quantity as specified in the List of Requirements for the quoted item (s).
 - (xiii) Tenderer has not agreed to the delivery terms and delivery schedule .

28. Minor Infirmary/Irregularity/Non-Conformity

- 28.1 If during the preliminary examination, the purchaser find any minor informality and/or irregularity and/or non-conformity in a tender, the purchaser may waive the same provided it does not constitute any material deviation and financial impact and, also, does not prejudice or affect the ranking order of the tenderers. Wherever necessary, the purchaser will convey its observation on

such 'minor' issues to the tenderer by registered/speed post etc. asking the tenderer to respond by a specified date. If the tenderer does not reply by the specified date or gives evasive reply without clarifying the point at issue in clear terms, that tender will be liable to be ignored.

29 Discrepancies in Prices

- 29.1 If, in the price structure quoted by a tenderer, there is discrepancy between the unit price and the total price (which is obtained by multiplying the unit price by the quantity), the unit price shall prevail and the total price corrected accordingly, unless the purchaser feels that the tenderer has made a mistake in placing the decimal point in the unit price, in which case the total price as quoted shall prevail over the unit price and the unit price corrected accordingly.
- 29.2 If there is an error in a total price, which has been worked out through addition and/or subtraction of subtotals, the subtotals shall prevail and the total corrected; and
- 29.3 If there is a discrepancy between the amount expressed in words and figures, the amount in words shall prevail, subject to sub clause 29.1 and 29.2 above.
- 29.4 If, as per the judgement of the purchaser, there is any such arithmetical discrepancy in a tender, the same will be suitably conveyed to the tenderer by registered / speed post. If the tenderer does not agree to the observation of the purchaser, the tender is liable to be ignored.

30. Discrepancy between original and copies of Tender

In case any discrepancy is observed between the text etc. of the original copy and that in the other copies of the same tender set, the text etc. of the original copy shall prevail.

31. Qualification Criteria

Tenders of the tenderers, who do not meet the required Qualification Criteria prescribed in Section IX, will be treated as non-responsive and will not be considered further.

32. Deleted

33. Item-wise Evaluation

- 33.1 In case the List of Requirements contains more than one item, the responsive tenders will be evaluated and compared separately for each item. The tender for a item will not be considered if the complete requirements prescribed in that item are not included in the tender. However, as already mentioned in GIT sub clause 13.2. Conditional discounts shall not be accepted and tender in whole shall be rejected.

34. Comparison of Tenders

Unless mentioned otherwise in Section III – Special Instructions to Tenderers and Section VI – List of Requirements, the comparison of the responsive tenders shall be carried out on Delivery at consignee site basis.

35. Additional Factors and Parameters for Evaluation and Ranking of Responsive Tenders

- 35.1 Further to GIT Clause 34 above, the purchaser's evaluation of a tender will include and take into account the following:
- In the case of goods manufactured in India or goods of foreign origin already located in India, sales tax & other similar taxes and excise duty & other similar duties, Customs Duties, Service Tax, Works Contract Tax etc which will be contractually payable (to the tenderer), on the goods if a contract is awarded on the tenderer; and
- 35.2 The purchaser's evaluation of tender will also take into account the price quoted for essential spares for comparison purpose.

35.3 The Purchaser reserves the right to give the price preference to small-scale sectors etc. and purchase preference to central public sector undertakings as per the instruction in vogue while evaluating, comparing and ranking the responsive tenders.

36. Tenderer's capability to perform the contract

36.1 The purchaser, through the above process of tender scrutiny and tender evaluation will determine to its satisfaction whether the tenderer, whose tender has been determined as the lowest evaluated responsive tender is eligible, qualified and capable in all respects to perform the contract satisfactorily. If, there is more than one item in the List of Requirements, then, such determination will be made separately for each item.

36.2 The above-mentioned determination will, inter alia, take into account the tenderer's financial, technical and production capabilities for satisfying all the requirements of the purchaser as incorporated in the TE document. Such determination will be based upon scrutiny and examination of all relevant data and details submitted by the tenderer in its tender as well as such other allied information as deemed appropriate by the purchaser.

37. Contacting the Purchaser

37.1 From the time of submission of tender to the time of awarding the contract, if a tenderer needs to contact the purchaser for any reason relating to this tender enquiry and / or its tender, it should do so only in writing.

37.2 In case a tenderer attempts to influence the purchaser in the purchaser's decision on scrutiny, comparison & evaluation of tenders and awarding the contract, the tender of the tenderer shall be liable for rejection in addition to appropriate administrative actions being taken against that tenderer, as deemed fit by the purchaser.

G. AWARD OF CONTRACT

38. Purchaser's Right to accept any tender and to reject any or all tenders

The purchaser reserves the right to accept in part or in full any tender or reject any or more tender(s) without assigning any reason or to cancel the tendering process and reject all tenders at any time prior to award of contract, without incurring any liability, whatsoever to the affected tenderer or tenderers.

39. Award Criteria

Subject to GIT clause 38 above, the contract will be awarded to the lowest evaluated responsive tenderer decided by the purchaser in terms of GIT Clause 36.

40. Variation of Quantities at the Time of Award/ Currency of Contract

40.1 At the time of awarding the contract, the purchaser reserves the right to increase or decrease by up to twenty five (25) per cent, the quantity of goods and services mentioned in the schedule (s) in the "List of Requirements" without any change in the unit price and other terms & conditions quoted by the tenderer.

40.2 If the quantity has not been increased at the time of the awarding the contract, the purchaser reserves the right to increase by up to twenty five (25) per cent, the quantity of goods and services mentioned in the contract without any change in the unit price and other terms & conditions mentioned in the contract, during the currency of the contract.

41. Notification of Award

41.1 Before expiry of the tender validity period, the purchaser will notify the successful tenderer(s) in writing, by registered / speed post or by fax/ telex/cable (to be confirmed by registered / speed post) that its tender for goods & services, which have been selected by the purchaser, has been accepted, also briefly indicating therein the essential details like description, specification and quantity of the goods & services and corresponding prices accepted. The successful tenderer must furnish to the purchaser the required performance security within 21 (twenty-one) days from the date of dispatch of this notification, failing which the EMD will be forfeited and the award will be cancelled. Relevant details about the performance security have been provided under GCC Clause 5 under Section IV.

41.2 The Notification of Award shall constitute the conclusion of the Contract.

42. Issue of Contract

42.1 Promptly after notification of award, the Purchaser/Consignee will mail the contract form (as per Section XVI) duly completed and signed, in duplicate, to the successful tenderer by registered / speed post.

42.2 Within twenty one days from the date of the contract, the successful tenderer shall return the original copy of the contract, duly signed and dated, to the Purchaser by registered / speed post.

42.3 The Purchaser reserves the right to issue the Notification of Award consignee wise.

43. Non-receipt of Performance Security and Contract by the Purchaser/Consignee

Failure of the successful tenderer in providing performance security and / or returning contract copy duly signed in terms of GIT clauses 41 and 42 above shall make the tenderer liable for forfeiture of its EMD and, also, for further actions by the Purchaser/Consignee against it as per the clause 24 of GCC – Termination of default.

44. Return of E M D

The earnest money of the successful tenderer and the unsuccessful tenderers will be returned to them without any interest, whatsoever, in terms of GIT Clause 19.6.

45. Publication of Tender Result

The name and address of the successful tenderer(s) receiving the contract(s) will be mentioned in the notice board/bulletin/web site of the purchaser.

46. Corrupt or Fraudulent Practices

It is required by all concerned to observe the highest standard of ethics during the procurement and execution of such contracts. In pursuance of this policy, the Purchaser: -

- (a) defines, for the purposes of this provision, the terms set forth below as follows:
 - (i) “corrupt practice” means the offering, giving, receiving or soliciting of any thing of value to influence the action of a public official in the procurement process or in contract execution; and
 - (ii) “fraudulent practice” means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Purchaser, and includes collusive practice among Tenderers (prior to or after Tender submission) designed to establish Tender prices at artificial non-competitive levels and to deprive the Purchaser of the benefits of free and open competition;
- (b) will reject a proposal for award if it determines that the Tenderer recommended for award has engaged in corrupt or fraudulent practices in competing for the contract in question;

- (c) will declare a firm ineligible, either indefinitely or for a stated period of time, to be awarded a contract by the purchaser if it at any time determines that the firm has engaged in corrupt or fraudulent practices in competing for, or in executing the contract.

SECTION - III
SPECIAL INSTRUCTIONS TO TENDERERS
(SIT)

The following Special Instructions to Tenderers will apply for this purchase. These special instructions will modify/substitute/supplement the corresponding General Instructions to Tenderers (GIT) incorporated in Section II. The corresponding GIT clause numbers have also been indicated in the text below:

In case of any conflict between the provision in the GIT and that in the SIT, the provision contained in the SIT shall prevail.

SECTION - IV**GENERAL CONDITIONS OF CONTRACT (GCC)****TABLE OF CLAUSES**

Sl No.	Topic	Page
1	Application	25
2	Use of contract documents and information	25
3	Patent Rights	25
4	Country of Origin	25
5	Performance Security	25
6	Technical Specifications and Standards	26
7	Packing and Marking	26
8	Inspection, Testing and Quality Control	26
9	Terms of Delivery	28
10	Transportation of Goods	28
11	Insurance	28
12	Spare parts	28
13	Incidental services	29
14	Distribution of Dispatch Documents for Clearance/Receipt of Goods	29
15	Warranty	29
16	Assignment	30
17	Sub Contracts	30
18	Modification of contract	30
19	Prices	31
20	Taxes and Duties	31
21	Terms and mode of Payment	31
22	Delay in the supplier's performance	32
23	Liquidated Damages	33
24	Termination for default	33
25	Termination for insolvency	34
26	Force Majeure	34
27	Termination for convenience	34
28	Governing language	35
29	Notices	35
30	Resolution of disputes	35
31	Applicable Law	35
32	General/Miscellaneous Clauses	35

GENERAL CONDITIONS OF CONTRACT (GCC)

1. Application

- 1.1 The General Conditions of Contract incorporated in this section shall be applicable for this purchase to the extent the same are not superseded by the Special Conditions of Contract prescribed under Section V, List of requirements under Section VI and Technical Specification under Section VII of this document.

2. Use of contract documents and information

- 2.1 The supplier shall not, without the purchaser's prior written consent, disclose the contract or any provision thereof including any specification, drawing, sample or any information furnished by or on behalf of the purchaser in connection therewith, to any person other than the person(s) employed by the supplier in the performance of the contract emanating from this TE document. Further, any such disclosure to any such employed person shall be made in confidence and only so far as necessary for the purposes of such performance for this contract.
- 2.2 Further, the supplier shall not, without the purchaser's prior written consent, make use of any document or information mentioned in GCC sub-clause 2.1 above except for the sole purpose of performing this contract.
- 2.3 Except the contract issued to the supplier, each and every other document mentioned in GCC sub-clause 2.1 above shall remain the property of the purchaser and, if advised by the purchaser, all copies of all such documents shall be returned to the purchaser on completion of the supplier's performance and obligations under this contract.

3. Patent Rights

- 3.1 The supplier shall, at all times, indemnify and keep indemnified the purchaser, free of cost, against all claims which may arise in respect of goods & services to be provided by the supplier under the contract for infringement of any intellectual property rights or any other right protected by patent, registration of designs or trademarks. In the event of any such claim in respect of alleged breach of patent, registered designs, trade marks etc. being made against the purchaser, the purchaser shall notify the supplier of the same and the supplier shall, at his own expenses take care of the same for settlement without any liability to the purchaser.

4. Country of Origin

- 4.1 All goods and services to be supplied and provided for the contract shall have the origin in India or in the countries with which the Government of India has trade relations.
- 4.2 The word "origin" incorporated in this clause means the place from where the goods are mined, cultivated, grown, manufactured, produced or processed or from where the services are arranged.
- 4.3 The country of origin may be specified in the Price Schedule

5. Performance Security

- 5.1 Within twenty-one (21) days from date of the issue of notification of award by the Purchaser/Consignee, the supplier, shall furnish performance security to the Purchaser/Consignee for an amount equal to ten percent (10%) of the total value of the contract, valid up to sixty (60) days after the date of completion of all contractual obligations by the supplier, including the warranty & one year service, initially valid for a period of minimum 30 months from the date of Notification of Award.
- 5.2 The Performance security shall be submitted to HLL Lifecare Ltd ,B-14A,sector 62 ,Noida PIN 201307as detailed below:

It shall be in any one of the forms namely Account Payee Demand Draft drawn from any Scheduled bank in India or Bank Guarantee issued by a Scheduled bank in India, in the prescribed form as provided in section XV of this document in favour of the Purchaser/Consignee.

- 5.3 In the event of any failure /default of the supplier with or with out any quantifiable loss to the Purchaser the amount of the performance security is liable to be forfeited.
- 5.4 In the event of any amendment issued to the contract, the supplier shall, within twenty-one (21) days of issue of the amendment, furnish the corresponding amendment to the Performance Security (as necessary), rendering the same valid in all respects in terms of the contract, as amended.
- 5.5 Deleted.
- 5.6 Subject to GCC sub-clause 5.3 above, the Purchaser/Consignee will release the Performance Security without any interest to the supplier on completion of the supplier's all contractual obligations including the warranty and other obligations as mentioned in part IV of the list of the requirement (in Section VI).

6. Technical Specifications and Standards

- 6.1 The Goods & Services to be provided by the supplier under this contract shall conform to the technical specifications and quality control parameters mentioned in 'Technical Specification' and 'Quality Control Requirements' under Sections VII and VIII of this document.

7. Packing and Marking

- 7.1 The packing for the goods to be provided by the supplier should be strong and durable enough to withstand, without limitation, the entire journey during transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. As and if necessary, the size, weights and volumes of the packing cases shall also take into consideration, the remoteness of the final destination of the goods and availability or otherwise of transport and handling facilities at all points during transit up to final destination as per the contract.
- 7.2 The quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall strictly comply with the requirements as provided in Technical Specifications and Quality Control Requirements under Sections VII and VIII and in SCC under Section V. In case the packing requirements are amended due to issue of any amendment to the contract, the same shall also be taken care of by the supplier accordingly.
- 7.3 Packing instructions:
Unless otherwise mentioned in the Technical Specification and Quality Control Requirements under Sections VII and VIII and in SCC under Section V, the supplier shall make separate packages for each consignee (in case there is more than one consignee mentioned in the contract) and mark each package on three sides with the following with indelible paint of proper quality:
- a. contract number and date
 - b. brief description of goods including quantity
 - c. packing list reference number
 - d. country of origin of goods
 - e. consignee's name and full address and
 - f. supplier's name and address

8. Inspection, Testing and Quality Control

- 8.1 The purchaser and/or its nominated representative(s) will, without any extra cost to the purchaser, inspect and/or test the ordered goods and the related services to confirm their conformity to the contract specifications and other quality control details incorporated in the contract. The purchaser shall inform the supplier in advance, in writing, the purchaser's programme for such inspection and, also the identity of the officials to be deputed for this purpose. The cost towards the transportation, boarding & lodging will be borne by the purchaser and/or its nominated representative(s).
- 8.2 The Technical Specification and Quality Control Requirements incorporated in the contract shall specify what inspections and tests are to be carried out and, also, where and how they are to be conducted. If such inspections and tests are conducted in the premises of the supplier or its subcontractor(s), all reasonable facilities and assistance, including access to relevant drawings, design details and production data, shall be furnished by the supplier to the purchaser's inspector at no charge to the purchaser.
- 8.3 If during such inspections and tests the contracted goods fail to conform to the required specifications and standards, the purchaser's inspector may reject them and the supplier shall either replace the rejected goods or make all alterations necessary to meet the specifications and standards, as required, free of cost to the purchaser and resubmit the same to the purchaser's inspector for conducting the inspections and tests again.
- 8.4 In case the contract stipulates pre-despatch inspection of the ordered goods at supplier's premises, the supplier shall put up the goods for such inspection to the purchaser's inspector well ahead of the contractual delivery period, so that the purchaser's inspector is able to complete the inspection within the contractual delivery period.
- 8.5 If the supplier tenders the goods to the purchaser's inspector for inspection at the last moment without providing reasonable time to the inspector for completing the inspection within the contractual delivery period, the inspector may carry out the inspection and complete the formality beyond the contractual delivery period at the risk and expense of the supplier. The fact that the goods have been inspected after the contractual delivery period will not have the effect of keeping the contract alive and this will be without any prejudice to the legal rights and remedies available to the purchaser under the terms & conditions of the contract.
- 8.6 The purchaser's/consignee's contractual right to inspect, test and, if necessary, reject the goods after the goods' arrival at the final destination shall have no bearing of the fact that the goods have previously been inspected and cleared by purchaser's inspector during pre-despatch inspection mentioned above.
- 8.7 Goods accepted by the purchaser/consignee and/or its inspector at initial inspection and in final inspection in terms of the contract shall in no way dilute purchaser's/consignee's right to reject the same later, if found deficient in terms of the warranty clause of the contract, as incorporated under GCC Clause 15.
- 8.8 Consequence of rejection-
If the stores being rejected by the inspector or consignee at the supplier's premises or at consignee site and the supplier fails to make satisfactory supplies within the stipulated period of delivery the purchaser shall be at liberty to –
- i) require the supplier to replace the rejected stores forthwith but in any event of later than a period of 15 days from the date of rejection and the supplier shall bear the all cost of such replacement, including freight, if any, on such replacing and replaced stores but without being entitled to any extra payment on that or any other account.
 - ii) purchase the quantity of the stores rejected or stores of similar description without notice to the supplier at his risk and cost and without affecting the supplier's liability as regards to the supply of any further installment due under the contract, or

- iii) Cancel the contract and purchase the store of the similar description at the risk and cost of the supplier. In the event of action being taken under sub clause (ii) above or this sub clause the provisions of GCC clause 23 shall apply as far as applicable.

9. Terms of Delivery

Goods shall be delivered by the supplier in accordance with the terms of delivery specified in the contract.

10. Transportation of Goods

10.1 Deleted

10.2 Instructions for transportation of goods including goods already imported by the supplier under its own arrangement:

In case no instruction is provided in this regard in the SCC, the supplier will arrange transportation of the ordered goods to the consignee's site as per its own arrangement.

10.3 The supplier shall also be responsible for safe and timely delivery of ordered goods to the consignee. The supplier shall be responsible for all loss, destructions, damage or deterioration of or to the goods from any cause whatsoever while the goods after approval by the inspector are awaiting despatch or delivery.

11. Insurance:

Unless otherwise instructed in the SCC, the supplier shall make arrangements for insuring the goods against loss or damage incidental to manufacture or acquisition, transportation, storage and delivery in the following manner:

The supplier shall be responsible till the entire stores contracted for arrival in good condition at destination. The transit risk in this respect shall be covered by the Supplier by getting the stores duly insured for an amount equal to 110% of the value of the goods from "Consigner place/warehouse to Consignee site" on all risk basis. The insurance cover shall be obtained by the Supplier and should be valid till 3 months after the receipt of goods by the Consignee.

12. Spare parts

12.1 If specified in the List of Requirements and in the resultant contract, the supplier shall supply/provide any or all of the following materials, information etc. pertaining to spare parts manufactured and/or supplied by the supplier:

- a) The spare parts as selected by the Purchaser/Consignee to be purchased from the supplier, subject to the condition that such purchase of the spare parts shall not relieve the supplier of any contractual obligation including warranty obligations; and
- b) In case the production of the spare parts is discontinued:
 - i) Sufficient advance notice to the Purchaser/Consignee before such discontinuation to provide adequate time to the purchaser to purchase the required spare parts etc., and

- ii) Immediately following such discontinuation, providing the Purchaser/Consignee, free of cost, the designs, drawings, layouts and specifications of the spare parts, as and if requested by the Purchaser/Consignee.

12.2 Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spares for the goods so that the same are supplied to the Purchaser/Consignee promptly on receipt of order from the Purchaser/Consignee.

13. Incidental services

13.1 Subject to the stipulation, if any, in the SCC (Section – V), List of Requirements (Section – VI) and the Technical Specification (Section – VII), the supplier shall be required to perform the following services.

- i) Installation & commissioning, Supervision and Demonstration of the goods
- ii) Providing required jigs and tools for assembly, minor civil works required for the completion of the installation.
- iii) Training of Consignee's Technicians, Staff, operators etc. for operating and maintaining the goods
- iv) Supplying required number of operation & maintenance manual for the goods

14. Distribution of Dispatch Documents for Clearance/Receipt of Goods

The supplier shall send all the relevant despatch documents well in time to the Purchaser/Consignee

Unless otherwise specified in the SCC, the usual documents involved and the drill to be followed in general for this purpose are as follows.

Within 24 hours of despatch, the supplier shall notify the purchaser, consignee, and others concerned if mentioned in the contract, the complete details of despatch and also supply the following documents to them by registered post / speed post (or as instructed in the contract):

- (i) Four copies of supplier's invoice showing contract number, goods description, quantity, unit price and total amount;
- (ii) Two copies of packing list identifying contents of each package;
- (iii) Inspection certificate issued by the nominated Inspection agency, if any.
- (iv) Certificate of origin (for already imported items only);
- (v) Insurance Certificate as per GCC Clause 11.
- (vi) Manufacturers/Supplier's warranty certificate & In-house inspection certificate.

15. Warranty

15.1 The supplier warrants comprehensively that the goods supplied under the contract is new, unused and incorporate all recent improvements in design and materials unless prescribed otherwise by the purchaser in the contract. The supplier further warrants that the goods supplied under the contract shall have no defect arising from design, materials or workmanship or from any act or omission of the supplier that may develop under normal use of the supplied goods under the conditions prevailing in India.

15.2 This **warranty shall remain valid for 1 (one) year** after the goods or any portion thereof as the case may be, have been delivered to the final destination and installed and commissioned at the final destination and accepted by the Purchaser/Consignee in terms of the contract, unless specified otherwise in the SCC.

- a. No conditional warranty like mishandling, manufacturing defects etc. will be acceptable.

- b. Warranty will cover all accessories and also the items if mentioned in the SCC.
 - c. Replacement and repair will be under taken for the defective goods to the full satisfaction of the purchaser/Consignee.
 - d. Proper marking has to be made for all spares for identification regarding installation and repair dates.
- 15.3 In case of any claim arising out of this warranty, the Purchaser/Consignee shall promptly notify the same in writing to the supplier. The period of the warranty will be as per G.C.C clause number 15.2 above irrespective of any other period mentioned elsewhere in the bidding documents.
- 15.4 Upon receipt of such notice, the supplier shall, within 24 hours on a 24(hrs) X 7 (days) X 365 (days) basis respond to take action to repair or replace the defective goods or parts thereof, free of cost, at the ultimate destination. The supplier shall take over the replaced parts/goods after providing their replacements and no claim, whatsoever shall lie on the purchaser for such replaced parts/goods thereafter. The penalty clause for non-rectification will be applicable as per tender conditions
- 15.5 In the event of any rectification of a defect or replacement of any defective goods during the warranty period, the warranty for the rectified/replaced goods shall be extended to a further period as mentioned in (15.2) above from the date such rectified / replaced goods starts functioning to the satisfaction of the purchaser.
- 15.6 If the supplier, having been notified, fails to respond to take action to repair or replace the defect(s) within 24 hours on a 24(hrs) X 7 (days) X 365 (days) basis, the purchaser may proceed to take such remedial action(s) as deemed fit by the purchaser, at the risk and expense of the supplier and without prejudice to other contractual rights and remedies, which the purchaser may have against the supplier.
- 15.7 During Warranty period, the supplier is required to visit at consignee's site at least once in 3 months commencing from the date of the installation for preventive maintenance of the goods
- 15.8 98% up time Warranty to be maintained for complete equipment with extension of Warranty period by double the downtime period on 24 (hrs) X 7 (days) X 365 (days) basis.
- 15.9 The supplier shall ensure continued supply of the spare parts for the machines and equipments supplied by them to the purchaser for 10 years from the date of installation and handing over.
- 15.10 The Supplier shall always accord most favoured client status to the Purchaser vis-à-vis its other Clients/Purchasers of its equipments/machines/goods etc. and shall always give the most competitive price for its machines/equipments supplied to the Purchaser/Consignee.
- 16. Assignment**
- The Supplier shall not assign, either in whole or in part, its contractual duties, responsibilities and obligations to perform the contract to anybody else, except with the Purchaser's prior written permission.
- 17. Sub Contracts**
- 17.1 The Supplier shall notify the Purchaser in writing of all sub contracts awarded under the contract if not already specified in its tender. Such notification, in its original tender or later, shall not relieve the Supplier from any of its liability or obligation under the terms and conditions of the contract.
- 17.2 Sub contract shall be only for bought out items and sub-assemblies.
- 17.3 Sub contracts shall also comply with the provisions of GCC Clause 4 ("Country of Origin").
- 18. Modification of contract**
- 18.1 If necessary, the purchaser may, by a written order given to the supplier at any time during the currency of the contract, amend the contract by making alterations and modifications within the general scope of contract in any one or more of the following:

- a) Specifications, drawings, designs etc. where goods to be supplied under the contract are to be specially manufactured for the purchaser,
- b) Mode of packing,
- c) Incidental services to be provided by the supplier
- d) Mode of despatch,
- e) Place of delivery, and
- f) Any other area(s) of the contract, as felt necessary by the purchaser depending on the merits of the case.

18.2 In the event of any such modification/alteration causing increase or decrease in the cost of goods and services to be supplied and provided, or in the time required by the supplier to perform any obligation under the contract, an equitable adjustment shall be made in the contract price and/or contract delivery schedule, as the case may be, and the contract amended accordingly. If the supplier doesn't agree to the adjustment made by the Purchaser/Consignee, the supplier shall convey its views to the Purchaser/Consignee within twenty-one days from the date of the supplier's receipt of the Purchaser's/Consignee's amendment / modification of the contract.

19. Prices

Prices to be charged by the supplier for supply of goods and provision of services in terms of the contract shall not vary from the corresponding prices quoted by the supplier in its tender and incorporated in the contract except for any price adjustment authorised in the SCC.

20. Taxes and Duties

- 20.1 Supplier shall be entirely responsible for all taxes, duties, fees, levies etc. incurred until delivery of the contracted goods to the purchaser.
- 20.2 Further instruction, if any, shall be as provided in the SCC.

21. Terms and Mode of Payment

21.1 Payment Terms

Payment shall be made subject to recoveries, if any, by way of liquidated damages or any other charges as per terms & conditions of contract in the following manner.

Payment shall be made in Indian Rupees as specified in the contract in the following manner:

- a) **70%** of contract value will be paid on receipt of equipment/ material at site in good condition against submission of the following documents:
 - (i) Four copies of supplier's invoice showing contract number, goods description, quantity, unit price and total amount;
 - (ii) Consignee Receipt Certificate as per Section XVII in original issued by the authorized representative of the consignee;
 - (iii) Two copies of packing list identifying contents of each package;
 - (iv) Inspection certificate issued by the nominated Inspection agency, if any;
 - (v) Insurance Certificate as per GCC Clause 11;
 - (vi) Certificate of origin (for already imported items only).
 - (vii) Necessary civil drawings for installation of the equipment.

b) On Acceptance:

Balance 30 % payment would be made against 'Final Acceptance Certificate' as per Section XVIII of goods to be issued by the consignees subject to recoveries, if any, either on account of non-rectification of defects/deficiencies not attended by the Supplier or otherwise.

- 21.2 The supplier shall not claim any interest on payments under the contract.
- 21.3 Where there is a statutory requirement for tax deduction at source, such deduction towards income tax and other tax as applicable will be made from the bills payable to the Supplier at rates as notified from time to time.
- 21.4 Deleted
- 21.5 Deleted
- 21.6 The supplier shall send its claim for payment in writing to consignee, when contractually due, along with relevant documents etc., duly signed with date, with copy to HLL life care Ltd.
- 21.7 While claiming payment, the supplier is also to certify in the bill that the payment being claimed is strictly in terms of the contract and all the obligations on the part of the supplier for claiming that payment has been fulfilled as required under the contract.
- 21.8 While claiming reimbursement of duties, taxes etc. (like sales tax, excise duty) from the Purchaser/Consignee, as and if permitted under the contract, the supplier shall also certify that, in case it gets any refund out of such taxes and duties from the concerned authorities at a later date, it (the supplier) shall refund to the Purchaser/Consignee forthwith.
- 21.9 Deleted

22. Delay in the supplier's performance

- 22.1 The supplier shall deliver of the goods and perform the services under the contract within the time schedule specified by the Purchaser/Consignee in the List of Requirements and as incorporated in the contract. **The time for and the date of delivery of the goods stipulated in the schedule shall be deemed to be of the essence of contract and the delivery must be completed not later than the date(s) as specified in the Contract.**
- 22.2 Subject to the provision under GCC clause 26, any unexcused delay by the supplier in maintaining its contractual obligations towards delivery of goods and performance of services shall render the supplier liable to any or all of the following sanctions:
- (i) imposition of liquidated damages,
 - (ii) forfeiture of its performance security and
 - (iii) termination of the contract for default.
- 22.3 If at any time during the currency of the contract, the supplier encounters conditions hindering timely delivery of the goods and performance of services, the supplier shall promptly inform the Purchaser/Consignee in writing about the same and its likely duration and make a request to the Purchaser/Consignee for extension of the delivery schedule accordingly. On receiving the supplier's communication, the Purchaser/Consignee shall examine the situation as soon as possible and, at its discretion, may agree to extend the delivery schedule, with or without liquidated damages for completion of supplier's contractual obligations by issuing an amendment to the contract.
- 22.4 When the period of delivery is extended due to unexcused delay by the supplier, the amendment letter extending the delivery period shall, inter alia contain the following conditions:
- (a) The Purchaser/Consignee shall recover from the supplier, under the provisions of the clause 23 of the General Conditions of Contract, liquidated damages on the goods and services, which the Supplier has failed to deliver within the delivery period stipulated in the contract.
 - (b) That no increase in price on account of any ground, whatsoever, including any stipulation in the contract for increase in price on any other ground and, also including statutory increase in or fresh imposition of customs duty, excise duty, sales tax/ VAT, Service Tax and Works Contract Tax or on account of any other tax or duty which may be levied in respect of the goods and services specified in the contract, which takes place after the date of delivery stipulated in the contract shall be admissible on such of the said goods and

services as are delivered and performed after the date of the delivery stipulated in the contract.

- (c) But nevertheless, the Purchaser/Consignee shall be entitled to the benefit of any decrease in price on account of reduction in or remission of customs duty, excise duty, sales tax/VAT, Service Tax and Works Contract Tax or any other duty or tax or levy or on account of any other grounds, which takes place after the expiry of the date of delivery stipulated in the contract.

22.5 The supplier shall not dispatch the goods after expiry of the delivery period. The supplier is required to apply to the Purchaser/Consignee for extension of delivery period and obtain the same before despatch. In case the supplier dispatches the goods without obtaining an extension, it would be doing so at its own risk and no claim for payment for such supply and / or any other expense related to such supply shall lie against the purchaser.

22.6 Passing of Property:

22.6.1 The property in the goods shall not pass to the purchaser unless and until the goods have been delivered to the consignee in accordance with the conditions of the contract.

22.6.2 Where there is a contract for sale of specific goods and the supplier is bound to do something to the goods for the purpose of putting them into a deliverable state the property does not pass until such thing is done.

22.6.3 Unless otherwise agreed, the goods remain at the supplier's risk until the property therein is transferred to the purchaser.

23. Liquidated damages

23.1 Subject to GCC clause 26, if the supplier fails to deliver any or all of the goods or fails to perform the services within the time frame(s) incorporated in the contract, the Purchaser/Consignee shall, without prejudice to other rights and remedies available to the Purchaser/Consignee under the contract, deduct from the contract price, as liquidated damages, a sum equivalent to 0.5% per week of delay or part thereof on delayed supply of goods and/or services until actual delivery or performance subject to a maximum of 10% of the contract price. Once the maximum is reached Purchaser/Consignee may consider termination of the contract as per GCC 24.

24. Termination for default

24.1 The Purchaser/Consignee, without prejudice to any other contractual rights and remedies available to it (the Purchaser/Consignee), may, by written notice of default sent to the supplier, terminate the contract in whole or in part, if the supplier fails to deliver any or all of the goods or fails to perform any other contractual obligation(s) within the time period specified in the contract, or within any extension thereof granted by the Purchaser/Consignee pursuant to GCC sub-clauses 22.3 and 22.4.

24.2 In the event of the Purchaser/Consignee terminates the contract in whole or in part, pursuant to GCC sub-clause 24.1 above, the Purchaser/Consignee may procure goods and/or services similar to those cancelled, with such terms and conditions and in such manner as it deems fit and the supplier shall be liable to the Purchaser/Consignee for the extra expenditure, if any, incurred by the Purchaser/Consignee for arranging such procurement.

24.3 Unless otherwise instructed by the Purchaser/Consignee, the supplier shall continue to perform the contract to the extent not terminated.

25. Termination for insolvency

25.1 If the supplier becomes bankrupt or otherwise insolvent, the purchaser reserves the right to terminate the contract at any time, by serving written notice to the supplier without any compensation, whatsoever, to the supplier, subject to further condition that such termination will not prejudice or affect the rights and remedies which have accrued and / or will accrue thereafter to the Purchaser/Consignee.

26. Force Majeure

26.1 Notwithstanding the provisions contained in GCC clauses 22, 23 and 24, the supplier shall not be liable for imposition of any such sanction so long the delay and/or failure of the supplier in fulfilling its obligations under the contract is the result of an event of Force Majeure.

26.2 For purposes of this clause, Force Majeure means an event beyond the control of the supplier and not involving the supplier's fault or negligence and which is not foreseeable and not brought about at the instance of, the party claiming to be affected by such event and which has caused the non – performance or delay in performance. Such events may include, but are not restricted to, acts of the Purchaser/Consignee either in its sovereign or contractual capacity, wars or revolutions, hostility, acts of public enemy, civil commotion, sabotage, fires, floods, explosions, epidemics, quarantine restrictions, strikes excluding by its employees, lockouts excluding by its management, and freight embargoes.

26.3 If a Force Majeure situation arises, the supplier shall promptly notify the Purchaser/Consignee in writing of such conditions and the cause thereof within twenty-one days of occurrence of such event. Unless otherwise directed by the Purchaser/Consignee in writing, the supplier shall continue to perform its obligations under the contract as far as reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.

26.4 If the performance in whole or in part or any obligation under this contract is prevented or delayed by any reason of Force Majeure for a period exceeding sixty days, either party may at its option terminate the contract without any financial repercussion on either side.

26.5 In case due to a Force Majeure event the Purchaser/Consignee is unable to fulfil its contractual commitment and responsibility, the Purchaser/Consignee will notify the supplier accordingly and subsequent actions taken on similar lines described in above sub-paragraphs.

27. Termination for convenience

27.1 The Purchaser/Consignee reserves the right to terminate the contract, in whole or in part for its (Purchaser's/Consignee 's) convenience, by serving written notice on the supplier at any time during the currency of the contract. The notice shall specify that the termination is for the convenience of the Purchaser/Consignee. The notice shall also indicate interalia, the extent to which the supplier's performance under the contract is terminated, and the date with effect from which such termination will become effective.

27.2 The goods and services that are complete and ready in terms of the contract for delivery and performance within thirty days after the supplier's receipt of the notice of termination shall be accepted by the Purchaser/Consignee following the contract terms, conditions and prices. For the remaining goods and services, the Purchaser/Consignee may decide:

- a) To get any portion of the balance completed and delivered at the contract terms, conditions and prices; and / or
- b) To cancel the remaining portion of the goods and services and compensate the supplier by paying an agreed amount for the cost incurred by the supplier towards the remaining portion of the goods and services.

28. Governing language

28.1 The contract shall be written in English language following the provision as contained in GIT clause 4. All correspondence and other documents pertaining to the contract, which the parties exchange, shall also be written accordingly in that language.

29. Notices

- 29.1 Notice, if any, relating to the contract given by one party to the other, shall be sent in writing or by cable or telex or facsimile and confirmed in writing. The procedure will also provide the sender of the notice, the proof of receipt of the notice by the receiver. The addresses of the parties for exchanging such notices will be the addresses as incorporated in the contract.
- 29.2 The effective date of a notice shall be either the date when delivered to the recipient or the effective date specifically mentioned in the notice, whichever is later.

30. Resolution of disputes

- 30.1 If dispute or difference of any kind shall arise between the Purchaser/Consignee and the supplier in connection with or relating to the contract, the parties shall make every effort to resolve the same amicably by mutual consultations.
- 30.2 If the parties fail to resolve their dispute or difference by such mutual consultation within twenty-one days of its occurrence, then, unless otherwise provided in the SCC, either the Purchaser/Consignee or the supplier may give notice to the other party of its intention to commence arbitration, as hereinafter provided the applicable arbitration procedure will be as per the Arbitration and Conciliation Act, 1996 of India. In the case of a dispute or difference arising between the Purchaser/Consignee and a domestic Supplier relating to any matter arising out of or connected with the contract, such dispute or difference shall be referred to the sole arbitrator appointed by the Chairman & Managing Director of HLL Life care Limited. The award of the arbitrator shall be final and binding on the parties to the contract subject to the provision that the Arbitrator shall give reasoned award in case the value of claim in reference exceeds Rupees One Lac (Rs. 1,00,000/-)
- 30.3 Venue of Arbitration: The venue of arbitration shall be Delhi / New Delhi.

31. Applicable Law

The contract shall be governed by and interpreted in accordance with the laws of India for the time being in force.

32. General/ Miscellaneous Clauses

- 32.1 Nothing contained in this Contract shall be construed as establishing or creating between the parties, i.e. the Supplier on the one side and the Purchaser on the other side, a relationship of master and servant or principal and agent.
- 32.2 Any failure on the part of any Party to exercise right or power under this Contract shall not operate as waiver thereof.
- 32.3 The Supplier shall notify the Purchaser/Consignee of any material change would impact on performance of its obligations under this Contract.
- 32.4 Deleted
- 32.5 Deleted
- 32.6 The Supplier shall, at all times, indemnify and keep indemnified the Purchaser/ Consignee against any claims in respect of any damages or compensation payable in consequences of any accident or injury sustained or suffered by its employees or agents or by any other third party resulting from or by any action, omission or operation conducted by or on behalf of the supplier/its associate/affiliate etc.
- 32.7 All claims regarding indemnity shall survive the termination or expiry of the contract

SECTION – V

SPECIAL CONDITIONS OF CONTRACT (SCC)

The following Special Conditions of Contract (SCC) will apply for this purchase. The corresponding clauses of General Conditions of Contract (GCC) relating to the SCC stipulations have also been incorporated below.

These Special Conditions will modify/substitute/supplement the corresponding (GCC) clauses. Whenever there is any conflict between the provision in the GCC and that in the SCC, the provision contained in the SCC shall prevail.

SECTION - VI

LIST OF REQUIREMENTS

Part I:

Sl. No.	Short Description of Item	Qty
A	TABLET SECTION	
1	RAPID MIXER GRANULATOR – 600 Ltrs.	1
2	OSCILLATING GRANULATOR – 100KG/HR: GMP MODEL	1
3	PASTE KETTLE - 100 LTS. : GMP MODEL	1
4	FBD And FBD DUCTING	1
5	VISUAL INSPECTION BELT/ TABLE	2
6	COATING SPRAYING SYSTEM	1
7	COLLIDAL MILL : GMP MODEL	1
8	PACKING CONVEYOR: 10 FEET	4
B	CAPSULE CHURAN POWDER SECTION	
9	OCTAGONAL BLENDER – 600 LTRS.: GMP MODEL	1
10	POWDER FILLING MACHINE AUGER TYPE COMPLETE LINE BOTTLE SEALING LABELING MACHINE	1
11	CAPSULE POLISHING WITH AIR DISPLACEMENT UNIT	1

Part II: Required Delivery Schedule:

Delivery shall be within **90 days** from date of Notification of Award. The date of delivery will be the date on which the goods are delivered to the consignee's site (Tenderers may quote earliest delivery period).

Part III: Scope of Incidental Services:

Installation & Commissioning, Supervision, Demonstration, Trial run and Training etc. as specified in GCC Clause 13

Installation & commissioning shall be completed within 15 days of handing over the site of installation, complete in all respect by the consignee. The date of handing over the site has to be

intimated by the supplier to the purchaser. The delay on the part of the supplier to install & commission the equipment will also attract the provisions as contained in the clause 23 of GCC.

In case the installation & commissioning is delayed for any reason(s) for which the consignee is responsible, 15% of the contract price shall become payable, after the expiry of 4 months from the date of arrival of the last consignment at site, subject to furnishing of a bank guarantee of equivalent amount. The remaining 15% shall be payable against final acceptance certificate to be issued by the consignee.

Part IV: Warranty and AMC

One-year service (labour only) for maintenance to be provided after the expiry of warranty period without any additional cost to the Purchaser/ Consignee as and when required.

Part V:

The supplier shall keep sufficient stock of spares for supplies to be made within 15 days after receipt of order(s) from purchaser/consignee.

Part VI:

Required Terms of Delivery and Destination.

- a) Delivery required at Consignee Site.
Insurance (local transportation and storage) would be borne by the Supplier from warehouse to the consignee site for a period including 3 months beyond date of delivery

- b) Goods to be consigned to:-

The Manager (Materials)
Indian Medicines Pharmaceuticals Corporation Ltd.
MOHAN, District: Almora
(VIA RAMNAGAR - 244 715)
Uttarakhand
Ph: 05947-287871; Fax: 05947-287826/22

Section – VII Technical Specifications

TABLET SECTION

ITEM SL No. 1

RAPID MIXER GRANULATOR – 600 Ltrs.

sr. no	Description	Specification
1	Purpose	Fast & homogeneous mixing of dry powder & wet powders. mixing blade consisting of three nos. approx should be designed for intense mixing. continuous action of this with the different ingredient immensely mixes thoroughly with homogeneously. the upper portion of the housing should designed Teflon/Equivalent seal along with air purging facility. lower stage housing contains bearing along with oil seals that make it completely leak proof. a high speed granulator is inserted horizontally through the wall of the bowl to assist blending of powder and to break the lumps of the products in to granules of required sizes. these lumps are formed while wet mixing. machine has a side discharge outlet with pneumatically operated. the discharge valve is exactly matching the profile of the intervene bowl with perfect sealing arrangement. pneumatic cylinder housing should designed with swivel type arrangement, which helps for easy cleaning. safety interlocks are provided to discharge valve as well as top lid with limit switches. machine with mixing bowl, mixing blades, granulator, pneumatic lid lifting discharge port, , motor, gear box operating panel and the control panel etc.
	Gross Capacity	600 LTRS
	Working Capacity	480 APPROX LTRS
	Performance	vendor to specify
	Charging Inputs	manual charging
	Discharging	pneumatic discharging
2.	Type	
	Model	GMP
	Code	good engineering practice
3.	Dimension	vendor to specify
4.	Drive Details	
	Main Stirrer Motor	
	Type	3 PH/ 415 V/50 HZ/ NON FLP
	Size & Speed	40.0 / 50.0 H.P.RPM 750/1440 APPROX
	Protection &Rating	IP 55 AND TEFC
	Make	ABB/SIEMENS/EQUIVALENT
	Granulator Motor	
	Type	DUAL SPEED /DUAL HP/415 V/3 PH/NON FLP
	Size & Speed	7.5 / 10.0 H.P. RPM 2880/1440 APPROX
	Protection	IP 55/TEFC
	Make	ABB/SIEMENS/EQUIVALENT
	Gear Box	SUITABLE RATIO IN LINE WITH MOTOR.

		(BONFIGLIOLI/ RADICON/EQUIVALENT)
	Other Components	
	Seals	FOOD GRADED NEOPRENE RUBBER/SILICON GASKET
	Pneumatic	FESTO/SMC/AIRMAX/DUNCAL/SCHRADER/EQUIVALENT
5	Electrical Control System	
	Operating Console/Panel	made from ss304 1) main motor on / off & low, medium and fast three speed. 2) chopper motor on / off & slow - fast 3) emergency stop 4) RYB INDICATOR 5) voltmeter, ammeter & other components (L&T/SIEMEN/EQUIVALENT)
	Advance Arrangement For Up gradation	PLC
	Starter	DOL with necessary components (L&T/SIEMEN/EQUIVALENT)
	Additional Control Features	vendor to specify
6	Material Of Construction	
	Contact Parts	SS 316
	Non Contact Parts	SS 304
	General Structure	a SS skid proof platform and ss ladder provide an easy access to the machine mixing bowl for trouble free operation. a very strong fabricated structure is designed for uniform and vibration free operations. Made out of mild steel & cladded or covered with SS304 houses, the main drive mechanism and supports the entire machine consisting of mixing bowl, chopper / granulate assembly and other units.
	Platform	SS304 plate of suitable thickness
	Ladder & Railing	numbers of stapes and shape of ladder are design for easy climbing. also full carpet surface of top of structure and ladders are embossed to prevent skidding during man movement. the MOC of cladding and ladders are of 304 quality stains less steel.
7	Finish	
	Contact Parts	Mirror Finish
	Non Contact Parts	Matt Finish
8.	Safety Features:	
	Overload Protection Relays	machine can not start/instantly stop a. if the top lid is open. b. if the air pressure is less than the set pressure. c. is the discharge valve is open for cleaning. d. if motors over-load. motors will not run in fast speed directly. a pressure switch (indfos make/equivalent) is incorporated in the pneumatic circuit to ensure that unless required minim air pressure is available in the system the machine cannot be started. and once the machine starts and if drop below pre-set the value the machine stops immediately.
	Vibration	control feature – vendor to specify
	Noise	not more than 80 dbs.
9	Utility :	
	Electrical Power Supply	3 PH/ 415 V/50 HZ
	Compressed Air	10-30 CFM AT 4-6 KGS/CM2 APPROX
	Connection Details	vendor to specify
10	Documentation :	

	Scope Of Standard Documentations	- validation documents DQ,OO,PQ,IQ etc - material test certificate for contact parts - installation & maintenance manual - spare part list - certificates, manual for bought out items - electrical circuit diagram - schematic diagram of machine showing all dims
10.	Inspection:	By client
11.	Trial	no load running for 1/2 hr at vendor factory. trial & validation with doc.
12.	Packing	wooden box with net wt and gross wt –vendor to specify.
13.	Spares	vendor to specify/recommend essential spare.
14.	Installation & Commissioning	At our client location

ITEM SL No. 2

OSCILLATING GRANULATOR – 100KG/HR: GMP Model

sr.no.	Description	Specification
1.	Purpose	The oscillating granulator is used for dry and wet granules size.
	Type	unit mounted on fixed legs
	Capacity	100 kg/hr
	Performance	vendor specify
	Input Charged	manual / through port /vendor to specify
	Output Discharged	by gravity /other mechanism/vendor to specify.
2.	Type	
	Model	GMP MODEL
	Code	Good Engineering Practice
3.	Dimensional	vendor to specify
4.	Material of construction	
	General Structure	Made out of mild steel & cladded or covered with ss304.
	Perforated Sieve	SS316
	Contact Parts	SS316
	Non Contact Parts	SS304
	Gasket	WHITE FOOD GRADED /SILICON RUBBER
5.	Drive Details	
	Type	3 PH/ 415 V/50 HZ/ NON FLP
	Main Motor -Size &Rpm	2 H.P/1440 Approx
	Protection	IP 55 & TEFC
	Gear Box Make	suitable ratio in line with motor. (BONFIGLIOLI/ RADICON/EQUIVALENT)
6	Electrical Control System	
	Console/Panel	Made from SS304 with 3 phase indication, emergency stop & amp. meter & timer.
	Starter	DOL with necessary components (L&T/SIEMEN/EQUIVALENT)
	Digital Timer	for batch time setting
	Ampere Meter	to indicate the load of motor
	Additional Control Features	vendor to specify
7	Safety Feature	
	Emergency Stop	provided in panel, all moving parts are covered.
	Noise Level	not more than 80 dbs
8.	Utility :	
	Electrical Power Supply	3 PHASE / 415 V/ 50 HZ/NON FLP

	Connection Details	vendor to specify
9	Other Components	
	Seals	FOOD GRADE NEOPRENE RUBBER/SILICON GASKET IF ANY
	Pneumatic	(FESTO/SMC/AIRMAX/DUNCAL/SCHRADER/CAMOZZI (ITALY)/EQUIVALENT).IF ANY
10	Documentation	
	Scope of standard	- validation documents DQ,OQ,PQ,IQ etc - material test certificate for contact parts - installation & maintenance manual - spare part list - certificates, manual for bought out items - electrical circuit diagram - schematic diagram of machine showing all dims
11	Inspection	by client
12	Trial	no load running for 1/2 hr at vendor factory. trial & validation with doc.
13	Packing	wrapped in plastic/ wooden box with net wt and gross wt –vendor to specify
14	Spares:	vendor to specify
15	Installation &Commissioning	at our client site

ITEM SL No. 3

PASTE KETTLE - 100 Lts: GMP Model

sr. no.	description	specification
1	Purpose	For making of solution / sticky materials with air vent ,drain plug with steam trap assembly. total assembly is mounted on castor wheel through fixed legs.
	Temperature(Design-Working)	SHELL 100-80, JACKET 180-130DEG
	Pressure(Design-Working)	SHELL ATMS, JACKET 6-3 KG/CM2 G
	Working Capacity	80 LITRE APPROX
	Gross Capacity	100 litre
	Charging Inputs	manually
	Discharging Outputs	unloaded by gravity/ tilting arrangement
	Performance	vendor to specify
2	Type	
	Model	GMP MODEL – STEAM HEATING
	Code	good engineering practice
	Dimensions	vendor to specify
3	Drive Components	
	Drive Assembly Make	2 HP/1 HP MOTOR (ABB/SIEMENS/EQUIVALENT)
	Gear Box Make	SUITABLE GEAR BOX INLINE WITH MOTOR (RADICON//EQUIVALENT)
	Stirrer	ANCHOR TYPE
4	Electrical Control System	
	Panel	Made from SS304 with 3 phase indication, motor on/off push button, digital temperature controller, digital timer & other components . (L&T/SIEMEN/EQUIVALENT)
	Digital Timer	for batch time setting
	Temperature Controller	for temperature controlling
	Additional Control Features	vendor to specify
5	Material Of Construction	

	Contact Parts	SS 316 MATERIAL
	Non Contact Parts	SS 304 MATERIAL
6	Finish	
	Contact Parts	mirror finish
	Non-Contact Parts	matt finish
7	Safety Featurews	
	Overload Protection Relays	yes
	Earthing	earthing provided at panel
8	Utility	
	Electrical Load	3 PH/ 415 V/50 HZ/ NON FLP
	Steam	vendor to specify
	Connection Details	vendor to specify
9	Other Components	
	Seals	FOOD GRADED NEOPRENE RUBBER/SILICON GASKET IF ANY
10	Inspection	by client
11	Trial	No load running for 1/2 hr at vendor factory. trial & validation with doc.
12	Documentation	
	Scope Of Standard Documentations	<ul style="list-style-type: none"> - validation documents DQ,OQ,PQ,IQ etc - material test certificate for contact parts - installation & maintenance manual - spare part list - certificates, manual for bought out items - electrical circuit diagram - schematic diagram of machine showing all dim.
13	Spares:	vendor to specify/recommend essential spare.
14	Installation & Commissioning	at our client site

ITEM SL No. 4**FLUID BED DRYER-120 Kgs And FBD DUCTING**

FLUID BED DRYER – 120 Kgs: GMP MODEL

sr. no.	Description	Specification
1.	Purpose	<p>For drying speedily the wet material through hot air stream at the base of the product container, filled with the material.</p> <p>single vessel type consisting filter bag chamber & retarding chamber made out of 3 mm thick approx in S.S.-316 . the top dish made out of 3 mm thk approx S.S.-316 quality. the cylindrical chamber is provided with inspection window with toughened glass. filter bag made out of p.c. satin cloth mounted on movable hanger . bottom of the filter bag is fixed in SS fixing ring & provided with inflating tube which when inflated seals filter bag with inner surface of filter bag housing. no product now can travel in between the filter bag and the chamber walls. one inflating tube is provided for lifting chamber and another for retarding chamber.</p> <p>all the inflatable gaskets are provided with pressure gauge , electro-pneumatic switches and also interlocking system with the unit. i.e. if unit is not sealed properly, the blower motor will not start.the exhaust duct is provided with butterfly valve with gasket & pneumatically operated rotary actuator and this valve will close fully at the time of filter bag shaking cycle. a positive earthing is provided it means that the dryer will not start with any earthing fault. height of the expansion chamber is more enough to ensure proper heat transfer between product and hot air. inlet air ducting will be fitted rear side of the chamber.</p> <p><u>A.H.U.:</u> the rear chamber is made out of 2mm thk. Approx S.S.-304 in this chamber . 10 micron washable pre-filter followed by 5 micron with HEPA 0.3 micron. air filters and steam radiator/heaters are fixed at rear side.</p> <p><u>Plenum Chamber:-</u> it is made out of 3 mm thk. approx s.s.-304 and provided with dished bottom. water drain plug is provided. s.s. butterfly valve is provided to control inlet air and also to isolate unit from inlet air preparation unit and valve is provided with cylinder and will remain close at the time of shaking or when the unit is not in operation.</p> <p><u>Product Container :- (1+1 nos)</u> conical shape & made out of s.s.-316, 3 mm thk. approx. it is provided with perforated air distribution plate along with S.S.-316 110 approx mesh . perforated plate & mesh are fixed to container by means of quick change clamp type arrangement. glass window is provided in the container for observation. the container mounting trolley is made out of s.s.-304 round pipe and provided with 4 nos. SS castors with p.u. wheels. the container .is also provided with on line sampling port to draw the</p>

		<p>sample without stopping the dryer. the container can be tilted for emptying the product .</p> <p>note : extra product container as per same spec as mention above to be supplied.</p> <p><u>explosion vent;-</u> horizontal explosion relief opening fixed with fike arrangement S.S. 304. is provided in rear side of filter bag chamber.</p> <p>A. processing unit a.1 main body a.2 bowl/ product container a.3 rectangular inflatable tube (upper & lower) a.4 sampling port a.5 filter bag & filter bag locking tube a.6 explosion vent B. air preparation unit b.1. inlet air filters b.2 heating coil b.3 fine filter b.4 hepa filter b.5 air transition duct b.6 air temperature monitoring C. blower unit D. fluidization controller E. power panel F. auto shaking system with pneumatic cylinder G. differential pressure guage at HEPA filter etc .</p>
	Working Cap. In Kg.	120 KGS.
	Working Cap. In Litres	300-430 LITRE APPROX
	Performance	vendor specify
	Steam Consumption	60-150 KGS/HR. (STEAM HEATED MODEL) APPROX
	Charging Inputs	the charging to the bowl is done manually. Extra bowl to be provided.
	Output	manually
2	Type	
	Model	GMP (Steam heated)
	Code	Good Engineering Practice
3	Dimensions	vendor specify
4	Main Components	
	Blower Motor Details	
	Type	415 VAC/ 3 PH/ NON FLP
	Size	15 HP/20 HP (ABB/ SIEMENS/EQUIVALENT)
	Blower	4500-3400 M ³ /HR AT STANDARD AIR TEMP, CENTRIFUGAL, BACKWARD CURVED BLADES, 750 MMWG APPROX .
5	Electrical Control System	
	Control/Panel	SS 304 with all switch gears, temperature indicator, temp. controller, timer etc.
	Starter	DOL with other components (L&T /SIEMENS/EQUIVALENT)
	Temperature Controller	DIGITAL TYPE
	Additional Control Features	vendor to specify/recommended
6	Material Of Construction	
	AHU	SS 304, 3 mm approx, duet filters 10 microns & 5 microns filters 0.3 microns HEPA filter provided after the steam coil inside the AHU plenum.
	Main Structure	Made out of mild steel & cladded or covered with SS304

	Contact Parts	SS 316
	Non Contact Parts	SS304
	Blower	M.S. PAINTED
7	Finish	
	Contact Parts	mirror finish
	Non-Contact Parts	matt finish
8	Safety Feature	
	Earthing	suitable earthing to be provided
	Overload Protection Relays	yes
9	Utility :	
	Electrical	415 V / 3 PHASE/ 50 HZ/NON FLP
	Steam	60-150 KGS/HR AT 2-4KG/CM2 G PRESSURE
	Compressed Air	30-60 CFM AT 4-6BAR G
	Connection Details	vendor to specify
10	Other Components	
	Seals	FOOD GRADE NEOPRENE RUBBER/SILICON GASKET
	Pneumatic	FESTO/SMC/AIRMAX/DUNCAL/SCHRADER/CAMOZZI (ITALY)/EQUIVALENT.
11	Ducting and its Accessories	Duct line dia approx 350mm,min 16 swg, 3-5m length ,flange od-id 450mm-350mm ,12mm thk approx ,inlet with elbow with flange 350mm approx and out line duct 300 mm approx ,14 swg, elbow, exhaust conical nozzle, flap spool 16 swg approx, explosion flap duct 210 -200mm , 16 swg approx with flange & manifold, ahu etc with accessories to be provide. flame proof model will be with steam heated model only for dehumidification system (cooling coil + rh sensor) at AHU. providing steam line valve with solenoid valve to control inlet air temperature(for steam heated model)silencer at blower. differential pressure gauge to be provide. necessary other spare and tools to be provide.
12	Documentation	
	Scope Of Standard Documentations	<ul style="list-style-type: none"> - validation documents DQ, OQ, PQ, IQ etc - material test certificate for contact parts - installation & maintenance manual - spare part list - certificates, manual for bought out items - electrical circuit diagram - schematic diagram of machine showing all dims.
13	Inspection:	by client
14	Trial	no load running for 1/2 hr at vendor factory. trial & validation with doc.
15	Packing	wrapped in plastic/ wooden box with net wt and gross wt –vendor to specify
16	Spares	Vendor to specify necessary other spare and tools to be provide.
17	Installation& Commissioning	at client site.

EXTRA FBD DUCTING

FBD Ducting consisting of Inlet Ducting - OD 350mm approx x 16swg- 05 Mtr , Flange-OD 455mm approx, ID 345 approx x 12mm Thk (for Inlet ducting) -5 Pair, Elbow with Flange - OD 350mm (for Inlet ducting)- 02 Nos, Outlet Ducting - OD 300mm approx x 14swg- 05 Mtr, Flange - OD 405mm approx, ID 295 approx x 12mm Thk(for Outlet ducting)-05 Pair, Elbow with Flange - OD 300mm approx (for Outlet ducting) -02 Nos. Exhaust Conical Nozzle for Blower - 01 No. Explosion Flap Ducting - OD 208 approx x 16swg -1.0 Mtr. ,Flange - OD 265 approx x ID 208 approx x 12mm Thk(for Explosion ducting)- 01 Pair ,Explosion Flap Spool - OD 208 approx x 16swg x 100mm -01 No. complete one set with necessary drawing.

ITEM SL No. 5
VISUAL INSPECTION BELT/ TABLE

This machine is specially designed for 100% visual inspection of tablets from both sides. 100,000 tablets per hour Approx should be inspected on GMP model type by employing two Operators.

Tablet Inspection belt should consist of stainless steel complete body, S.S. Hopper, from which tablets fall on a Six (6)" inches magnetic Vibrator that removes chips and dust from the tablets and feed them on six (6)" inches wide belt for one operator to inspect one side of the tablets. These tablets are automatically passed on another belt for second operator to inspect the other side of the tablets (Min size of the tablet 3mm & Max. size of the Tablet 14 mm).

The intensity of the vibration of the vibrator should be varied to ensure smooth falling of tablets on the belt, similarly speed of the belt can also be adjusted so that inspection rate can be increased depending on the percentage of the rejections. Complete body, Hopper top angles etc are made of stainless steel. Main stand is of M.S. angles. The three side of the stand is covered with stainless steel patty & S.S. Door.

- Nylon endless conveyor belt should be washable and easily replaceable type.
- Both conveyor speed and Tablet feed should be adjustable.
- Extra large hopper for less frequent fillings, having holding capacity of about 25 to 30 Kg.
- Hopper position is vertically adjustable with a knob.
- Special tablet dust filter mesh should be provided at the vibrator.
- Dust collecting tray with cleaning brush should be provided below the conveyor.

Sr.No.	Description	Specification
1	Model	GMP MODEL
2	Material Of Construction	
	Contact Parts	S.S. 316 WITH MIRROR FINISH
	Non Contact Parts	S.S. 304 WITH MATT FINISH
	Main Frame	vendor to specify and SS 304 square pipe.
	Sheet Metal	S.S. 304 THK 1.2 MM APPROX
	Motor Cabin	vendor to specify
	Hopper	round conical hopper 18" dia approx
	Conveyor Tray	vendor to specify
	Rollers	vendor to specify
	Conveyor Belt	PVC COATED BELT 150 MM APPROX
3	Motor	0.5/0.25 HP APPROX
4	Gear Box	suitable with motor
5	Drive	suitable vibrator
6	Scope Of Standard Documentations	- validation documents DQ, OQ, PQ, IQ etc - material test certificate for contact parts - installation & maintenance manual - spare part list - certificates, manual for bought out items - electrical circuit diagram - schematic diagram of machine showing all dims
7	Inspection:	by client

8	Trial	no load running for 1/2 hr at vendor factory. trial & validation with doc.
9	Packing	wrapped in plastic/ wooden box with net wt and gross wt –vendor to specify.
10	Spares	vendor to specify/recommend essential spare.
11	Installation & Commissioning	at client site.

ITEM SL No. 6

COATING SPRAYING SYSTEM

Coating Spray System

Mini coating type should be comprised of pressure vessel which can be provided with S.S. jacket (for Sugar Coating) with controlled heaters, safety valve, pneumatic stirrer (Oscillating type) , spraying nozzles and compact control panel with Pneumatic cylinder for intermittent spray with timer.

Capacity : 100 litre

Vessel is filled with coating solution and pressurized by oil/ moisture free compressed air at pressure of 3 to 4 Kgs/sq cm to get uniform atomized conical spray. The coating is done by spray guns which are mounted on a heavy S.S 304 stand should be adjusted. Duration of air and liquid spray is controlled by a Digital Timer and Pneumatic cylinder through a solenoid valve.

- Scope of standard documentations
- Validation Documents DQ, OQ, PQ, IQ ETC
 - Material Test certificate for contact parts
 - Installation & Maintenance Manual
 - Spare Part List
 - Certificates, Manual for Bought out items
 - Electrical Circuit Diagram
 - Schematic Diagram of machine showing all Dims

Inspection:

Trial -By Client
-No load running for 1/2 Hr at vendor factory. Trial & validation with doc.

Packing -Wrapped in Plastic/ wooden box with Net wt and gross Wt –vendor to specify.

Spares - vendor to specify/recommend essential spare.

Installation & commissioning -At client site.

ITEM SL No. 7
COLLIDAL MILL : GMP Model

Sr.No.	Description	Specification
1	Purpose	colloid mill is suitable for homogenizing, emulsifying, dispersing, mixing, and comminuting of liquids to highly viscous products. it is based on rotor and stator principle. operation product is feed to the operating area of a rotor, having the speed of 3000 rpm approx. by specially designed feed device. the product is processed by high shear, pressure and friction between the stator and rotor, and also subjected to intense vibration which exerts their force on it by means of pressing and releasing action. due to the slightly deviating tearing of the milling surface of the stator and rotor, the angular gap becomes narrower towards the discharge section. this processed product continuously leaves the mill through the drain pipe, if required, it can be re circulated
	Particle Size Reduction	UP TO 10 MICRON
	Hopper Capacity	15 LITRES
	Out Put	15 TO 200 LITRES/HR APPROX
	Input Charged	manual
	Output Discharged	manual (3 way cock system for draining and re-circulation of liquids & discharge spout for viscous products/ other arrangement)
2	Type	
	Model	GMP MODEL – PLAIN
	Code	Good Engineering Practice
3	Dimensional Details	
	Dimensions	vendor to specify.
4	Materials of construction	
	Contact Parts	SS304
	General Structure	Made out of mild steel & cladde or covered with SS304.
	Gasket	SILICON RUBBER/FOOD GRADE IF ANY.
5	Drive Details	
	Main Motor	SINGLE SPEED/3 PH/ 415 V/50 HZ/AC
	Size & Rpm	3 H.P. & 2800 RPM
	Protection	IP 55/TEFC
	Charging And Discharging System	manually
6	Electrical Control System	
	Panel	DOL with necessary components (L&T/SIEMEN/EQUIVALENT)
7	Safety Feature	all moving parts are covered.
	Overload Relay	provided in panel
	Earthing	provide proper earthing.
8	Finish	
	Contact Parts	mirror finish
	Non Contact Parts	matt finish
9	Utility	
	Electrical Power Supply	3PH/415V/50 HZ
10	Documentation :	
	Scope of documentation	- validation documents DQ,OQ,PQ,IQ etc - material test certificate for contact parts - installation & maintenance manual - spare part list - certificates, manual for bought out items - electrical circuit diagram - schematic diagram of machine showing all dims

11	Inspection:	by client
12	Trial	no load running for 1/2 hr at vendor factory. trial & validation with doc.
13	Packing	wrapped in plastic/ wooden box with net wt and gross wt –vendor to specify.
14	Spares	necessary spare to be provided
15	Installation & Commissioning	at client site.

ITEM SL No. 8**PACKING CONVEYOR: 10 FEET**

Sr.No.	Description	Specification
1	Length	10 FEET
2	Material of construction	316/304 & 304cladding
3	Design	GMP
4	Dimension	vendor to specify
5	Bearings	SELF-ALIGNING BEARING (SKF/ EQUIVALENT)
6	Belt size	9”(W) X 2 MM THK APPROX
7	Drive Unit	1 /0.5 HP MOTOR WITH SUITABLE GEAR BOX MOTOR (ABB/SIEMENS/EQUIVALENT) GEAR BOX MAKE (RADICON/EQUIVALENT)
8	Speed Variation	Conveyor belt is supplied with 3 speed pulley.
9	Capacity	100000 tables approx.
10	Utility Required	
11	Power Supply	3 PH/415V/50HZ
12	Electrical Controls	
	Over Relay ,Contractor	yes
	Push Button -On/Off	yes
13	Overall Dimensions	vendor to specify.
14	Finish Interior / Exterior	mirror / matt
15	Documentation	
	Scope of documentation	- validation documents DQ,OQ,PQ,IQ etc. - material test certificate for contact parts - installation & maintenance manual - spare part list - certificates, manual for bought out items - electrical circuit diagram - schematic diagram of machine showing all dims
16	Inspection:	by client
17	Trial	no load running for 1/2 hr at vendor factory. trial & validation with doc.
18	Packing	wrapped in plastic/ wooden box with net wt and gross wt –vendor to specify.
19	Spares	necessary spare to be provided
20	Installation& Commissioning	At client site.

CAPSULE CHURAN POWDER SECTION

Item Sl. No. 9

OCTAGONAL BLENDER – 600 Ltrs: GMP Model

SR.NO	DESCRIPTION	SPECIFICATION
1.	Purpose	The Octagonal Blender is useful for mixing and lubrication of dry granules homogeneously. Unit mounted on fixed legs and blender with fix baffles.
	Capacity	200 -250 Kg/Batch, at suitable Bulk Density
	Working Capacity	450-480 Litres approx.
	Gross Capacity	600 Litres
	Speed	04-12 rpm
	Performance	Vendor specify
	Input Charged	Manual & through port
	Output Discharged	Manual through butter fly valve
3.	Type	
	Model	GMP Model
	Code	Good Engineering Practice
4.	Dimensions	Vendor to specify
5.	Material Of Construction	
	Blender Cone & Top Cover	Made out of SS316
	Blender Fix Baffles	Complete made out of SS316
	General Structure	Made out of mild steel & cladde d or covered with SS304.
	Gasket	Silicon Rubber/food grade
	Contact Parts	SS 316
	Non Contact Parts	SS 304
6.	Drive Details	
	Main Motor	
	Type	Multiple speed/415 V / 3 Phase/ 50 Hz/Non FLP
	Size & Speed	2/3.0 H.P. & 1400 RPM (ABB /Siemens/equivalent)
	Stirrer Speed	Between 04 to 12 Approx.
	Protection	IP 55& TEFC
	Gear Box	Suitable Gear motor for speed reduction/other Arrangement inline with motor.(Radicon/bonfigoil/Equivalent)
7.	Electrical Control System	
	Console/Panel	Made from SS304 with 3 phase indication, D.O.L. Starter for ON/OFF of the motor, emergency stop, timer & amp. Meter (Siemens/L&T/Equivalent)
	Speed Control	VFD (ABB /EQUIVALENT)
	Digital Timer	For batch time setting
	Ampere Meter	To indicate the load of motor
	Additional Control Features	Vendor to specify
8.	Safety Feature	
	Emergency Stop	Provided in Panel. All moving parts are to be covered.
	Limit Switch	Provided at front safety railing
	Earthing	earthing point is provided at the panel
9	Finish	
	Contact Parts	Mirror Finish
	Non Contact Parts	Matt Finish
10	Utility Required	
	Power Supply	3 PH/ 415 V/50 HZ
11	Documentation :	
	Scope Of Standard Documentations	- Validation documents DQ ,OQ,PQ,IQ etc.

		<ul style="list-style-type: none"> - Material Test certificate for contact parts - Installation & Maintenance Manual - Spare Part List - Certificates, Manual for Bought out items - Electrical Circuit Diagram - Schematic Diagram of machine showing all Dimensions
12	Inspection:	By Client
13	Trial	No load running for 1/2 Hr at vendor factory. Trial & validation with doc.
14	Packing	Wrapped in Plastic/ wooden box with Net wt and gross Wt – vendor to specify
15	Spares	Vendor to specify.
16	Installation & Commissioning	At client site

Item Sl. No. 10

POWDER FILLING MACHINE AUGER TYPE COMPLETE LINE BOTTLE SEALING LABELING MACHINE

Automatic Bottle / Jar Air & Vacuum Cleaning Machine (Inverter Type) with Turn Table

- Automatic Air Jet Cleaning Machine ● Turn Table size : 900-1000mm.
- Machine speed : 120 BPM approx.
- Machine with levelling leg, in feeder star wheel, in feeder inverter, out feeder inverter, machine gear box with suitable motor and turn table gear box with suitable motor.

Material of construction

- Machine levelling leg SS 304, in feeder star wheel, in feeder inverter, out feeder inverter cast Nylon, turn table SS 304.
- Control panel with VFD ,on off switch, warning lamp with safety features etc.
- Motors with suitable gearbox (Bonfiglioli /ABB/ Rotomotive /Equivalent)

Power Characteristics:

- Supply voltage : 415 V AC, 3 Phase , 50 Hz +/- 2%
- pneumatic :Compressed air Pressure - 5 to 6 Bar approx. Filter housing, solenoid valves, low air sensor.

Automatic Double Head Type Powder Filling Machine with change parts.

- Output 60-80 Fills/Minute approx ● Numbers of Head 2 – Head Auger
- Fill capacity 20gm -200gm (0-50,50-100, 200 gm) . In Single Stroke with the help of dosing time and/ with the help of Change Parts.
- Accuracy $\pm 1 - 3 \%$ and Conveyor Height : 850 mm ± 50 mm.
- PLC with HMI ,Servo Drive for Auger & Star Wheel, Suitable for any size of Bottle. Suitable for any Fill size, A. C. Frequency Drive, No Bottle No Fill System, panel with safety features.
- Change-over of Bottle dia. (Star Wheel), For Change-over of Filling weight auger, funnel. Polycarbonate Cabinet with S.S. Frame Structure Covering full machine [Four Sides]

Power Characteristics:

- Power Supply : 415 Volts, 3 Phase, 50 Hz. ● Compressed Air supply : Max. 3-4 Kg/Cm²/ 4-5 CFM approx.

Container Size:

Diameter: 25 to 45 mm, Height : up to 75 mm approx.

Material of Construction:

MOC- Machine frame is made of S.S. 304 Square Pipe with S.S. 304 Sheet. Powder Hopper should be SS316 mirror finish from inside and matt finish from outside. Powder Hoppers are fitted on respective Filling Heads. Powder Hoppers contain main agitator and to drive , Hopper is connected to Separate drive. Powder auger are made out from SS 316 material fitted on Shaft of filling head.

Automatic Single Head SCREW Cap Sealing Machine with change parts for different sizes.

- Capacity/ Output 40-60 Bottles/min approx.

Pulse Counter, Photocell Control unit for NO CAP - MACHINE STOP,A/C Frequency Drive, Suitable for any one size of bottle and its cap. Polycarbonate Cabinet with S.S. Frame Structure(Covering full machine Four Sides)

Changeover of Each Bottle Diameter with Star wheel & back guide , Changeover of Each Cap Size with Bowl for Cap Feeder, Cap Delivery Chute, Chuck etc.

● SS 304 slat Conveyor for the movement of the bottles on the equipment. Star Wheel for transferring the bottles from the conveyor to capping section and back from capping section to conveyor . Capping Section is the central portion pushes the cap and the rollers press the cap. Main Drive is the conveyor, star wheel, Turret movement are driven by motor & gearbox assembly through chain & sprocket arrangements of different size. Capping Section Movement The up & down movement of the capping section is through cylinder cam and follower arrangement. While rotating movement of the head is from the main drive assembly through chain & sprocket arrangement. Cap Hopper is placed at inclined position for smooth transfer of caps from the hopper to top of the bottle through cap releasing chute Sensors to sense the presence of cap in the cap releasing chute and interlock with ON / OFF cap hopper vibrator.

● Drive Assembly :- Conveyor, star wheel, head rotation and head up / down movement are driven by a motor. Main motor of suitable type and make – Bonfiglioli / Rotomotive /Equivalent make Motor .The drive is transmitted to the Conveyor, Star Wheel, Head Rotation, Head Up/Down movement by chain sprocket arrangement of different ratios. The lifter head up/down movement is through follower and cylindrical cam arrangement .

Material of construction

- Operating Panel & control panel SS 304 sheet with standard controls mounted on machine .
- Stand:-The stand is made of SS , The support legs are of round cross section.The support legs are made of SS 304.The machine is mounted on mounts.

Power Characteristics

- Electrical Supply : 230 Volts, A/C., Single Phase, 50 Hz.

Input Specifications:

- Container Dia. : 25-45mm Container Height : upto 75mm Cap Dia. : 20mm, 25mm & 32mm (with the help of change parts) head : ROPP/HDPE (Extra head to be provided)

VISUAL INSPECTION TABLE

- Visual Inspection Table Having 4 FEET Length approx , SS 304Slat Conveyor, Black & White Board with suitable motor & Gear Box with magnify glass and tubes.

Material of Construction:

Main Frame S.S. 304 Square Pipe, Conveyor Side Plate ,end plates, spacer, shaft ,mounting studs with S.S. 304 Conveyor Belt , Chain Sprockets Nylon , Rollers Nylon, Roller Pin S.S. 304, Main Roof & Cover S.S. 304, Control Panel S.S. 304 Sheet etc.

- Main Motor with suitable Gear box (Bonfiglioli / Rotomotive /Equivalent)
- A.C. Frequency Drive Delta/equivalent make

Power Characteristics

- Electrical Supply : 230 Volts, A/C., Single Phase, 50 Hz.

Safety Features:

Motor Overload : Through A.C. Drive & MCB.

AUTOMATIC HIGH SPEED SELF ADHESIVE (STICKER) LABELING MACHINE (DIFFERENT BOTTLES) WITH DIFFERENT CHANGING ITEMS

Automatic High Speed Self Adhesive (Sticker) Round Container Labeling Machine for Labeling on HDPE, LDPE, PET Glass & Aluminum Containers etc. PLC with MMI,A.C. Frequency Drive, SERVO Driven Label Dispensing Unit, LABEL Roll Ending Alarm, NO Container – NO Label System,50 to 120 Containers Per Minute approx. direction left to right, Ink Roller Type Printer, Self Adhesive Winding Unwinding & Counting, panel with safety features.

Material of Construction:

- Main Frame S.S. 304 Box Pipe with S.S. 304 Sheet ,Top Plate with S.S. Sheet, Supporting Pipes S.S. 304 Pipes, Conveyor Side Plates, Conveyor Top Plate S.S. 304 Sheet ,Conveyor Belt P.U. Endless Type
- Guide Rails , Guide Rail Studs , Conveyor End Plates, Conveyor Spacers, Conveyor Mounting Studs, Conveyor Shafts, of S.S. 304 , prefer Pressing Rollers of Aluminium, prefer Conveyor Rollers Aluminium etc. Bearing Covers S.S. 304, Pressing Belt Sandwich Belt , Pressing Belt Supp. Plate S.S. 304 ,Bottle Separator Aluminium covered with Silicon Rubber , Bottle

Separator Housing S.S. 304 , Label Dispenser Alu.Plates, Alu.Rollers, Alu. Housings, S.S. 304 Shafts, S.S. Spacers ,Label Puller Aluminium Roller moulded with Rubber , Pinch Roller Aluminium, prefer Dispenser Lifting Device Anodized Aluminium Block with Shaft (Preferred)

- All Bearings SKF/equivalent.
- Main Motor & Gear box (Bonfiglioli / Rotomotive/ABB/Equivalent)
- A/C. Frequency Inverter (Drive) Delta /equivalent
- Dispenser Motor Panasonic (Servo) /equivalent.
- Servo Drive - Panasonic /equivalent
- Product/Label Sensors Datalogic/equivalent
- All Cables & Wire Lapp / Finolex / Chetan/equivalent
- PLC advance arrangement with Micro Controller
- Cabinet Polycarbonate .

Power Characteristics

- Electrical Supply : 230 Volts, A/C., Single Phase, 50 Hz.

PACKING CONVEYOR BELT

Packing Conveyor Belt Having 10 FEET Length & PVC Coated Belt w 9 inches x2mm thick with A/C Drive

- Main motor with suitable Gear Box Bonfiglioli Make / Rotomotive/equivalent Make ,A.C. Frequency Drive Delta /equivalent .

Material of Construction:

- Main frame S.S. 304 pipes 32"x32"x16 g, sheet 16 g in single piece, All shaft S.S. 304 , All Rollers S.S. 304 , Belt P.V.C. coated.

Power Characteristics

- Electrical Supply : 415 Volts, A/C., three Phase, 50 Hz.

Scope of Standard Documentation for complete line of powder filling

- Validation documents DQ, OQ, IQ, PQ etc.
- Material Test certificate for contact parts
- Installation & Maintenance Manual
- Spare Part List
- Certificates, Manual for Bought out items
- Electrical Diagram
- Schematic Diagram.

Inspection- By Client

Spares- Vendor to specify

Trial- No load running for 1/2 Hr at vendor factory. Trial & validation with doc.

Packing- Wrapped in Plastic/ wooden box with Net wt and gross Wt –vendor to specify

Installation and commissioning - At client site

Item Sl. No. 11**CAPSULE POLISHING WITH AIR DISPLACEMENT UNIT**

SR.NO.	DESCRIPTION	SPECIFICATION
1	Purpose	Clean and maintenance of capsule using Capsule polishing with vacuum pump for dust extraction. Compact Air Displacement unit act as a dust extraction unit is used for collecting loose powder from the polishing chamber . Quick Clamping arrangement for vacuum chamber lid Large surface area for air filtration due to pleated filter bag Provision for shaker to remove powder from filter bag.
	Operating Temp.	ambient
	Operating Pressure Of Dry Air (Polishing Unit)	6 kg/cm ² , 120LPM approx
	Performance	Vendor specify
	Working Capacity	100000-125000 Capsule/hrs Approx
	Vacuum (Air Displacement Unit)	Flow 2800 LPM approx, 500 mm of water max.
	Charging Inputs	Manual charging
	Discharging Outputs	Manual discharging
2	Design Data	
	Model	GMP
	Code	good engineering practice GMP
	Dimensions	vendor to specify
3	Drive Assembly	
	Type	
	Motor Detail De Dusting And Polishing Unit	0.25 HP,230 V, single phase,50 Hz (ABB/SIEMEN/equivalent)
	Motor Detail Air Displacement Unit	2 Hp, 230 V, single phase,50 Hz (ABB/SIEMEN/equivalent)
4	Material Of Construction	
	Contact Parts	SS 316
	Non Contact Parts	SS 304
5	Electricals	
	Starter	D. O. L. Type with other components (Siemens/L&T/Equivalent)
6	Finish	
	Contact Parts	Mirror Finish
	Non-Contact Parts	Matt finish
7	Safety Features	
	Overload Protection Relays	Yes
8	Utility (Polishing, Air Displacement)	230 V /1 PH/50 Hz, 230V/3PH/50Hz
9	Documentation	
	Scope of documentation	-Validation documents DQ,OQ,IQ,PQ etc. -Material Test certificate for contact parts -Installation & Maintenance Manual -Spare Part List -Certificates, Manual for Bought out items -Electrical Diagram -Schematic Diagram.
10	Inspection	By Client

11	Spare	vendor to specify/recommend essential spare.
11	Trial	No load running for 1/2 Hr at vendor factory. Trial & validation with doc.
12	Packing	Wrapped in Plastic/ wooden box with Net wt and gross Wt –vendor to specify
13	Installation & Commissioning	At client site

Section – VIII

Quality Control Requirements

(Proforma for equipment and quality control employed by the manufacturer(s))

Tender Reference No.

Date of opening

Time

Note: All the following details shall relate to the manufacturer(s) for the goods quoted for.

- 01 Name of the manufacturer
 - a. full postal address
 - b. full address of the premises
 - c. Email ID
 - d. telephone number
 - e. fax number

- 02 Plant and machinery details

- 03 Manufacturing process details

- 04 Monthly (single shift) production capacity of goods quoted for
 - a. normal
 - b. maximum

- 05 Total annual turn-over (value in Rupees)

- 06 Quality control arrangement details
 - a. for incoming materials and bought-out components
 - b. for process control
 - c. for final product evaluation

- 07 Test certificate held
 - a. type test
 - b. BIS/ISO/Other certification
 - c. any other

- 08 Details of staff
 - a. technical
 - b. skilled
 - c. unskilled

Signature and seal of the Tenderer

Section – IX

Qualification Criteria

The parties who will qualify for participating in the tenders must fulfill followings:

- (1) Only Machinery Manufacturers can participate in this Tender.
- (2) The Manufacturers should have supplied and installed in last five years from the date of Tender Opening, at least Six similar machineries in compliances to WHO-GMP meeting major specification parameters which is functioning satisfactorily. The manufacture should have supplied to at least one to the TGA/MHRA/USFDA end user. Documentary proof in support duly notarized should be provided.
- (3) The manufacture must have executed (supplied and commissioned) under their company /firm's name and style at least 3 (three) order for similar or higher capacity pharma machineries during last 2 calendar year prior to date of tender opening. Documentary evidence(duly signed and stamped) must be enclosed.
- (4) Annual Turnover of the Firm/ company must be at least **Rs 500 Lakh cumulative in Last three financial years** prior to date of tender opening. Documentary evidence duly certified by CA must be enclosed.
- (5) Tenderers must have service station either in Delhi / Uttrakhand/ within 500 km from consignee's place. The list of the service station which are available for North Indian clients may also be submitted.

Note:

1. In support of 2 &3, Tenderer shall furnish Performance statement in the enclosed Proforma 'A'.

The Tenderer shall furnish a brief write-up, packed with adequate data explaining and establishing his available capacity/capability (both technical and financial) to perform the Contract (if awarded) within the stipulated time period, after meeting all its current/present commitments. The Tenderer shall also furnish details of Equipment and Quality Control in the enclosed Section VIII.

2. Notwithstanding anything stated above, the Purchaser reserves the right to assess the Tenderer's capability and capacity to perform the contract satisfactorily before deciding on award of Contract, should circumstances warrant such an assessment in the overall interest of the Purchaser.
3. The Purchaser reserves the right to ask for a free demonstration of the quoted equipment at a pre determined place acceptable to the purchaser for technical acceptability as per the tender specifications, before the opening of the Price Tender.

PROFORMA 'A'
PROFORMA FOR PERFORMANCE STATEMENT

Tender Reference No. : _____

Date of opening : _____

Time : _____

Name and address of the Tenderer : _____

Name and address of the manufacturer : _____

Order placed by (full address of Purchaser/Consignee)	Order number and date	Description of ordered goods and services	Quantity of ordered goods and services	Value of order (Rs.)	Date of completion of Contract		Remarks indicating reasons for delay if any	Have the goods been functioning Satisfactorily (attach documentary proof)**
					As per contract	Actual		
1	2	3	4	5	6	7	8	9

We hereby certify that if at any time, information furnished by us is proved to be false or incorrect; we are liable for any action as deemed fit by the purchaser in addition to the forfeiture of the earnest money.

Signature and seal of the Tenderer

** The documentary proof will be a certificate from the consignee/end user with cross-reference of order no. and date in the certificate duly notarised certification authenticating the correctness of the information furnished. **Such certificates from a third party or middleman other than actual end user will not be accepted.** The satisfactory performance implies working satisfactorily without any complaint since the date of installation, commissioning & handing over to the end user as per the standard format enclosed.

If at any time, information furnished is proved to be false or incorrect, the earnest money and or performance security furnished will be forfeited.

Section – X
TENDER FORM

Date_____

To,
Head (P & CD)
HLL Lifecare Limited
Procurement and Consultancy Division
B-14A, Sector -62, Noida -201307, Uttar Pradesh

Ref. Your TE document No. _____ dated _____

We, the undersigned have examined the above-mentioned TE document, including amendment/corrigendum No. _____, dated _____ (*if any*), the receipt of which is hereby confirmed. We now offer to supply and deliver _____ (*Description of goods and services*) in conformity with your above referred document.

If our tender is accepted, we undertake to supply the goods and perform the services as mentioned above, in accordance with the delivery schedule specified in the List of Requirements.

We further confirm that, if our tender is accepted, we shall provide you with a performance security of required amount in an acceptable form in terms of GCC clause 5, read with modification, if any, in Section V – “Special Conditions of Contract”, for due performance of the contract.

We agree to keep our tender valid for acceptance as required in the GIT clause 20, read with modification, if any in Section III – “Special Instructions to Tenderers” or for subsequently extended period, if any, agreed to by us. We also accordingly confirm to abide by this tender up to the aforesaid period and this tender may be accepted any time before the expiry of the aforesaid period. We further confirm that, until a formal contract is executed, this tender read with your written acceptance thereof within the aforesaid period shall constitute a binding contract between us.

We further understand that you are not bound to accept the lowest or any tender you may receive against your above-referred tender enquiry.

We confirm that we do not stand deregistered/banned/blacklisted by any Govt. Authorities.

We confirm that we fully agree to the terms and conditions specified in above mentioned TE document, including amendment/ corrigendum if any

(Signature with date)

(Name and designation) Duly authorised to sign tender for and on behalf of

SECTION – XI PRICE SCHEDULE**PRICE SCHEDULE FOR DOMESTIC GOODS OR GOODS OF FOREIGN ORIGIN LOCATED WITHIN INDIA**

1	2	3	4	5					6	
				Price per unit (Rs.)						
Item Sl. No.	Brief Description of Goods	Country of Origin	Quantity (Nos.)	Ex-factory/ Ex-warehouse/ Ex-showroom/ Off-the-shelf (a)	Excise Duty (if any) [%age & value] (b)	Sales Tax/ VAT (if any) [%age & value] (c)	Transportation charges With insurance (d)	Incidental Services (including Installation & Commissioning, Supervision, Demonstration and Training) at the Consignee's site (e)	Unit Price (at Consignee Site) basis (Rs.) (g) =a+b+c+d+e	Total Price (at Consignee Site) basis (Rs.) 4 x 5(g)

Total Tender price in Rupees: _____

In words: _____

Note: -

1. If there is a discrepancy between the unit price and total price THE UNIT PRICE shall prevail.
2. The Tenderer will be fully responsible for the safe arrival of the goods at the consignee site in good condition.
3. Price must be quoted on consignee's door delivery basis inclusive of all the components as mentioned in the above format.
4. Purchaser will make the payment after receipt of goods at consignee's site in good condition as per payment terms in the contract.

Name _____

Business Address _____

Place: _____

Signature of Tenderer _____

Date: _____

Seal of the Tenderer _____

SECTION – XII

QUESTIONNAIRE

Fill up the Section XX – Check List for Tenderers and enclose with the Tender

1. The tenderer should furnish specific answers to all the questions/issues mentioned in the Checklist. In case a question/issue does not apply to a tenderer, the same should be answered with the remark “not applicable”
2. Wherever necessary and applicable, the tenderer shall enclose certified copy as documentary proof/ evidence to substantiate the corresponding statement.
3. In case a tenderer furnishes a wrong or evasive answer against any of the question/issues mentioned in the Checklist, its tender will be liable to be ignored.

SECTION – XIII
BANK GUARANTEE FORM FOR EMD

Whereas _____ (hereinafter called the “Tenderer”) has submitted its quotation dated _____ for the supply of _____ (hereinafter called the “tender”) against the purchaser’s tender enquiry No. _____ Know all persons by these presents that we _____ of _____ (Hereinafter called the “Bank”) having our registered office at _____ are bound unto _____ (hereinafter called the “Purchaser) in the sum of _____ for which payment will and truly to be made to the said Purchaser, the Bank binds itself, its successors and assigns by these presents. Sealed with the Common Seal of the said Bank this _____ day of _____ 20____. The conditions of this obligation are:

- (1) If the Tenderer withdraws or amends, impairs or derogates from the tender in any respect within the period of validity of this tender.
- (2) If the Tenderer having been notified of the acceptance of his tender by the Purchaser during the period of its validity: -
 - a. fails or refuses to furnish the performance security for the due performance of the contract.
or
 - b) fails or refuses to accept/execute the contract.
or
 - c) if it comes to notice that the information/documents furnished in its tender is incorrect, false, misleading or forged

We undertake to pay the Purchaser up to the above amount upon receipt of its first written demand, without the Purchaser having to substantiate its demand, provided that in its demand the Purchaser will note that the amount claimed by it is due to it owing to the occurrence of one or both the two conditions, specifying the occurred condition(s).

This guarantee will remain in force for a period of forty-five days after the period of tender validity and any demand in respect thereof should reach the Bank not later than the above date.

(Signature of the authorised officer of the Bank)

Name and designation of the officer(s)

Seal, name & address of the Bank and address of the Branch

SECTION – XIV

Deleted

SECTION – XV

BANK GUARANTEE FORM FOR PERFORMANCE SECURITY

To
The Managing Director
Indian Medicines Pharmaceuticals Corporation Ltd.
MOHAN, District: Almora
(VIA RAMNAGAR - 244 715)
Uttarakhand

WHEREAS _____ (Name and address of the supplier) (Hereinafter called “the supplier”) has undertaken, in pursuance of contract no _____ dated _____ to supply (description of goods and services) (herein after called “the contract”).

AND WHEREAS it has been stipulated by you in the said contract that the supplier shall furnish you with a bank guarantee by a scheduled commercial bank recognised by you for the sum specified therein as security for compliance with its obligations in accordance with the contract;

AND WHEREAS we have agreed to give the supplier such a bank guarantee;

NOW THEREFORE we hereby affirm that we are guarantors and responsible to you, on behalf of the supplier, up to a total of. _____ (Amount of the guarantee in words and figures), and we undertake to pay you, upon your first written demand declaring the supplier to be in default under the contract and without cavil or argument, any sum or sums within the limits of (amount of guarantee) as aforesaid, without your needing to prove or to show grounds or reasons for your demand or the sum specified therein.

We hereby waive the necessity of your demanding the said debt from the supplier before presenting us with the demand.

We further agree that no change or addition to or other modification of the terms of the contract to be performed there under or of any of the contract documents which may be made between you and the supplier shall in any way release us from any liability under this guarantee and we hereby waive notice of any such change, addition or modification.

This guarantee shall be valid up to ----- months from the date of Notification of Award i.e up to ----
----- (indicate date)

.....
(Signature with date of the authorised officer of the Bank)

.....
Name and designation of the officer

.....
Seal, name & address of the Bank and address of the Branch

**SECTION – XVI
CONTRACT FORM**

**CONTRACT FOR SUPPLY, INSTALLATION, COMMISSIONING, HANDING OVER,
TRIAL RUN, TRAINING OF OPERATORS & WARRANTY OF GOODS**

(Address of the Purchaser's/Consignee's office issuing the contract)

Contract No _____ dated _____

This is in continuation to this office's Notification of Award No _____ dated _____

1. Name & address of the Supplier: _____
2. Purchaser's TE document No _____ dated _____ and subsequent Amendment No _____, dated _____ (if any), issued by the purchaser
3. Supplier's Tender No _____ dated _____ and subsequent communication(s) No _____ dated _____ (if any), exchanged between the supplier and the purchaser in connection with this tender.
4. In addition to this Contract Form, the following documents etc, which are included in the documents mentioned under paragraphs 2 and 3 above, shall also be deemed to form and be read and construed as integral part of this contract:

- (i) General Conditions of Contract;
- (ii) Special Conditions of Contract;
- (iii) List of Requirements;
- (iv) Technical Specifications;
- (v) Quality Control Requirements;
- (vi) Tender Form furnished by the supplier;
- (vii) Price Schedule(s) furnished by the supplier in its tender;
- (viii) Manufacturers' Authorisation Form (if applicable for this tender);
- (ix) Purchaser's Notification of Award

Note: The words and expressions used in this contract shall have the same meanings as are respectively assigned to them in the conditions of contract referred to above. Further, the definitions and abbreviations incorporated under clause 1 of Section II – 'General Instructions to Tenderers' of the Purchaser's TE document shall also apply to this contract.

5. Some terms, conditions, stipulations etc. out of the above-referred documents are reproduced below for ready reference:

- (i) Brief particulars of the goods and services which shall be supplied/ provided by the supplier are as under:

Item Sl. No.	Brief description of goods/services	Accounting unit	Quantity to be supplied	Unit Price	Total price	Terms of delivery

Any other additional services (if applicable) and cost thereof: _____

Total value (in figure) _____ (In words) _____

- (ii) Delivery schedule
- (iii) Details of Performance Security

- (iv) Quality Control
 - (a) Mode(s), stage(s) and place(s) of conducting inspections and tests.
 - (b) Designation and address of purchaser's inspecting officer
- (v) Destination and despatch instructions
- (vi) Consignee, including port consignee, if any
- (vii) Warranty clause
- (viii) Payment terms
- (ix) Paying authority

**(Signature, name and address
of the Purchaser's/Consignee's authorised official)
For and on behalf of _____**

Received and accepted this contract

(Signature, name and address of the supplier's executive
duly authorised to sign on behalf of the supplier)

For and on behalf of _____

(Name and address of the supplier)

(Seal of the supplier)

Date: _____

Place: _____

SECTION – XVII

CONSIGNEE RECEIPT CERTIFICATE
(To be given by consignee's authorized representative)

The following store (s) has/have been received in good condition:

- 1) Contract No. & date : _____
- 2) Supplier's Name : _____
- 3) Consignee's Name & Address with
telephone No. & Fax No. : _____
- 4) Name of the item supplied : _____
- 5) Quantity Supplied : _____
- 6) Date of Receipt by the Consignee : _____
- 7) Name and designation of Authorized
Representative of Consignee : _____
- 8) Signature of Authorized
Representative of Consignee with
date : _____
- 9) Seal of the Consignee : _____

SECTION – XVIII
Proforma of Final Acceptance Certificate by the Consignee

No _____

Date _____

To

M/s _____

Subject: Certificate of commissioning of equipment/plant.

This is to certify that the equipment(s)/plant(s) as detailed below has/have been received in good conditions along with all the standard and special accessories and a set of spares (subject to remarks in Para no.02) in accordance with the contract/technical specifications. The same has been installed and commissioned.

(a) Contract No _____ dated _____

(b) Description of the equipment(s)/plants: _____

(c) Equipment(s)/ plant(s) nos.: _____

(d) Quantity: _____

(e) Air Way Bill/Railway

Receipt/ Goods Consignment Note no _____ dated _____

(f) Name of the Transporter: _____

(g) Name of the Consignee: _____

(h) Date of commissioning and proving test: _____

Details of accessories/spares not yet supplied and recoveries to be made on that account.

Sl. No.	Description of Item	Quantity	Amount to be recovered
----------------	----------------------------	-----------------	-------------------------------

The proving test has been done to our entire satisfaction and operators have been trained to operate the equipment(s)/plant(s).

The supplier has fulfilled its contractual obligations satisfactorily ##

or

The supplier has failed to fulfil its contractual obligations with regard to the following:

He has not adhered to the time schedule specified in the contract in dispatching the documents/drawings pursuant to 'Technical Specifications'.

He has not supervised the commissioning of the equipment(s)/plant(s) in time, i.e. within the period specified in the contract from date of intimation by the Purchaser/Consignee in respect of the installation of the equipment(s)/plant(s).

The supplier as specified in the contract has not done training of personnel.

The extent of delay for each of the activities to be performed by the supplier in terms of the contract is _____.

The amount of recovery on account of non-supply of accessories and spares is given under Para no.02.

The amount of recovery on account of failure of the supplier to meet his contractual obligations is _____ (here indicate the amount).

Signature

Name:

Designation with stamp

Explanatory notes for filling up the certificate:

- He has adhered to the time schedule specified in the contract in dispatching the documents/drawings pursuant to 'Technical Specification'.
- He has supervised the commissioning of the equipment(s)/plant(s) in time, i.e. within the time specified in the contract from date of intimation by the Purchaser/Consignee in respect of the installation of the equipment(s)/plant(s).
- Training of personnel has been done by the supplier as specified in the contract
- In the event of documents/drawings having not been supplied or installation and commissioning of the equipment(s)/plant(s) having been delayed on account of the supplier, the extent of delay should always be mentioned in clear terms.

SECTION – XX**CHECKLIST****Name of Tenderer:****Name of Manufacturer:**

Sl. No.	Activity	Yes/ No/ NA	Page No. in the Tender document	Remarks
1. a.	Have you enclosed EMD of required amount for the quoted schedules?			
b.	In case EMD is furnished in the form of Bank Guarantee, has it been furnished as per Section XIII?			
c.	In case Bank Guarantee is furnished, have you kept its validity of 165 days from Techno Commercial Tender Opening date as per clause 19 of GIT?			
2. a.	Have you enclosed duly filled Tender Form as per format in Section X?			
b.	Have you enclosed Power of Attorney/Partnership Agreement in favour of the signatory attested by a Notary Public.			
3.	Are you an SSI unit, registered with NSIC under single point registration scheme or registered with DGS&D for the quoted item(s)? If so, have you enclosed a copy of the registration certificate?			
4. a.	Have you enclosed clause-by-clause technical compliance statement for the quoted goods vis-à-vis the Technical specifications?			
b.	In case of Technical deviations in the compliance statement, have you identified and marked the deviations?			
5. a.	Have you submitted satisfactory performance certificate from end user in respect of all orders mentioned in the Proforma in section IX of TE Document?			

Sl. No.	Activity	Yes/ No/ NA	Page No. in the Tender document	Remarks
b.	Have you submitted copy of the order(s) and installation report as per qualification criteria?			
6.	Deleted			
7.	Have you confirmed that the terms of delivery shall be 'Delivery at Consignee's site'?			
8.	Have you kept validity of 120 days from the Techno Commercial Tender Opening date as per the TE document?			
9.	Have you furnished Income Tax Account No. as allotted by the Income Tax Department of Government of India and copy of Income Tax return for last 3 year assessment prior to the date of tender opening ?			
10.	Have you intimated the name and full address of your Banker (s) along with your Account Number			
11.	Have you fully accepted payment terms as per TE document?			
12.	Have you fully accepted delivery period as per TE document?			
13.	Have you submitted the certificate of incorporation?			
14.	Have you fully accepted the warranty as per TE document?			
15.	Have you accepted all terms and conditions of TE document?			
16.	Have you furnished documents establishing your eligibility & qualification criteria as per TE documents?			
17	Have you furnished Annual Report (Balance Sheet and Profit & Loss Account) for last three years prior to the date of Tender opening?			
18	Have you submitted the Article of Association & Memorandum of Association?			

N.B.

1. All pages of the Tender should be page numbered and indexed.
2. The Tenderer may go through the checklist and ensure that all the documents/confirmations listed above are enclosed in the tender and no column is left blank. If any column is not applicable, it may be filled up as NA.
3. It is the responsibility of tenderer to go through the TE document to ensure furnishing all required documents in addition to above, if any.

(Signature with date)

(Full name, designation & address of the person duly authorised sign on behalf of the
Tenderer)
For and on behalf of

(Name, address and stamp of the tendering firm)
